Cover

and

Chapter Introduction Pages

by

KENNETH JONES

Illustrator

S3295-1

1981
VITAL STATISTICS OF LOUISIANA

DEPARTMENT OF HEALTH AND HUMAN RESOURCES
OFFICE OF PREVENTIVE AND PUBLIC HEALTH SERVICES



EDWIN W. EDWARDS
Governor

SANDRA L. ROBINSON, M.D., M.P.H.
Secretary
State Health Officer

DANETA DANIEL BARDSLEY, Ed.D.
Assistant Secretary

PREPARED BY
PUBLIC HEALTH STATISTICS

THOMAS E. BALLINGER Statistical Officer	LILLIAN CHILES Classification Methods Supervisor	AUDREY P. COLLINS Statistical Services Supervisor
FRANCES N. BARI Assistant Statistical Officer	MARY LEE ESTEVE Chief Nosologist	BEATRICE R. BONIN Graphic Specialist

CONTENTS

Narrative

Introduction i
Population Estimates for Louisiana Parishes, Preliminary, July 1, 1981. viii
Summary of Vital Events in 1981 ix

Tables

NATALITY

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child, Louisiana, 1981:
    By Parish 1
    By State Planning Districts and Health Service Areas 9
Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex of Child, Race, and Attendant, Louisiana, 1981 10
Live Births Showing Hospital in Which Birth Occurred, by Sex and Race, Louisiana, 1981 13
Congenital Anomalies Specified on Birth Certificate, Shown by Type of Anomalies and Age of Mother, Louisiana Residents, 1981 18
Immature Births Showing Hospital in Which Birth Occurred, Louisiana, 1981 19
Live Births by Live Birth Order by Weight of Child, Louisiana Residents, 1981 23
Live Births by Weight of Child, Shown by Sex and Race, Louisiana Residents, 1981 23
Live Births by Birth Weight, Age of Mother, and Race of Child, Louisiana Residents, 1981. 24
Live Births by Birth Order, Shown by Age of Mother and Race of Child, Louisiana Residents, 1981 . 25
Illegitimate Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother and Race of Child, Louisiana, 1981:
    By Parish 26
    By State Planning Districts and Health Service Areas 30

FETAL MORTALITY:

Stillbirths by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, by Race, Louisiana, 1981:
    By Parish 31
    By State Planning Districts and Health Service Areas 35
Stillbirths Shown by Selected Causes, Age of Mother, and Race of Child, Louisiana Residents, 1979-1981 36
Reported Induced Terminations of Pregnancy by Parish of Residence and Parish of Occurrence, Louisiana, 1981 38
Reported Induced Terminations of Pregnancy Occurring in Louisiana by Woman's State of Residence, Louisiana, 1981 38
Reported Induced Terminations of Pregnancy by Weeks of Gestation and Woman's Age, Louisiana, 1981 39
Reported Induced Terminations of Pregnancy by Weeks of Gestation and Race, Louisiana, 1981 . . . 39
Reported Induced Terminations of Preganncy by Type of Procedure and Weeks of Gestation,Louisiana, 1981 40
Reported Induced Terminations of Pregnancy by Woman's Age and Race, Louisiana, 1981 41
Reported Induced Terminations of Pregnancy by Woman's Marital Status and Race, Louisiana, 1981. . 41

MORTALITY:

Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Usual Residence of the Deceased and Shown by Sex, Race, and Age, Louisiana, 1981:
    By Parish 43
    By State Planning Districts and Health Service Areas 52
Deaths Showing Hospital in Which Death Occurred, by Age, Louisiana, 1981 54
Principal Causes of Death by Parish, Louisiana, 1981 60
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race and Age, Louisiana, 1981. . 62
Accidental Deaths by Type of Accident, Shown by Geographic Location Where Accident Occurred, Louisiana, 1981 92
Infant Deaths (Exclusive of Stillbirths) by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Sex, Race, and Age, Louisiana, 1981:
    By Parish 93
    By State Planning Districts and Health Service Areas 101
Infant Mortality Rates by Place of Residence, Shown by Age at Death and Race, Louisiana by State Planning District and Health Service Areas, 1981 102
Infant Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age, Louisiana Residence, 1981 103
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age, Louisiana, 1981 110
Maternal Deaths by Cause, Shown by Race, and Age, Louisiana Residence, 1981 111
Maternal Deaths by Cause, Shown by Race, Louisiana Residents, 1979-1981 112

MORBIDITY:

Reportable Diseases by Parish, Louisiana, 1981 113
Reportable Diseases by Race and Age, Louisiana, 1981 117

MARRIAGE AND DIVORCE:

Marriages, Final Divorces, and Annulments Granted, Louisiana, 1981 121
Marriages by Month of Occurrence, Louisiana, 1981 122
Marriages by Race of Bride, by Race of Groom, Louisiana, 1981 122
Marriages by Previous Marital Status of Bride and Groom, Louisiana, 1981 122
All Marriages by Age of Bride, by Age of Groom, Louisiana, 1981 123

LOUISIANA
HEALTH SERVICE AREAS
AND
STATE PLANNING DISTRICTS

I: HSA 1 (STATE PLANNING DISTRICTS 1 AND 3)

II: HSA 2 (STATE PLANNING DISTRICTS 2, 4, AND 5)

III: HSA 3 (STATE PLANNING DISTRICTS 6, 7, AND 8)


III
CADDO
BOSSIER
WEBSTER
CLAIBORNE
LINCOLN
UNION
MOREHOUSE
W. CARROLL
E. CARROLL
OUACHITA
RICHLAND
MADISON
JACKSON
BIENVILLE
RED RIVER
DESOTO
7
8
WINN
CALDWELL
FRANKLIN
TENSAS
SABINE
NATCHITOCHES
GRANT
LASALLE
CATAHOULA
CONCORDIA
6
VERNON
RAPIDES
AVOYELLES
II
BEAUREGARD
ALLEN
EVANGELINE
ST. LANDRY
POINTE COUPEE
W. FELICIANA
E. FELICIANA
ST. HELENA
TANGIPAHOA
WASHINGTON
2
E. BATON ROUGE
W. BATON ROUGE
LIVINGSTON
5
4
CALCASHU
JEFFERSON DAVIS
ACADIA
LAFAYETTE
ST. MARTIN
IBERVILLE
ASCENSION
CAMERON
VERMILION
IBERIA
ST. MARY
ST. TAMMANY
ORLEANS
ST. BERNARD
ST. JAMES
ST. JOHN
ST. CHARLES
ASSUMPTION
1
3
LAFOURCHE
JEFFERSON
PLAQUEMINES
TERREBONNE
I

Introduction

> - "A vital statistics law is conceded the most fundamental health law that any state can enact. . . . Vital statistics is the bookkeeping of life and health. The State, like an army, cannot protect itself against enemies unless its executive officers know the location and strength of these enemies [disease and death]. Figures show the points of attack; figures also show the effect of measures of control and prevention." (From the report of Oscar Dowling, M.D., president of the Louisiana State Board of Health in the Biennial Report of the Board, 1920 - 1921).

SOURCE AND COMPLETENESS OF DATA

Louisiana law requires that certificates of vital events and reports of communicable disease be submitted to the Department of Health and Human Resources, Office of Preventive and Public Health Services (formerly the Office of Health Services and Environmental Quality). Within this agency Vital Records is charged with the responsibility of recording and preserving the submitted documents; and Public Health Statistics is assigned the tasks of tabulating, summarizing, analyzing, and disseminating statistical information gleaned from the records in its care.

The statistics presented in this report were obtained primarily from certificates registered with the Office of Vital Records, but there are many exceptions to this rule. Records of vital events occurring outside the State to residents of Louisiana were obtained from transcripts of certificates made available through a nationwide system of interchange among all states and territories. Historical data for Louisiana, United States data, and data for other states were taken from publications of the National Center for Health Statistics. Population data for census years were obtained from United States Bureau of the Census publications; and intercensal population estimates were made available by the Research Division, College of Administration and Business of Louisiana Tech University. Sources of special data are footnoted wherever they appear in this report.

Matching infant death certificates with the corresponding birth certificates indicates that birth registration in Louisiana is approximately 95 percent complete. The degree of registration completeness for stillbirths (spontaneous fetal deaths) is not known, but some under-registration is likely, especially for stillbirths near 20 weeks gestation. Death registration is considered to be close to 100 percent complete as it is necessary to file a death certificate before a burial permit is issued in Louisiana. However, it is conceded that some under-registration does occur for infants dying shortly after birth. Records for all births, stillbirths, and deaths occurring in the State during the specified year and received prior to March 31 of the following year were used in preparing this publication. Abortion (induced fetal death) reporting is not well established in Louisiana or nationally. There is no system for interstate exchange of abortion reporting forms; neither, it is felt, are all induced abortions reported.

It is considered that certificates for at least 95 percent of marriages occurring in the State annually are filed with Vital Records. Unfortunately, divorce statistics for Louisiana are almost nonexistent. Although Vital Records does receive certificates on some divorces, few parishes submit records of all divorces, and the information on the filed certificates is so incomplete as to prevent any meaningful analysis. The divorce tabulations included in this report reflect counts made by the Clerks of Court as well as data derived from actual certificates received in the central office. For obvious reasons, Louisiana is excluded from the national divorce registration system.

CAUSE-OF-DEATH CODING

CLASSIFICATION SYSTEM

World Health Organization regulations specify that member nations classify cause-of-death in accordance with the current revision of The International Statistical Classification of Diseases, Injuries, and Causes of Death (ICD). The ICD has been revised approximately every ten years since 1900. The current revision, ICD - 9 , has been used for deaths occurring since January 1, 1979.

Prior to 1949, under the first five revisions of the International Classification, causes of death were coded on the basis of priority tables for multiple causes as set forth in The Manual for Joint Causes of Death. Under the sixth through the ninth (current) revisions, the cause of death coded for tabulating death data, is the "underlying cause" as determined from information provided on the death certificate by the attending physician, or coroner. The "underlying cause" may be defined as "(a) the disease or injury which initiated the train of morbid events leading directly to death; or (b) the circumstances of accident or violence which produced the fatal injury"[1]. Under the last four revisions, death resulting from accident or violence may be classified by nature or injury or by external cause of injury, but it has been standard procedure to code such deaths according to the later classification scheme for mortality statistics based on an underlying cause.

COMPARABILITY OF STATISTICS

The decennial revisions have led to repeated breaks in the comparability of cause-of-death data. The introduction of the present concepts of classification in the sixth revision seriously affected the interpretation of mortality trends before and after 1949. Comparability ratios were subsequently computed by the United States to assist in the analysis of mortality trends by providing a measure of the degree of discontinuity. Following the recommendations of the International Conference for the Sixth Revision of the ICD, the United States used a dual coding method for constructing these comparability ratios after the introduction of each of the last four revisions. Current United States comparability ratios for selected causes are shown in Tables 1 and 2 on pages vi and vii. They can be defined as the ratio of deaths assigned to a cause in accordance with the Ninth Revision to deaths assigned in accordance with the Eighth Revision.

For a more detailed description of the construction of the ratios and a brief summary of statistical design, see "Estimates of Selected Comparability Ratios Based on Dual Coding of 1976 Death Certificates by the Eighth and Ninth Revision of the International Classification of Disease", Monthly Vital Statistics Report, DHEW Publication No. (PHS) 80-1120, Volume 28, No. 11, (Supplement) Hyattsville, Md., National Center for Health Statistics, February, 1980.

---

[1] Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955, Volume 1, page 357

CAUSE-OF-DEATH RANKING

Cause-of-death rankings are based on the "List of 72 Selected Causes of Death" developed by the National Center for Health Statistics. This list was adapted from a basic list recommended by the World Health Organization for use with the Ninth Revision of the ICD. The group titles, "Major Cardiovascular Diseases" and "Symptoms, Signs, and Illdefined Conditions" are not ranked. In addition, category titles that begin with the words "Other" or "All Other" are not ranked. The remaining titles are ranked according to the number of deaths in 1981 to determine the leading causes of death. When a title that represents a subtotal is ranked (e.g. "tuberculosis"), its component parts (in this example, "Tuberculosis of the Respiratory System" and "Other Tuberculosis") are not ranked.

DEFINITIONS

The following is a glossary of technical terms used in this report:

RESIDENCE: defined as that of the deceased for a death and as that of the mother for a birth or stillbirth. Births and deaths occurring in institutions in Louisiana are reallocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted.

RACE: that category which is shown on the certificate. (Tables and figures that include race classification are tabulated by white and nonwhite categories only. White includes persons reported as White, Mexican, Puerto Rican, and Cuban. Nonwhite includes all other races and mixture of races. Approximately one percent of those classified as nonwhite are other than black.)

LIVE BIRTH: the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

IMMATURE BIRTH: a live birth weighing 5 pounds 8 ounces (2,500 grams) or less regardless of length of gestation.

PREMATURE BIRTH: a live birth which occurs prior to 37 weeks gestation regardless of birth weight.

ILLEGITIMATE LIVE BIRTH: a live birth for which the mother is reported on the confidential portion of the birth certificate as not married. (This definition is used for statistical purposes only.)

FETAL DEATH: death prior to the complete expulsion or extraction from its mother of a product of human conception which, after such expulsion or extraction, never breathes or shows any other evidence of life.

> **SPONTANEOUS FETAL DEATH (STILLBIRTH):** a fetal death which is not an induced termation of pregnancy. All spontaneous fetal deaths of 20 weeks or more duration of pregnancy, or a weight of 350 grams or more, must be reported.

INDUCED TERMINATION OF PREGNANCY (ABORTION): the purposeful interruption of pregnancy with the intention other than to produce a liveborn infant or to remove a dead fetus, and which does not result in a live birth.

INFANT DEATH: a death occurring to a child under one year of age.

HERDOMADAL DEATH: a death occurring to a child under 7 days of age.

NEONATAL DEATH: a death occurring to a child under twenty-eight days of age.

PERINATAL DEATH: includes stillbirths and deaths to infants less than seven days old.

MATERNAL DEATH: a death attributed to "Complications of Pregnancy, Childbirth, and the Puerperium."

$$\text{BIRTH RATE} = \frac{\text{number of live births}}{\text{estimated population}} \quad \text{X} \quad 1{,}000$$

$$\text{IMMATURE BIRTH RATIO} = \frac{\text{number of immature births}}{\text{number of live births}} \quad \text{X} \quad 1{,}000$$

$$\text{ILLEGITIMACY RATIO} = \frac{\text{number of illegitimate live births}}{\text{number of live births}} \quad \text{X} \quad 1{,}000$$

$$\text{ILLEGITIMACY RATE} = \frac{\text{number of illegitimate live births}}{\text{estimated unmarried female population 15 - 44 years old}} \quad \text{X} \quad 1{,}000$$

$$\text{FERTILITY RATE} = \frac{\text{number of live births}}{\text{estimated female population 15 - 44 years old}} \quad \text{X} \quad 1{,}000$$

$$\text{AGE SPECIFIC FERTILITY RATE} = \frac{\text{number of live births to women in specific age group}}{\text{estimated female population in that age group}} \quad \text{X} \quad 1{,}000$$

$$\text{TOTAL FERTILITY RATE} = \text{sum of the age specific fertility rates (in 5-year age groups) multiplied by 5 *}$$

$$\text{FETAL DEATH RATIO} = \frac{\text{number of reportable fetal deaths}}{\text{total number of live births}} \quad \text{X} \quad 1{,}000$$

$$\text{DEATH RATE} = \frac{\text{number of deaths}}{\text{estimated population}} \quad \text{X} \quad 1{,}000 \text{ (or } 100{,}000\text{, (as specified)}$$

* If divided by 1,000, the total fertility rate is an approximation of completed family size per woman (if, throughout their reproductive period, women were to experience the same age specific birthrates that were observed in the childbearing population in 1981.)

AGE SPECIFIC DEATH RATE $= \dfrac{\text{number of deaths in specific age group}}{\text{estimated population in that age group}}$ X 1,000 (or 100,000 as specified)

AGE ADJUSTED DEATH RATE (Direct Method) $= \dfrac{\text{total number of expected deaths in a standard population (if the persons in this population had experienced the same age specific death rates as population being adjusted)}}{\text{total standard population}}$ X 1,000 (or 100,000 as specified)

HERDOMADAL MORTALITY RATE $= \dfrac{\text{number of deaths under 7 days of age}}{\text{total number of live births}}$ X 1,000

NEONATAL MORTALITY RATE $= \dfrac{\text{number of deaths under 28 days of age}}{\text{total number of live births}}$ X 1,000

PERINATAL MORTALITY RATE $= \dfrac{\text{stillbirths + deaths of infants under 7 days old}}{\text{total number of live births + stillbirths}}$ X 1,000

MATERNAL MORTALITY RATE $= \dfrac{\text{number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium}}{\text{total number of live births}}$ X 100,000**

** In reports prior to 1972 the maternal death rate was expressed "per 10,000 live births."

AVAILABILITY OF ADDITIONAL DATA

The statistical information published in this report is limited to that which is felt to be most commonly used, based on nationally recommended procedure and also on requests for information received by the Office. Microfiche copies of this publication are available on request.

Public use tapes (all identifiers removed) of birth and death data for 1968 - 1981 are available, as are more detailed statistical data pertaining to vital events and the occurrence of disease in Louisiana.

Request for additional data, or information concerning birth and death tapes, should be addressed to:

Public Health Statistics
P.O. Box 60630
New Orleans, Louisiana 70160
(504) 568 - 5454

Reprint from *Monthly Vital Statistics Report*, DHEW Publication No. (PHS) 80 –1120, Vol. 28, No. 11 (Supplement), pp. 12-13. Hyattsville, Md.: National Center for Health Statistics.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated comparability ratio[2]	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample)	Eighth Revision (total count)[1]		Standard error	Relative standard error	Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)	(7)
All causes...	1,909,440	1,909,440	...	...	...	...	...
Shigellosis and amebiasis...004,006	54	55	0.9818	0.0378	3.9	1.0559	0.9077
Certain other intestinal infections...007-009	353	1,939	0.1821	0.0207	11.4	0.2227	0.1415
Tuberculosis...010-018	2,400	3,130	0.7668	0.0119	1.6	0.7901	0.7435
Tuberculosis of respiratory system...010-012	2,039	2,419	0.8429	0.0146	1.7	0.8715	0.8143
Other tuberculosis...013-018	361	711	0.5077	0.0167	3.3	0.5404	0.4750
Whooping cough...033	6	7	0.8571	0.0000	0.0	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas...034-035	20	14	1.4286	0.0000	0.0	1.4286	1.4286
Meningococcal infection...036	323	330	0.9788	0.0124	1.3	1.0030	0.9546
Septicemia...038	5,441	6,401	0.8500	0.0180	2.1	0.8853	0.8147
Acute poliomyelitis...045	8	16	0.5000	0.0000	0.0	0.5000	0.5000
Measles...055	11	12	0.9167	0.0000	0.0	0.9167	0.9167
Viral hepatitis...070	793	567	1.3986	0.0820	5.9	1.5593	1.2379
Syphilis...090-097	227	225	1.0089	0.0259	2.6	1.0596	0.9582
All other infectious and parasitic diseases..001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139	3,981	3,857	1.0321	0.0634	6.1	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues...140-208	378,289	377,312	1.0026	0.0017	0.2	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx...140-149	8,209	8,114	1.0117	0.0087	0.9	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum...150-159	105,081	101,729	1.0330	0.0035	0.3	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs...160-165	91,191	91,131	1.0007	0.0033	0.3	1.0071	0.9943
Malignant neoplasm of breast...174-175	33,701	33,403	1.0089	0.0022	0.2	1.0131	1.0047
Malignant neoplasms of genital organs...179-187	44,953	44,461	1.0111	0.0031	0.3	1.0171	1.0051
Malignant neoplasms of urinary organs...188-189	16,851	16,980	0.9924	0.0045	0.5	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites...170-173,190-199	43,938	45,975	0.9557	0.0082	0.9	0.9718	0.9396
Leukemia...204-208	15,161	15,056	1.0070	0.0056	0.6	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues...200-203	19,205	20,463	0.9385	0.0069	0.7	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplams of uncertain behavior and of unspecified nature...210-239	5,703	4,719	1.2085	0.0261	2.2	1.2595	1.1575
Diabetes mellitus...250	34,478	34,508	0.9991	0.0087	0.9	1.0162	0.9820
Nutritional deficiencies...260-269	1,877	2,619	0.7167	0.0262	3.7	0.7680	0.6654
Anemias...280-285	2,958	3,182	0.9296	0.0124	1.3	0.9538	0.9054
Meningitis...320-322	1,503	1,589	0.9459	0.0163	1.7	0.9777	0.9141
Major cardiovascular diseases...390-448	981,184	974,429	1.0069	0.0004	0.0	1.0076	1.0062
Diseases of heart...390-398,402,404-429	732,989	723,878	1.0126	0.0039	0.4	1.0202	1.0050
Rheumatic fever and rheumatic heart disease...390-398	8,715	13,110	0.6648	0.0090	1.2	0.6804	0.6492
Hypertensive heart disease...402	22,026	6,670	3.3022	0.0557	1.7	3.4114	3.1930
Hypertensive heart and renal disease...404	4,872	4,020	1.2119	0.0438	3.6	1.2978	1.1260
Ischemic heart disease...410-414	567,520	646,073	0.8784	0.0038	0.4	0.8859	0.8709
Acute myocardial infarction...410	319,562	319,477	1.0003	0.0054	0.5	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease...411	4,924	4,028	1.2224	0.0661	5.4	1.3519	1.0929
Angina pectoris...413	195	186	1.0484	0.0666	6.4	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease...412,414	242,839	322,382	0.7533	0.0055	0.7	0.7640	0.7426
Other diseases of endocardium...424	5,154	4,195	1.2286	0.0227	1.8	1.2731	1.1841
All other forms of heart disease...415-423,425-429	124,701	49,810	2.5035	0.0257	1.0	2.5539	2.4531
Hypertension with or without renal disease...401,403	7,787	6,130	1.2703	0.0294	2.3	1.3280	1.2126
Cerebrovascular diseases...430-438	189,553	188,623	1.0049	0.0066	0.7	1.0178	0.9920
Intracerebral and other intracranial hemorrhage...431-432	24,769	24,845	0.9969	0.0068	0.7	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries...434.0,434.9	46,328	44,303	1.0340	0.0222	2.1	1.0774	0.9906
Cerebral embolism...434.1	926	826	1.1211	0.0924	8.2	1.3022	0.9400
All other and late effects of cerebrovascular diseases...430,433,435-438	117,530	118,149	0.9948	0.0061	0.6	1.0067	0.9829
Atherosclerosis...440	31,273	29,366	1.0649	0.0246	2.3	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries...441-448	19,583	26,432	0.7409	0.0098	1.3	0.7600	0.7218
Acute bronchitis and bronchiolitis...466	759	854	0.8888	0.0274	3.1	0.9425	0.8351
Pneumonia and influenza...480-487	57,315	61,866	0.9264	0.0067	0.7	0.9394	0.9134
Pneumonia...480-486	49,663	53,989	0.9199	0.0076	0.8	0.9347	0.9051
Influenza...487	7,652	7,877	0.9714	0.0078	0.8	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions...490-496	46,002	24,410	1.8846	0.0150	0.8	1.9141	1.8551
Bronchitis, chronic and unspecified...490-491	4,353	4,639	0.9383	0.0134	1.4	0.9646	0.9120
Emphysema...492	17,387	17,796	0.9770	0.0127	1.3	1.0018	0.9522
Asthma...493	2,675	1,975	1.3544	0.0636	4.7	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions...494-496	21,588	[4]...	[4]...	[4]...	[4]...	[4]...	[4]...
Ulcer of stomach and duodenum...531-533	7,194	6,428	1.1192	0.0247	2.2	1.1675	1.0709
Appendicitis...540-543	758	752	1.0080	0.0264	2.6	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia...550-553,560	5,583	5,919	0.9432	0.0169	1.8	0.9762	0.9102

See footnotes at end of table.

Table 1. COMPARABILITY RATIOS FOR 72 SELECTED CAUSES; BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES: UNITED STATES–Con.

[Denominators of ratios were selected from the List of 70 Selected Causes of Death used during 1968-78 for the Annual Summary]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated compara-bility ratio[2] (3)	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)		Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
Chronic liver disease and cirrhosis.....571	31,799	31,453	1.0110	0.0069	0.7	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder.....574-575	3,102	2,956	1.0494	0.0445	4.2	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis.....580-589	14,859	8,541	1.7397	0.0777	4.5	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome.....580-581	426	1,759	0.2422	0.0185	7.6	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified.....582-583,587	3,360	6,782	0.4954	0.0195	3.9	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause.....584-586,588-589	11,073	6,782	1.6327	0.0958	5.9	1.8205	1.4449
Infections of kidney.....590	3,968	4,017	0.9878	0.0091	0.9	1.0056	0.9700
Hyperplasia of prostate.....600	1,102	1,077	1.0232	0.0226	2.2	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium.....630-676	429	390	1.1000	0.0435	4.0	1.1853	1.0147
Pregnancy with abortive outcome.....630-638	61	16	3.8125	0.0000	0.0	3.8125	3.8125
Other complications of pregnancy, childbirth, and the puerperium.....640-676	368	374	0.9840	0.0454	4.6	1.0729	0.8951
Congenital anomalies.....740-759	12,981	13,002	0.9984	0.0100	1.0	1.0179	0.9789
Certain conditions originating in the perinatal period.....760-779	26,706	24,809	1.0765	0.0238	2.2	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome.....767-769	10,051	13,432	0.7483	0.0306	4.1	0.8083	0.6883
Other conditions originating in the perinatal period.....760-766,770-779	16,655	11,377	1.4639	0.0371	2.5	1.5367	1.3911
Symptoms, signs, and ill-defined conditions.....780-799	28,037	30,802	0.9102	0.0121	1.3	0.9338	0.8866
All other diseases.....Residual	97,585	125,340	0.7786	0.0082	1.1	0.7947	0.7625
Accidents and adverse effects.....E800-E949	100,454	100,761	0.9970	0.0030	0.3	1.0029	0.9911
Motor vehicle accidents.....E810-E825	47,587	47,038	1.0117	0.0027	0.3	1.0169	1.0065
All other accidents and adverse effects.....E800-E807,E826-E949	52,867	53,723	0.9841	0.0051	0.5	0.9941	0.9741
Suicide.....E950-E959	26,919	26,832	1.0032	0.0042	0.4	1.0114	0.9950
Homicide and legal intervention.....E960-E978	19,666	19,554	1.0057	0.0030	0.3	1.0115	0.9999
All other external causes.....E980-E999	4,611	4,766	0.9675	0.0144	1.5	0.9957	0.9393

[1] Figures in this column are number of deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table A.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[4] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Table 2. COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS FOR THE *MONTHLY VITAL STATISTICS REPORT*: BASED ON A STRATIFIED RANDOM SAMPLE OF 1976 INFANT DEATHS ASSIGNED ACCORDING TO THE NINTH REVISION AND ON ALL INFANT DEATHS ASSIGNED ACCORDING TO THE EIGHTH REVISION: UNITED STATES

[Denominators of ratios were selected from the List of 8 Selected Causes of Infant Death used during 1968-78 for the *Monthly Vital Statistics Report*]

Cause of death (Ninth Revision of the International Classification of Diseases, 1975)	Number of deaths assigned according to–		Estimated compara-bility ratio[2] (3)	Error of the estimate of the ratio in (3)		95 percent confidence limits[3]	
	Ninth Revision (estimated from sample) (1)	Eighth Revision (total count)[1] (2)		Standard error (4)	Relative standard error (5)	Upper (6)	Lower (7)
All causes.....	48,265	48,265	1.0000	...	...	...	...
Certain gastrointestinal diseases.....008-009,535,555-558	356	761	0.4678	0.0228	4.9	0.5125	0.4231
Pneumonia and influenza.....480-487	1,465	1,961	0.7471	0.0200	2.7	0.7862	0.7078
Congenital anomalies.....740-759	8,404	8,345	1.0071	0.0062	0.6	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight.....765	3,830	3,977	0.9630	0.0107	1.1	0.9839	0.9421
Birth trauma.....767	1,297	1,813	0.7154	0.0337	4.7	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia.....768	1,177	3,599	0.3270	0.0212	6.5	0.3684	0.2856
Respiratory distress syndrome.....769	7,560	...	...	...	...	...	...
Other conditions originating in the perinatal period.....760-764,766,770-779	13,059	15,378	0.8492	0.0098	1.1	0.8683	0.8301
Sudden infant death syndrome.....798.0	4,334	...	...	...	...	...	...
All other causes.....Residual	6,781	12,431	0.5455	0.0061	1.1	0.5573	0.5335

[1] Figures in this column are number of infant deaths in 1976 assigned to the categories in the Eighth Revision, selected as the most nearly comparable to the Ninth Revision categories, as shown in Table B.

[2] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[3] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

POPULATION ESTIMATES FOR LOUISIANA PARISHES

PRELIMINARY JULY 1, 1981

PARISH	ESTIMATE	PARISH	ESTIMATE
STATE TOTAL	4,305,412		
Acadia	57,291	Madison	16,164
Allen	21,477	Morehouse	35,486
Ascension	51,574	Natchitoches	40,766
Assumption	22,587	Orleans	560,147
Avoyelles	41,625	Ouachita	142,892
Beauregard	30,916	Plaquemines	26,425
Bienville	16,593	Pointe Coupee	24,334
Bossier	83,213	Rapides	137,563
Caddo	256,308	Red River	10,840
Calcasieu	171,367	Richland	22,508
Caldwell	10,858	Sabine	26,141
Cameron	9,517	St. Bernard	66,099
Catahoula	12,384	St. Charles	38,290
Claiborne	17,742	St. Helena	9,774
Concordia	23,239	St. James	21,636
DeSoto	26,466	St. John the Baptist	33,213
East Baton Rouge	378,457	St. Landry	85,454
East Carroll	11,622	St. Martin	41,476
East Feliciana	19,461	St. Mary	65,085
Evangeline	33,741	St. Tammany	117,739
Franklin	24,401	Tangipahoa	82,753
Grant	17,230	Tensas	8,412
Iberia	64,817	Terrebonne	96,827
Iberville	32,396	Union	21,601
Jackson	17,634	Vermilion	49,461
Jefferson	469,478	Vernon	55,913
Jefferson Davis	32,736	Washington	44,720
Lafayette	155,506	Webster	44,389
Lafourche	84,955	West Baton Rouge	19,310
LaSalle	17,586	West Carroll	13,101
Lincoln	41,420	West Feliciana	12,450
Livingston	62,240	Winn	17,606

Source: Research Division, College of Administration and Business, Louisiana Tech University.

SUMMARY OF VITAL EVENTS IN 1981

BIRTHS

ALL BIRTHS

Louisiana resident births totalled 82,167 in 1981, almost the same as the 82,114 reported in 1980; United States births rose less than 1% in the same period, from 3,612,258 in 1980 to 3,629,238 in 1981. The estimated state crude birth rate declined 2% between 1980 and 1981 (from 19.5 to 19.1) while the national rate dropped 1% in the same period (from 15.9 to 15.8). The rates declined although the number of births slightly increased because of the relatively greater increase in the estimated population (denominators for the rates). Although the Louisiana rate showed a greater percentage decline than the United States in the period, the state rate is still 21% higher than the national rate and ranked with Texas as the state with the 6th highest birth rate in 1981 (exceeded by New Mexico, Idaho, Wyoming, Alaska, and Utah). (See Table 1).

The state total fertility rate (TFR), an approximation of completed family size per woman, was 4.1 in 1960 and decreased steadily to approximately 2.0 in 1976. The long downward trend then leveled off and has since fluctuated between approximately 2.1 and 2.2, with a 1981 TFR of 2.1. This is

Table 1

* **Live births by race of child and birth rates United States each division and State 1981**

[By place of residence Based on 100 percent of births in selected States and on a 50-percent sample of births in all other States see Technical notes Rates per 1 000 estimated population in each area]

Division and State	Number: All races[1]	Number: White	Number: Black	Birth rate
United States	3 629 238	2 908 669	587 797	15.8
New England	164 386	149 974	11 373	13.2
Maine	16 525	16 196	93	14.6
New Hampshire	13 517	13 295	112	14.4
Vermont	7 952	7 892	20	15.4
Massachusetts	74 025	67 097	5 383	12.8
Rhode Island	12 448	11 16[illegible]	810	13.0
Connecticut	39 919	34 307	4 949	12.7
Middle Atlantic	449 376	396 524	90 514	13.5
New York	242 297	183 904	50 410	13.8
New Jersey	96 651	74 857	19 418	13.0
Pennsylvania	160 428	137 763	20 686	13.5
East North Central	651 758	541 787	99 309	15.6
Ohio	167 055	142 325	23 053	15.5
Indiana	84 645	74 731	9 270	15.4
Illinois	185 028	141 223	39 482	16.2
Michigan	140 693	115 683	22 696	15.3
Wisconsin	74 337	67 825	4 808	15.7
West North Central	285 107	257 065	19 318	16.5
Minnesota	68 662	64 203	1 622	16.7
Iowa	45 979	44 155	1 120	15.8
Missouri	76 464	64 343	11 702	15.6
North Dakota	12 398	11 377	114	18.8
South Dakota	12 733	10 906	97	18.5
Nebraska	27 176	25 293	1 311	17.2
Kansas	41 246	36 788	3 352	17.3
South Atlantic	550 891	379 382	162 459	14.6
Delaware	9 184	6 867	2 217	15.4
Maryland	61 347	41 241	18 500	14.4
District of Columbia	9 201	1 541	7 567	14.5
Virginia	79 256	58 148	19 224	14.6
South Atlantic—Con				
West Virginia	27 842	26 692	1 020	14.3
North Carolina	83 774	56 770	24 763	14.1
South Carolina	51 853	30 618	20 790	16.4
Georgia	89 943	56 491	32 532	16.2
Florida	138 491	101 014	35 846	13.6
East South Central	232 109	166 297	63 989	15.7
Kentucky	57 243	51 391	5 368	15.6
Tennessee	67 081	51 447	15 056	14.5
Alabama	61 554	39 677	21 500	15.7
Mississippi	46 231	23 782	22 065	18.2
West South Central	453 360	357 307	83 461	18.6
Arkansas	35 807	26 543	8 918	15.6
Louisiana	82 234	50 417	30 545	19.1
Oklahoma	53 668	42 727	5 114	[illegible]
Texas	281 651	237 620	38 884	19.1
Mountain	230 479	206 561	7 412	19.7
Montana	14 316	12 680	66	18.0
Idaho	19 623	19 016	91	20.5
Wyoming	10 814	10 282	106	22.1
Colorado	52 103	47 751	2 541	17.5
New Mexico	26 699	22 144	693	20.0
Arizona	51 478	43 513	2 227	18.4
Utah	41 343	39 439	284	27.2
Nevada	14 103	11 736	1 404	16.7
Pacific	561 772	453 772	49 962	17.5
Washington	69 714	61 513	2 910	16.5
Oregon	43 022	39 878	925	16.2
California	420 726	341 234	45 030	17.4
Alaska	10 096	7 103	457	24.3
Hawaii	18 214	4 044	640	18.6

[1] Includes races other than white and black

* SOURCE: National Center for Health Statistics: Advance Report of Final Natality Statistics, 1981. *Monthly Vital Statistics Report*. Vol. 32, No. 9 Supp. Table 6, p 17. DHHS Pub. No. (PHS) 84-1120. Public Health Service. Hyattsville, Md., Dec. 29, 1983.

almost identical to the level considered necessary for a given generation to exactly replace itself in the population (2.110). The United States TFR (1.815) is approximately 14% below this replacement level.

The sex ratio was 1,050 males per 1,000 females for Louisiana, slightly below the national ratio of 1,052. The white sex ratio was 1,067 for the state and 1,057 for the United States, while the state black sex ratio was 1,019 and the national black ratio was 1,027.

CHARITY HOSPITAL BIRTHS

In 1981, over 26% of the 82,117 live births occurring in Louisiana occurred at charity hospitals. The figures varied considerably by race, with 11.8% of the white births and 49.3% of the nonwhite births occurring in charity hospitals. A study of Table 2 reveals, however, that the nonwhite percent has been decreasing steadily during the period shown while the white percent has followed an increasing trend.

Table 2

LIVE BIRTHS OCCURRING IN CHARITY HOSPITALS
BY RACE, LOUISIANA, 1974-1981

YEAR AND RACE	TOTAL BIRTHS		PERCENT OF BIRTHS IN CHARITY HOSPITALS
	OCCURRING IN LOUISIANA	OCCURRING IN CHARITY HOSPITALS	
1974			
TOTAL	66027	19943	30.2
WHITE	40109	3358	8.4
NONWHITE	25918	16585	64.0
1975			
TOTAL	68135	20274	29.8
WHITE	41051	3844	9.4
NONWHITE	27084	16430	60.7
1976			
TOTAL	70004	20162	28.8
WHITE	42001	3797	9.0
NONWHITE	28003	16365	58.4
1977			
TOTAL	75576	21363	28.3
WHITE	45409	4234	9.3
NONWHITE	30167	17129	56.8
1978			
TOTAL	75027	20983	28.0
WHITE	45291	4457	9.8
NONWHITE	29736	16526	55.6
1979			
TOTAL	79344	21858	27.5
WHITE	47936	5177	10.8
NONWHITE	31408	16681	53.1
1980			
TOTAL	82208	21357	26.0
WHITE	50280	5502	10.9
NONWHITE	31928	15855	49.7
1981			
TOTAL	82177	21561	26.2
WHITE	50459	5937	11.8
NONWHITE	31718	15624	49.3

WEIGHT AT BIRTH

Tables released by the National Center for Health Statistics (NCHS) (See Table 3) indicate that 6.8% of the live births in the United States in 1981, as in 1980, were classified as low birth weight (under 2500 grams). The black level, 12.5%, was over twice as high as the white level, 5.7%. The state levels by race were similar to the national levels, with 12.8% of the black live births and 5.9% of the white live births classified as low birth weight. For "all races", however, the Louisiana percent, 8.5, was 25% higher than the national percent of 6.8; the higher black percent prevalent in both the United States and Louisiana affected the state percent to a greater degree than the national percent because the state has a higher proportion of black births than the nation.

Although only 3 states exceeded or equalled Louisiana in percent low birth weight in 1981 for "all races", 15 had a higher or equal white percent and 13 had a higher or equal black percent.

BIRTHS TO UNMARRIED WOMEN

Both the number of illegitimate births and the ratio of illegitimate births to all births continued to increase. In 1960 the 8,248 illegitimate births reported in Louisiana represented 9.2% of all births; in 1970 these figures were 11,077 and 14.8%, respectively, and in 1980 they were 19,174 and 23.4%. The corresponding figures for 1981 were 19,352 illegitimate births and 23.6%.

Nationally, 18.9% of all births were to unmarried women in 1981.

Although the state illegitimacy ratio (illegitimate births per 1,000 live births) was about 15% higher than the national ratio for "all races", both the white and black ratios were lower for Louisiana. Data published by NCHS (See Table 3) indicate that the United States white and black ratios were 115.9 and 559.5, respectively, while the corresponding Louisiana ratios were 72.8 and 511.1. Thus, the United States white and black ratios were 59.2% and 9.5% higher than the corresponding state ratios, although the national ratio for "all races" was 19.7% lower than the state ratio. As explained above under "Weight at Birth", the higher black ratio has a greater impact on the Louisiana ratio since the state has a larger percent black population. Comparing Louisiana with the other states, 42 had higher white illegitimacy ratios and 30 had higher black illegitimacy ratios.

DEATHS

ALL DEATHS

In 1981 there were 35,985 registered resident deaths for Louisiana, an increase over the 35,544 reported in 1980. The 1981 crude death rate, 8.4, was a decrease under the 1980 rate of 8.5. The first four leading causes of death retained their 1980 relative position, with "Diseases of the Heart", "Malignant Neoplasms", and "Cerebrovascular Disease" showing a small decrease in rate, and "Accidents and Adverse Effects" showing a small increase (See Table 4). "Chronic Obstructive Pulmonary Disease and Allied Conditions", with a 1981 rate of 20.0, replaced "Diabetes Mellitus" as the 5th cause. These 5 leading causes of death had the same relative positions in the United States as in the state. Deaths assigned to the 15 leading causes accounted for almost 90% of the total 1981 deaths for Louisiana residents and 89% for United States. The same causes were on both lists, but only the first 5 causes had the same relative positions (See Table 4).

INFANT DEATHS

There were 1,129 infant deaths in 1981, a decrease under the 1,175 reported in 1980. The infant mortality rate in 1981 was 13.7, the lowest ever recorded for Louisiana but higher than the United States record low rate of 11.9 for 1981. Data released by NCHS (See Table 5) indicate that Louisiana had the 5th highest state infant mortality rate in 1981. Louisiana rates by race compare more favorably with their national counterparts, however. The state white rate, 10.2, was 2.9% lower than the United States white rate of 10.5, and the Louisiana black rate of 20.2 was identical to the national black rate.

The leading cause of infant death was again "Congenital Anomalies", with an infant mortality rate of 271.4 per 100,000 live births. The 2nd and 3rd leading cause of infant death in Louisiana, "Disorders related to Short Gestation and Unspecified Low Birth Weight" and "Sudden Infant Death Syndrome", had rates of 130.2 and 108.3, respectively, less than half the rate for "Congenital Anomalies".

A study of Table 6, showing the leading causes of infant death, reveals that the difference between black and white rates varied substantially by cause. Although the infant mortality rate for "Congenital Anomalies" was almost the same for white and black infants, the black rates for the other leading causes varied from 1.2 to 4 times higher than the white rates for the same cause. Similar data were observed for national infant mortality rates by cause.

LINKED BIRTH/INFANT DEATH DATA

Data from death certificates of infants dying under 1 year of age were matched, when possible, with birth data for the 1981

Table 3

*** Number and percent of births of low birth weight and number and ratio of births to unmarried women, by race of child: United States and each State, 1981**

[By place of residence. Based on 100 percent of births in selected States and on a 50-percent sample of births in all other States; see Technical notes]

	Low birth weight[1]						*Births to unmarried women*					
	Number			*Percent*			*Number*			*Ratio per 1,000 live births*		
State	*All races*[2]	*White*	*Black*	*All races*[2]	*White*	*Black*	*All races*[2]	*White*	*Black*	*All races*[2]	*White*	*Black*
United States	246,749	164,636	73,472	6.8	5.7	12.5	686,605	337,050	328,879	189.2	115.9	559.5
Alabama	4,885	2,317	2,535	7.9	5.8	11.8	13,865	2,555	11,295	225.2	64.4	525.3
Alaska	495	320	34	4.9	4.5	7.5	1,651	726	126	163.5	102.2	275.7
Arizona	3,146	2,528	253	6.1	5.8	11.4	9,477	6,187	996	184.1	142.2	447.2
Arkansas	2,664	1,548	1,099	7.4	5.8	12.3	7,528	2,355	5,146	210.2	88.7	577.3
California[3]	24,815	17,735	5,009	5.9	5.2	11.2	91,330	63,810	23,905	217.1	187.0	530.9
Colorado	4,167	3,705	312	8.0	7.8	12.3	7,105	5,806	1,046	134.6	121.6	411.6
Connecticut[3]	2,730	1,989	708	6.8	5.8	14.3	7,696	4,634	3,012	192.8	135.1	608.6
Delaware	714	375	329	7.8	5.5	14.9	2,226	793	1,429	242.4	115.5	644.6
District of Columbia	1,217	89	1,123	13.3	5.8	14.9	5,248	286	4,951	570.4	185.6	654.3
Florida	10,276	5,915	4,249	7.4	5.9	11.9	32,947	11,320	21,475	237.9	112.1	599.1
Georgia	7,642	3,385	4,171	8.5	6.0	12.8	21,102	4,020	17,044	234.6	71.2	523.9
Hawaii	1,247	229	58	6.8	5.7	9.1	3,287	573	74	180.5	141.7	115.6
Idaho	1,001	956	6	5.1	5.0	6.6	1,656	1,546	13	84.4	81.3	142.9
Illinois	13,667	7,770	5,601	7.4	5.5	14.2	42,420	15,577	26,602	229.3	110.3	673.8
Indiana	5,319	4,193	1,096	6.3	5.6	11.9	13,990	8,338	5,609	165.3	111.6	605.1
Iowa	2,284	2,134	112	5.0	4.8	10.0	4,949	4,260	624	107.8	96.5	557.1
Kansas	2,580	2,103	407	6.3	5.7	12.2	5,101	3,291	1,683	123.7	89.5	502.1
Kentucky	4,028	3,369	618	7.0	6.6	11.5	8,799	5,740	3,046	153.7	111.7	567.4
Louisiana	6,955	2,952	3,907	8.5	5.9	12.8	19,374	3,670	15,613	235.6	72.8	511.1
Maine	876	858	5	5.3	5.3	5.4	2,368	2,286	22	143.3	141.1	236.6
Maryland[3]	4,712	2,375	2,228	7.7	5.8	12.1	16,357	5,099	11,039	266.6	123.6	596.7
Massachusetts	4,427	3,737	587	6.0	5.6	10.9	11,875	8,871	2,862	160.4	132.2	531.7
Michigan[3]	9,631	6,520	2,975	6.9	5.7	13.2	22,999	10,857	11,976	163.5	93.9	527.7
Minnesota	3,583	3,178	191	5.3	5.0	11.8	8,010	6,396	864	116.7	99.6	532.7
Mississippi	3,963	1,336	2,594	8.6	5.6	11.8	13,341	1,391	11,893	288.6	58.5	539.0
Missouri	5,185	3,652	1,467	6.7	5.7	12.5	13,754	6,234	7,464	178.7	96.9	637.8
Montana[3]	790	692	5	5.5	5.5	7.6	1,912	1,219	22	133.6	96.1	333.3
Nebraska	1,484	1,273	166	5.5	5.0	12.7	3,268	2,337	781	120.3	92.4	595.7
Nevada[3]	980	754	175	7.0	6.4	12.5	2,132	1,244	752	151.2	106.0	535.6
New Hampshire	675	667	4	5.0	5.0	3.6	1,547	1,503	34	114.4	113.1	303.6
New Jersey	6,887	4,164	2,583	7.1	5.6	13.3	20,401	8,650	11,640	211.1	115.6	599.4
New Mexico	1,934	1,616	76	7.4	7.4	11.3	5,383	3,666	218	201.6	165.6	314.6
New York[3]	17,800	11,108	6,187	7.4	6.1	12.3	59,496	28,482	30,204	245.5	154.9	599.2
North Carolina	6,582	3,396	3,003	7.9	6.0	12.1	16,223	3,702	12,070	193.7	65.2	487.4
North Dakota	556	501	6	4.5	4.4	5.3	1,127	786	6	90.9	69.1	52.6
Ohio[3]	11,239	8,137	2,993	6.7	5.7	13.0	30,555	16,291	14,115	182.9	114.5	612.3
Oklahoma	3,561	2,640	578	6.6	6.2	11.3	7,553	3,785	2,644	140.7	88.6	517.0
Oregon	2,076	1,823	94	4.8	4.6	10.2	6,406	5,590	509	148.9	140.2	550.3
Pennsylvania	10,435	7,528	2,757	6.5	5.5	13.4	29,957	15,659	14,124	186.7	113.7	682.8
Rhode Island	734	604	91	5.9	5.4	11.2	1,968	1,481	445	158.1	132.4	545.3
South Carolina	4,593	1,890	2,669	8.9	6.2	12.8	12,299	2,107	10,171	237.2	68.8	489.2
South Dakota	675	529	13	5.3	4.9	13.4	1,742	866	19	136.8	79.4	195.9
Tennessee	5,377	3,281	2,056	8.0	6.4	13.7	13,672	4,770	8,889	203.8	92.7	590.4
Texas[3]	19,477	14,146	4,981	6.9	6.0	12.8	38,031	20,646	17,224	135.0	86.9	443.0
Utah	2,189	2,070	25	5.3	5.3	8.8	2,711	2,374	101	65.6	60.2	355.6
Vermont	490	485	2	6.2	6.2	10.0	1,109	1,102	3	139.5	139.6	150.0
Virginia	5,761	3,346	2,292	7.3	5.8	12.0	15,367	5,089	10,182	193.9	87.5	529.7
Washington	3,654	3,002	299	5.2	4.9	10.3	10,096	8,001	1,183	144.8	130.1	406.5
West Virginia	1,963	1,835	119	7.1	6.9	11.7	3,711	3,153	554	133.3	118.1	543.1
Wisconsin	3,915	3,208	607	5.3	4.7	12.6	10,622	7,097	3,143	142.9	104.6	653.7
Wyoming	713	673	17	6.6	6.5	16.0	952	829	35	88.0	80.6	330.2

---

[1] Less than 2,500 grams (5 pounds 8 ounces)

[2] Includes races other than white and black

[3] Marital status of mother is inferred; see Technical notes

* SOURCE: National Center for Health Statistics: Advance Report of Final Natality Statistics, 1981. *Monthly Vital Statistics Report.* Vol. 32, No. 9 Supp. Table 14, p 27. DHHS, Pub. No. (PHS) 84-1120. Public Health Service. Hyattsville, Md., Dec. 29, 1983.

Table 4
THE 15 LEADING CAUSES OF DEATH
LOUISIANA AND UNITED STATES, 1981

CAUSE	LOUISIANA			UNITED STATES		
	RANK	RATE*	PERCENT OF TOTAL DEATHS	RANK	RATE*	PERCENT OF TOTAL DEATHS
ALL CAUSES	...	835.8	100.0	...	862.4	100.0
Diseases of heart - (390-398, 402, 404-429)	1	303.7	36.3	1	328.7	38.1
Malignant neoplasms - (140-208)	2	167.0	20.0	2	184.0	21.3
Cerebrovascular disease - (430-438)	3	72.7	8.7	3	71.3	8.3
Accidents and adverse effects - (E800-E949)	4	57.0	6.8	4	43.9	5.1
Chronic obstructive pulmonary diseases and allied conditions - (490-496)	5	20.0	2.4	5	25.7	3.0
Diabetes mellitus - (250)	6	19.0	2.3	7	15.1	1.8
Pneumonia and influenza - (480-487)	7	16.9	2.0	6	23.4	2.7
Atherosclerosis - (440)	8	16.6	2.0	9	12.2	1.4
Homicide and legal intervention - (E960-E978)	9	16.5	2.0	11	10.3	1.2
Certain conditions originating in the Perinatal Period - (760-779)	10	13.6	1.6	12	9.4	1.1
Suicide - (E950-E959)	11	11.7	1.4	10	12.0	1.4
Chronic liver disease and cirrhosis - (571)	12	10.3	1.2	8	12.8	1.5
Nephritis, nephrotic syndrome, and nephrosis - (580-589)	13	10.8	1.3	13	7.5	0.9
Congenital anomalies - (740-759)	14	7.3	0.9	14	5.9	0.7
Septicemia - (038)	15	6.3	0.8	15	4.6	0.5
All other causes - (Residual)	...	86.6	10.4	...	95.6	11.1

* Rates per 100,000 estimated population.

Table 5

* Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each region, division, and State; and by race and sex for the United States: 1981

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
United States	1,977,981	862.4	43,305	11.9	29,121	8.0
Male	1,063,772	954.5	24,452	13.1	16,383	8.8
Female	914,209	775.4	18,853	10.7	12,738	7.2
White	1,731,233	880.3	30,478	10.5	20,592	7.1
Male	925,490	965.1	17,411	11.7	11,707	7.8
Female	805,743	799.6	13,067	9.2	8,885	6.3
All other	246,748	755.0	12,827	17.8	8,529	11.8
Male	138,282	889.4	7,041	19.2	4,676	12.8
Female	108,466	633.0	5,786	16.3	3,853	10.9
Black	228,560	841.7	11,757	20.0	7,900	13.4
Male	127,296	991.6	6,451	21.7	4,339	14.6
Female	101,264	707.3	5,306	18.3	3,561	12.3
Regions						
Northeast	466,887	946.2	7,678	11.6	5,385	8.1
North Central	518,871	880.1	11,407	12.2	7,827	8.4
South	666,174	866.8	16,019	13.0	10,723	8.7
West	326,049	737.8	8,201	10.4	5,186	6.5
Northeast						
New England	111,334	894.4	1,721	10.5	1,240	7.5
Maine	10,387	918.4	180	10.9	113	6.8
New Hampshire	7,701	821.9	131	9.7	85	6.3
Vermont	4,322	839.2	61	7.7	34	4.3
Massachusetts	52,982	917.6	720	9.7	514	6.9
Rhode Island	9,174	960.6	147	11.8	116	9.3
Connecticut	26,768	853.6	482	12.1	378	9.5
Middle Atlantic	355,553	963.7	5,957	11.9	4,145	8.3
New York	168,184	955.7	3,006	12.4	2,074	8.6
New Jersey	67,280	906.6	1,038	10.7	709	7.3
Pennsylvania	120,089	1,011.3	1,913	11.9	1,362	8.5
North Central						
East North Central	362,017	868.6	8,243	12.6	5,721	8.8
Ohio	96,487	894.0	2,059	12.3	1,439	8.6
Indiana	47,309	862.5	993	11.7	681	8.0
Illinois	101,819	889.7	2,573	13.9	1,806	9.8
Michigan	75,842	823.0	1,845	13.1	1,279	9.1
Wisconsin	40,560	855.7	773	10.4	516	6.9
West North Central	156,854	907.8	3,164	11.1	2,106	7.4
Minnesota	32,837	798.4	706	10.3	454	6.6
Iowa	26,949	924.8	459	10.0	297	6.5
Missouri	48,848	988.8	973	12.6	669	8.7
North Dakota	5,452	826.1	139	11.2	90	7.3
South Dakota	6,451	934.9	147	11.5	97	7.6
Nebraska	14,616	926.8	270	9.9	165	6.1
Kansas	21,701	909.9	470	11.4	334	8.1
South						
South Atlantic	335,949	891.3	7,501	13.6	5,115	9.3
Delaware	5,073	849.7	123	13.4	92	10.0
Maryland	33,949	797.1	771	12.6	558	9.1
District of Columbia	6,954	1,098.6	231	25.1	179	19.5
Virginia	42,237	778.6	991	12.5	716	9.0
West Virginia	19,053	979.1	363	13.0	246	8.8
North Carolina	49,236	827.2	1,101	13.1	737	8.8
South Carolina	25,428	802.1	837	16.1	563	10.9
Georgia	44,892	806.7	1,238	13.8	790	8.8
Florida	109,127	1,075.5	1,846	13.3	1,234	8.9
East South Central	132,664	899.7	3,054	13.2	2,058	8.9
Kentucky	33,283	908.1	697	12.2	458	8.0
Tennessee	40,509	876.1	847	12.6	595	8.9

See footnotes at end of table.

Table 5 (continued)

*** Total deaths and death rates, and infant and neonatal deaths and mortality rates for the United States, each region, division, and State; and by race and sex for the United States: 1981—Con.**

Race, sex, and area	Total deaths		Infant deaths (under 1 year)		Neonatal deaths (under 28 days)	
	Number	Rate[1]	Number	Rate[2]	Number	Rate[2]
South—Con.						
East South Central—Con.						
Alabama	35,412	903.4	799	13.0	519	8.4
Mississippi	23,460	925.1	711	15.4	486	10.5
West South Central	197,561	809.1	5,464	12.1	3,550	7.8
Arkansas	22,372	975.7	425	11.9	249	7.0
Louisiana	36,024	838.7	1,130	13.7	761	9.3
Oklahoma	28,617	921.9	637	11.9	386	7.2
Texas	110,548	750.8	3,272	11.6	2,154	7.6
West						
Mountain	80,474	687.5	2,398	10.4	1,493	6.5
Montana	6,729	846.4	153	10.7	90	6.3
Idaho	6,929	723.3	181	9.2	104	5.3
Wyoming	3,165	645.9	115	10.6	88	8.1
Colorado	19,388	651.5	519	10.0	340	6.5
New Mexico	8,678	651.0	261	9.8	157	5.9
Arizona	21,358	765.2	606	11.8	383	7.4
Utah	8,343	550.3	405	9.8	239	5.8
Nevada	5,884	695.5	158	11.2	92	6.5
Pacific	245,575	755.8	5,803	10.3	3,693	6.6
Washington	32,031	759.0	733	10.5	441	6.3
Oregon	21,843	820.2	467	10.9	299	6.9
California	184,987	764.0	4,297	10.2	2,741	6.5
Alaska	1,723	414.2	128	12.7	81	8.0
Hawaii	4,991	509.8	178	9.8	131	7.2

[1] Per 100,000 population in each race-sex group and area

[2] Per 1,000 live births in each race-sex group and area

* SOURCE: National Center for Health Statistics: Advance Report of Final Mortality Statistics, 1981. *Monthly Vital Statistics Reports.* Vol. 33, No. 3 Supp. Table 12, pp 36-37. DHHS. Pub. No. (PHS) 84-1120. Public Health Service. Hyattsville, Md., June 22, 1984.

Table 6

THE 10 LEADING CAUSES OF INFANT DEATHS; BY RACE
LOUISIANA RESIDENTS, 1981

CAUSE	TOTAL*		RACE				RATIO OF BLACK RATE TO WHITE RATE
			WHITE		BLACK		
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	
ALL CAUSES	1182	1372.8	511	1014.0	609	1996.6	2.0
1. Congenital anomalies - (740-759)	223	271.4	136	269.9	85	278.7	1.0
2. Disorders relating to short gestation and unspecified low birthweight - (765)	107	130.2	30	59.5	77	252.4	4.2
3. Sudden infant death syndrome - (798.0)	89	108.3	34	67.5	55	180.3	2.7
4. Respiratory distress syndrome - (769)	76	92.5	42	83.3	33	108.2	1.3
5. Birth trauma - (767)	39	47.5	22	43.7	16	52.5	1.2
6. Pneumonia and influenza - (480-487)	35	42.6	12	23.8	21	68.8	2.9
7. Newborn affected by maternal complications of pregnancy - (761)	34	41.4	10	19.8	24	78.7	4.0
8. Intrauterine hypoxia and birth asphyxia - (768)	34	41.4	15	29.8	19	62.3	2.1
9. Infections specific to the perinatal period - (771)	33	40.2	19	37.7	14	45.9	1.2
10. Neonatal hemorrhage - (772)	32	38.9	11	21.8	21	68.8	3.2
All other causes	426	518.5	180	357.2	244	799.9	2.2

Rates per 100,000 live births.

* Total includes 8 infant deaths of other or unknown race which are not shown by cause in the table .

birth cohort. There were 82,167 resident infants in this cohort, and 1,119 of them died before their first birthday.

Neonatal deaths from the cohort totalled 760; birth and death certificates were linked for 681 of these. Table 7 reveals that the neonatal mortality rates (NMR's) for the linked deaths varied widely for different maternal and/or infant characteristics. The black rate, for example, was almost double the white rate, and the rate for unmarried mothers was over one and a half times the rate for married mothers. Mothers in the age groups under 20 and over 35 had substantially higher rates than mothers in the age groups 20-34, and mothers with no prenatal care had over 3 times the rate of mothers with some prenatal care reported.

The highest neonatal mortality rates on this table were associated with low birth weight. Infants under 2500 grams at birth had a combined NMR of 61.7, over 28 times higher than the rate for infants weighing 2500 grams or more. Within the low birth weight group, rates decreased dramatically as birth weight increased.

MATERNAL DEATHS

Deaths assigned to "Complications of Pregnancy, Childbirth, and the Puerperium" (ICD 9 Codes 630-676), rose from 8 in 1980 to 13 in 1981. The rates for these years were, respectively, 9.7 and 15.8; the 1979-1981 3 year average annual rate was 13.1 for "all races", 6.1 for white mothers, and 24.2 for nonwhite mothers. "Complications of the Puerperium" accounted for 11 of the 32 deaths due to maternal causes in the 3 year period.

FETAL DEATHS

STILLBIRTHS (SPONTANEOUS FETAL DEATHS)

There were 800 stillbirths among Louisiana residents in 1981, or 9.7 per 1,000 live births, a decrease under the 841 reported in 1980 for a ratio of 10.2. The 1981 white stillbirth ratio was 7.3, while the nonwhite ratio was 13.6.

Table XII on page 36 shows stillbirths by cause for the period 1979-1981. There were 2,501 stillbirths reported in this period for all causes, an average annual ratio of 1027.3 per 100,000 live births. The nonwhite average annual ratio, 1431.3, was over 32% higher than the white ratio of 768.0. Over one third of the stillbirths during the period were assigned to "Fetus Affected by Complications of Placenta, Cord, and Membranes" (ICD 9 Code 762), resulting in a ratio of 353.2 for this cause.

ABORTIONS

In 1981, there were 18,237 reported abortions performed in Louisiana; in addition, 252 abortions were reported by other states for Louisiana residents. All but 6 of the reported abortions in Louisiana occurred in 5 parishes (See Table XIII, page 38). 1,328 residents of other states had abortions in Louisiana, led by 799 from Texas and 331 from Mississippi.

Suction curretage was the procedure used in 17,717 (97%) of the abortions. Over half (10,150) of the abortions were performed before the completion of 9 weeks gestation

Table 7

NEONATAL MORTALITY RATES* FOR SELECTED MATERNAL CHARACTERISTICS FOR LOUISIANA RESIDENTS 1981 BIRTH COHORTS

CHARACTERISTIC	NUMBER OF LIVE BIRTHS	NUMBER OF LINKED NEONATAL DEATHS	NEONATAL MORTALITY RATES*
TOTAL	82167	681	8.3
RACE			
White	50393	311	6.2
Black	30502	362	11.9
Other	1270	8	6.3
Unknown	2	-	- -
MARITAL STATUS			
Married	62770	446	7.1
Unmarried	19352	234	12.1
Unknown	45	1	- -
MATERNAL AGE			
10 - 14	360	9	25.0
15 - 17	5827	76	13.0
18 - 19	9560	83	8.7
20 - 24	29201	223	7.6
25 - 29	23440	179	7.6
30 - 34	10349	71	6.9
35 - 39	2857	31	10.9
40 and over	553	8	14.5
Unknown	20	1	- -
MATERNAL EDUCATION			
0 - 7	1951	23	11.8
8 - 11	21608	233	10.8
12	36167	262	7.2
13 - 15	11773	82	7.0
16 or over	9851	70	7.1
Unknown	817	11	13.5
MONTH PRENATAL CARE BEGAN			
1st Trimester	62073	500	8.1
2nd Trimester	13759	111	8.1
3rd Trimester	2905	17	5.9
None	988	30	30.4
Unknown	2442	23	9.4
PRENATAL VISITS			
1 - 4	5644	184	32.6
5 - 8	15851	200	12.6
9 - 12	33004	132	4.0
13 - 16	20274	72	3.6
17 or more	4267	22	5.2
None	988	30	30.4
Unknown	2139	41	19.2
TOTAL BIRTH ORDER			
1	33549	292	8.7
2	25791	190	7.4
3	13144	89	6.8
4	5328	51	9.6
5 or more	4273	58	13.6
Unknown	82	1	12.2
WEIGHT (GRAMS)			
Under 500	116	91	784.5
500 - 999	393	215	547.1
1000 - 1499	676	78	115.4
1500 - 1999	1326	45	33.9
2000 - 2499	4446	48	10.8
2500 or more	75088	181	2.4
Unknown	122	23	188.5
PREVIOUS FETAL DEATH			
No	70961	560	7.9
Yes	11124	121	10.9
Unknown	82	-	- -

---

* 79 neonatal deaths from the 1981 birth cohort are excluded from this table as they could not be linked with a corresponding birth certificate.

** Deaths under twenty-eight (28) days of age per 1,000 live births in specified group.

Table 8

INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1981

(BY RESIDENCE)



Table 9

WHITE INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1981

(BY RESIDENCE)



Table 10

NONWHITE INFANT MORTALITY RATES*
BY SELECTED AGE GROUPS
LOUISIANA, 1945 - 1981
(BY RESIDENCE)



* All data are 5 year moving averages.

Spanish Flag of Leon and Castile (DeSoto)-1541

NATALITY



French Fleur-de-Lis (LaSalle)-1682

Table I A

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	82177	82167	19.1			360	15387	29201	23440	10349	2857	527	27	19
				MW	26015	34	3863	9331	8219	3638	795	128	5	2
				FW	24378	36	3637	8831	7788	3178	789	113	3	3
				MNW	16068	164	4028	5537	3739	1817	633	137	9	4
				FNW	15706	126	3859	5502	3694	1716	640	149	10	10
01-ACADIA	899	1227	21.4			4	257	469	321	124	46	6		
				MW	465	1	93	177	130	49	13	2	-	-
				FW	464	-	93	178	129	45	16	3	-	-
				MNW	146	3	33	55	31	15	9	-	-	-
				FNW	152	-	38	59	31	15	8	1	-	-
CROWLEY*	520	353	22.0			2	82	127	99	29	12	2		
				MW	115	-	29	36	37	8	4	1	-	-
				FW	125	-	28	45	38	12	2	-	-	-
				MNW	54	2	10	21	12	5	4	-	-	-
				FNW	59	-	15	25	12	4	2	1	-	-
02-ALLEN	266	375	17.5			1	85	142	97	34	14	2		
				MW	138	1	21	55	42	14	5	-	-	-
				FW	141	-	36	56	34	10	5	-	-	-
				MNW	55	-	15	16	13	7	3	1	-	-
				FNW	41	-	13	15	8	3	1	1	-	-
03-ASCENSION	13	1142	22.1			4	210	445	315	128	38	2		
				MW	415	-	68	171	120	48	7	1	-	-
				FW	389	1	53	165	117	45	8	-	-	-
				MNW	165	1	52	53	39	10	10	-	-	-
				FNW	173	2	37	56	39	25	13	1	-	-
04-ASSUMPTION	2	461	20.4			2	93	160	131	56	13	5	1	
				MW	136	-	23	50	46	12	3	2	-	-
				FW	133	-	25	45	42	18	2	1	-	-
				MNW	90	2	23	28	22	9	5	-	1	-
				FNW	102	-	22	37	21	17	3	2	-	-
05-AVOYELLES	310	731	17.6			2	137	278	194	78	35	7		
				MW	258	-	37	89	78	43	11	-	-	-
				FW	207	-	37	86	61	15	5	3	-	-
				MNW	147	-	33	62	27	16	12	3	-	-
				FNW	119	2	30	41	28	10	7	1	-	-
06-BEAUREGARD	426	506	16.4			2	93	172	162	58	9	10		
				MW	220	-	36	76	79	24	3	2	-	-
				FW	205	-	40	66	68	23	5	3	-	-
				MNW	45	-	9	19	7	6	1	3	-	-
				FNW	36	2	8	11	8	5	-	2	-	-
07-BIENVILLE	1	285	17.2			3	79	103	60	29	8	2	1	
				MW	69	-	15	25	17	11	1	-	-	-
				FW	69	-	12	29	20	5	2	1	-	-
				MNW	73	2	22	29	9	8	1	1	1	-
				FNW	74	1	30	20	14	5	4	-	-	-
08-BOSSIER	1599	1583	19.0			2	299	611	452	159	53	7		
				MW	616	1	84	250	203	64	13	1	-	-
				FW	560	-	90	216	166	65	22	1	-	-
				MNW	205	-	64	76	40	11	12	2	-	-
				FNW	202	1	61	69	43	19	6	3	-	-
BOSSIER CITY*	1596	1077	20.8			-	183	445	303	111	33	2		
				MW	433	-	60	185	137	42	9	-	-	-
				FW	404	-	62	173	106	47	15	1	-	-
				MNW	114	-	29	45	26	9	5	-	-	-
				FNW	126	-	32	42	34	13	4	1	-	-
09-CADDO	7213	4902	19.1			30	1093	1666	1375	554	151	29		4
				MW	1277	1	175	417	464	175	37	8	-	-
				FW	1214	2	166	416	434	160	33	3	-	-
				MNW	1240	17	395	403	252	119	45	9	-	-
				FNW	1171	10	357	430	225	100	36	9	-	4

(CONTINUED)

Table I A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
SHREVEPORT*	7209	4146	20.2			26	927	1392	1164	479	129	27	-	2
				MW	1001	1	129	304	383	146	31	7	-	-
				FW	946	1	120	323	344	132	24	2	-	-
				MNW	1129	16	355	369	232	108	40	9	-	-
				FNW	1070	8	323	396	205	93	34	9	-	2
10-CALCASIEU	4133	3464	20.2			14	550	1343	1013	423	102	15	2	2
				MW	1340	3	198	552	382	165	35	4	1	-
				FW	1226	3	174	474	395	145	31	3	-	1
				MNW	442	4	85	147	128	55	20	3	-	-
				FNW	456	4	93	170	108	58	16	5	1	1
LAKE CHARLES*	3480	1449	19.1			7	213	540	422	204	53	8	1	1
				MW	378	1	42	152	119	50	12	2	-	-
				FW	360	1	38	133	121	57	9	1	-	-
				MNW	342	3	59	117	98	45	18	2	-	-
				FNW	369	2	74	138	84	52	14	3	1	1
SULPHUR*	626	448	22.4			4	81	169	126	59	7	1	1	-
				MW	224	1	39	91	54	32	5	1	1	-
				FW	194	2	34	68	64	25	1	-	-	-
				MNW	12	-	4	3	3	2	-	-	-	-
				FNW	18	1	4	7	5	-	1	-	-	-
11-CALDWELL	141	165	15.2			-	50	54	44	15	1	1	-	-
				MW	71	-	17	26	19	9	-	-	-	-
				FW	60	-	18	21	16	4	-	1	-	-
				MNW	17	-	8	3	4	2	-	-	-	-
				FNW	17	-	7	4	5	-	1	-	-	-
12-CAMERON	1	188	19.8			2	37	78	50	18	3	-	-	-
				MW	95	1	17	43	28	6	-	-	-	-
				FW	77	-	16	26	21	11	3	-	-	-
				MNW	8	-	4	4	-	-	-	-	-	-
				FNW	8	1	-	5	1	1	-	-	-	-
13-CATAHOULA	1	231	18.7			1	61	81	61	21	4	-	2	-
				MW	80	-	22	23	24	11	-	-	-	-
				FW	70	-	17	27	22	4	-	-	-	-
				MNW	43	-	13	16	8	4	1	-	1	-
				FNW	38	1	9	15	7	2	3	-	1	-
14-CLAIBORNE	103	283	16.0			3	56	106	74	30	11	3	-	-
				MW	71	-	8	29	24	10	-	-	-	-
				FW	67	-	10	23	24	8	2	-	-	-
				MNW	73	2	17	23	14	7	8	2	-	-
				FNW	72	1	21	31	12	5	1	1	-	-
15-CONCORDIA	265	427	18.4			3	109	155	109	38	10	3	-	-
				MW	121	-	30	40	42	7	2	-	-	-
				FW	120	-	15	51	39	12	2	1	-	-
				MNW	102	2	30	33	19	13	4	1	-	-
				FNW	84	1	34	31	9	6	2	1	-	-
16-DESOTO	2	465	17.6			1	107	173	111	51	15	7	-	-
				MW	125	-	18	58	30	14	3	2	-	-
				FW	107	-	22	45	22	16	2	-	-	-
				MNW	116	1	33	34	29	11	5	3	-	-
				FNW	117	-	34	36	30	10	5	2	-	-
17-E BATON ROUGE	11098	7032	18.6			23	1024	2329	2301	1056	268	27	3	1
				MW	2117	-	210	707	753	361	77	7	2	-
				FW	1943	2	197	624	739	297	81	3	-	-
				MNW	1488	11	302	494	413	202	59	6	-	1
				FNW	1484	10	315	504	396	196	51	11	1	-
BATON ROUGE*	10656	5053	21.3			20	848	1717	1528	724	193	20	2	1
				MW	1255	-	144	424	419	219	44	4	1	-
				FW	1130	-	134	383	395	168	48	2	-	-
				MNW	1330	10	277	450	363	169	55	5	-	1
				FNW	1338	10	293	460	351	168	46	9	1	-

(CONTINUED)

Table I A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
18-EAST CARROLL	150	254	21.9			6	74	93	48	25	6	2	-	-
				MW	38	-	6	16	11	5			-	-
				FW	43	-	7	23	9	2	2	-	-	-
				MNW	88	5	35	26	11	9	2	-	-	-
				FNW	85	1	26	28	17	9	2	2	-	-
19-E FELICIANA	-	398	20.5			1	67	162	113	40	15	-	-	-
				MW	101	1	10	49	27	13	1	-	-	-
				FW	107	-	16	42	33	13	3	-	-	-
				MNW	103	-	24	40	28	4	7	-	-	-
				FNW	87	-	17	31	25	10	4	-	-	-
20-EVANGELINE	400	692	20.5			-	149	273	164	78	25	3	-	-
				MW	263	-	52	107	63	32	8	1	-	-
				FW	196	-	32	81	51	27	4	1	-	-
				MNW	92	-	30	34	15	10	2	1	-	-
				FNW	141	-	35	51	35	9	11	-	-	-
21-FRANKLIN	82	441	18.1			10	129	168	75	41	15	3	-	-
				MW	135	1	28	56	24	19	6	1	-	-
				FW	128	-	37	54	25	9	3	-	-	-
				MNW	94	5	38	30	10	6	4	1	-	-
				FNW	84	4	26	28	16	7	2	1	-	-
22-GRANT	1	268	15.6			1	69	82	82	23	8	3	-	-
				MW	98	-	26	24	38	6	3	1	-	-
				FW	112	-	27	44	30	11	-	-	-	-
				MNW	25	-	7	7	5	3	3	-	-	-
				FNW	33	1	9	7	9	3	2	2	-	-
23-IBERIA	1377	1552	23.9			6	286	604	405	192	42	14	3	-
				MW	534	3	80	207	160	74	6	3	1	-
				FW	472	1	82	186	131	52	15	4	1	-
				MNW	272	1	61	107	58	31	10	3	1	-
				FNW	274	1	63	104	56	35	11	4	-	-
NEW IBERIA*	1374	834	25.2			2	156	315	220	108	21	12	-	-
				MW	302	1	42	113	97	43	3	3	-	-
				FW	242	-	50	89	61	32	6	4	-	-
				MNW	149	-	38	63	30	12	5	1	-	-
				FNW	141	1	26	50	32	21	7	4	-	-
24-IBERVILLE	16	684	21.1			5	146	243	190	64	29	7	-	-
				MW	153	-	22	54	47	21	9	-	-	-
				FW	156	-	23	68	50	9	5	1	-	-
				MNW	192	4	51	58	46	21	8	4	-	-
				FNW	183	1	50	63	47	13	7	2	-	-
25-JACKSON	253	277	15.7			2	78	96	66	25	8	2	-	-
				MW	81	-	19	26	22	13	-	1	-	-
				FW	88	-	19	36	22	8	3	-	-	-
				MNW	49	-	20	13	14	-	1	1	-	-
				FNW	59	2	20	21	8	4	4	-	-	-
26-JEFFERSON	7227	8243	17.6			22	1164	2671	2691	1332	315	44	2	2
				MW	3158	2	370	999	1093	557	117	19	-	1
				FW	3112	2	362	1012	1094	507	122	13	-	-
				MNW	956	9	208	328	233	144	27	7	-	-
				FNW	1017	9	224	332	271	124	49	5	2	1
KENNER*	5	1296	18.6			7	144	415	452	225	42	11	-	-
				MW	518	1	39	169	189	100	17	3	-	-
				FW	520	1	41	167	200	92	16	3	-	-
				MNW	130	1	38	37	32	14	3	5	-	-
				FNW	128	4	26	42	31	19	6	-	-	-
GRETNA*	6	819	39.8			1	151	306	224	102	30	5	-	-
				MW	300	-	62	111	76	37	11	3	-	-
				FW	288	-	54	107	81	32	12	2	-	-
				MNW	117	-	15	50	33	16	3	-	-	-
				FNW	114	1	20	38	34	17	4	-	-	-

(CONTINUED)

Table I A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
HARAHAN*	-	90	7.9			-	10	40	23	12	5	-	-	-
				MW	45	-	2	22	13	6	2	-	-	-
				FW	44	-	7	18	10	6	3	-	-	-
				MNW	1	-	1	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-	-	-	-
WESTWEGO*	1	360	28.6			4	104	151	62	29	9	1	-	-
				MW	99	-	31	41	19	6	2	-	-	-
				FW	118	-	32	55	21	5	4	1	-	-
				MNW	72	4	18	27	11	9	3	-	-	-
				FNW	71	-	23	28	11	9	-	-	-	-
27-JEFF DAVIS	383	628	19.2			1	126	232	188	55	21	5	-	-
				MW	226	1	43	77	73	23	6	3	-	-
				FW	243	-	40	96	82	16	8	1	-	-
				MNW	91	-	29	30	17	12	3	-	-	-
				FNW	68	-	14	29	16	4	4	1	-	-
JENNINGS*	333	261	21.2			-	53	97	79	20	10	2	-	-
				MW	82	-	15	28	30	5	2	2	-	-
				FW	106	-	14	43	36	8	5	-	-	-
				MNW	38	-	14	12	4	6	2	-	-	-
				FNW	35	-	10	14	9	1	1	-	-	-
28-LAFAYETTE	5443	3289	21.2			7	445	1172	1096	425	117	23	4	-
				MW	1266	2	142	445	470	160	39	7	1	-
				FW	1165	2	136	428	408	151	34	4	2	-
				MNW	425	2	90	143	105	59	21	4	1	-
				FNW	433	1	77	156	113	55	23	8	-	-
LAFAYETTE*	5425	1690	19.8			5	246	558	565	230	70	15	1	-
				MW	564	2	67	187	214	70	21	3	-	-
				FW	493	1	55	155	192	75	14	1	-	-
				MNW	308	1	68	99	72	48	15	4	1	-
				FNW	325	1	56	117	87	37	20	7	-	-
29-LAFOURCHE	1565	1706	20.1			7	345	624	444	201	74	10	-	1
				MW	688	2	125	266	183	80	29	3	-	-
				FW	659	1	113	232	184	93	33	3	-	-
				MNW	175	3	52	65	32	14	5	3	-	1
				FNW	184	1	55	61	45	14	7	1	-	-
THIBODAUX*	1001	338	21.4			1	75	124	88	29	19	2	-	-
				MW	104	-	18	41	29	8	7	1	-	-
				FW	100	-	18	39	22	14	7	-	-	-
				MNW	65	-	20	22	16	3	3	1	-	-
				FNW	69	1	19	22	21	4	2	-	-	-
30-LASALLE	115	250	14.2			1	72	82	65	19	11	-	-	-
				MW	102	1	33	37	20	8	3	-	-	-
				FW	111	-	22	38	37	9	5	-	-	-
				MNW	17	-	8	1	6	-	2	-	-	-
				FNW	20	-	9	6	2	2	1	-	-	-
31-LINCOLN	333	623	15.9			4	111	219	175	82	24	7	-	1
				MW	205	1	17	72	76	31	8	-	-	-
				FW	155	-	18	57	49	19	7	4	-	1
				MNW	132	3	33	43	27	18	5	3	-	-
				FNW	131	-	43	47	23	14	4	-	-	-
RUSTON*	314	288	13.6			2	54	93	80	43	14	2	-	-
				MW	92	1	6	31	32	18	4	-	-	-
				FW	68	-	7	17	27	8	7	2	-	-
				MNW	61	1	21	22	9	8	-	-	-	-
				FNW	67	-	20	23	12	9	3	-	-	-
32-LIVINGSTON	31	1188	19.1			6	213	460	352	130	24	3	-	-
				MW	575	2	103	233	164	59	13	1	-	-
				FW	517	1	83	197	166	61	8	1	-	-
				MNW	52	-	17	13	13	7	2	-	-	-
				FNW	44	3	10	17	9	3	1	1	-	-

(CONTINUED)

Table I A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
33-MADISON	128	337	20.8			8	82	115	89	33	10	-	-	-
				MW	63	-	11	15	27	7	3	-	-	-
				FW	65	-	11	29	16	9	-	-	-	-
				MNW	94	4	27	33	20	6	4	-	-	-
				FNW	115	4	33	38	26	11	3	-	-	-
34-MOREHOUSE	561	666	18.8			12	185	243	143	65	14	4	-	-
				MW	161	-	37	62	37	19	5	1	-	-
				FW	147	-	34	56	36	18	3	-	-	-
				MNW	187	7	65	61	32	15	5	2	-	-
				FNW	171	5	49	64	38	13	1	1	-	-
BASTROP*	558	324	21.0			5	101	115	66	29	6	2	-	-
				MW	63	-	19	26	14	3	1	-	-	-
				FW	63	-	15	23	15	8	2	-	-	-
				MNW	101	2	37	35	16	7	3	1	-	-
				FNW	97	3	30	31	21	11	-	1	-	-
35-NATCHITOCHES	543	675	16.6			3	154	227	202	64	21	4	-	-
				MW	181	-	31	58	71	15	6	-	-	-
				FW	165	1	25	60	57	17	5	-	-	-
				MNW	164	2	50	55	35	16	4	2	-	-
				FNW	165	-	48	54	39	16	6	2	-	-
NATCHITOCHES*	543	313	18.5			3	62	107	98	28	12	3	-	-
				MW	52	-	5	14	25	6	2	-	-	-
				FW	58	1	6	19	23	5	4	-	-	-
				MNW	101	2	24	38	23	9	3	2	-	-
				FNW	102	-	27	36	27	8	3	1	-	-
36-ORLEANS	15832	10436	18.6			47	1953	3421	2902	1570	452	80	4	7
				MW	1524	2	140	401	554	342	74	10	-	1
				FW	1296	2	99	362	481	276	69	7	-	-
				MNW	3895	26	885	1337	959	498	152	34	2	2
				FNW	3721	17	829	1321	908	454	157	29	2	4
37-OUACHITA	4140	2436	17.0			15	506	927	644	265	65	12	2	-
				MW	721	-	100	280	215	104	19	3	-	-
				FW	678	-	110	268	213	67	15	5	-	-
				MNW	522	7	152	194	114	42	10	3	-	-
				FNW	515	8	144	185	102	52	21	1	2	-
MONROE*	3165	1118	19.3			14	268	405	256	135	31	8	1	-
				MW	182	-	24	62	56	34	4	2	-	-
				FW	176	-	25	62	58	25	3	3	-	-
				MNW	385	6	116	145	77	32	7	2	-	-
				FNW	375	8	103	136	65	44	17	1	1	-
WEST MONROE*	966	280	18.5			1	65	110	71	22	10	1	-	-
				MW	121	-	24	50	30	9	7	1	-	-
				FW	110	-	23	43	34	9	1	-	-	-
				MNW	25	1	10	8	3	2	1	-	-	-
				FNW	24	-	8	9	4	2	1	-	-	-
38-PLAQUEMINES	13	561	21.2			1	119	216	140	66	17	2	-	-
				MW	212	-	46	83	48	29	5	1	-	-
				FW	201	-	37	78	53	27	6	-	-	-
				MNW	68	-	17	28	18	2	3	-	-	-
				FNW	80	1	19	27	21	8	3	1	-	-
39-POINTE COUPEE	210	497	20.4			3	102	183	134	55	14	6	-	-
				MW	145	-	29	51	46	16	2	1	-	-
				FW	118	1	19	55	30	10	3	-	-	-
				MNW	113	2	25	37	28	15	3	3	-	-
				FNW	121	-	29	40	30	14	6	2	-	-
40-RAPIDES	3884	2444	17.8			13	483	891	681	285	80	11	-	-
				MW	746	-	128	296	221	80	19	2	-	-
				FW	801	3	137	296	246	90	26	3	-	-
				MNW	451	4	104	157	114	59	13	-	-	-
				FNW	446	6	114	142	100	56	22	6	-	-

(CONTINUED)

Table 1 A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ALEXANDRIA*	2385	1104	21.2			6	234	403	292	131	34	4	-	-
				MW	227	-	34	90	74	24	4	1	-	-
				FW	246	-	33	96	76	32	9	-	-	-
				MNW	323	1	84	113	78	38	9	-	-	-
				FNW	308	5	83	104	64	37	12	3	-	-
41-RED RIVER	45	201	18.5			3	50	76	52	14	5	1	-	-
				MW	47	-	7	19	12	7	1	1	-	-
				FW	48	-	8	20	16	3	1	-	-	-
				MNW	59	2	19	21	12	3	2	-	-	-
				FNW	47	1	16	16	12	1	1	-	-	-
42-RICHLAND	196	460	20.4			3	132	158	107	51	6	2	1	-
				MW	128	-	26	40	35	23	3	1	-	-
				FW	106	-	24	36	31	13	1	1	-	-
				MNW	116	2	44	36	27	5	2	-	-	-
				FNW	110	1	38	46	14	10	-	-	1	-
43-SABINE	38	401	15.3			2	118	144	91	32	12	2	-	-
				MW	138	-	51	52	21	13	-	1	-	-
				FW	142	-	34	53	40	11	4	-	-	-
				MNW	59	1	13	18	13	7	7	-	-	-
				FNW	62	1	20	21	17	1	1	1	-	-
44-ST BERNARD	3	1114	16.9			1	178	424	346	128	33	4	-	-
				MW	545	-	85	210	169	67	12	2	-	-
				FW	490	-	76	181	160	55	16	2	-	-
				MNW	41	-	8	22	8	3	-	-	-	-
				FNW	38	1	9	11	9	3	5	-	-	-
45-ST CHARLES	86	777	20.3			1	128	310	216	92	20	10	-	-
				MW	261	1	34	108	78	31	5	4	-	-
				FW	238	-	26	92	77	37	5	1	-	-
				MNW	136	-	37	52	28	14	3	2	-	-
				FNW	142	-	31	58	33	10	7	3	-	-
46-ST HELENA	1	134	13.7			2	31	39	35	19	6	2	-	-
				MW	36	-	3	11	17	5	-	-	-	-
				FW	32	1	5	13	5	6	2	-	-	-
				MNW	33	1	7	11	8	3	2	1	-	-
				FNW	33	-	16	4	5	5	2	1	-	-
47-ST JAMES	87	464	21.4			2	75	161	156	53	13	4	-	-
				MW	109	-	17	36	39	13	3	1	-	-
				FW	106	-	5	46	43	9	2	1	-	-
				MNW	134	1	26	45	38	19	3	2	-	-
				FNW	115	1	27	34	36	12	5	-	-	-
48-ST JOHN	5	797	24.0			2	118	291	257	109	17	3	-	-
				MW	249	-	22	97	86	37	7	-	-	-
				FW	231	-	25	94	77	33	2	-	-	-
				MNW	168	2	39	55	44	20	6	2	-	-
				FNW	149	-	32	45	50	19	2	1	-	-
49-ST LANDRY	1491	1769	20.7			9	345	673	448	224	57	13	-	-
				MW	492	-	76	192	147	64	10	3	-	-
				FW	492	1	74	206	135	62	12	2	-	-
				MNW	400	7	108	130	80	54	18	3	-	-
				FNW	385	1	87	145	86	44	17	5	-	-
OPELOUSAS*	1065	387	20.3			3	89	138	91	54	11	1	-	-
				MW	64	-	5	22	22	15	-	-	-	-
				FW	64	-	11	21	19	11	2	-	-	-
				MNW	135	3	45	46	24	13	3	1	-	-
				FNW	124	-	28	49	26	15	6	-	-	-
EUNICE*	420	278	22.7			3	59	105	66	38	5	2	-	-
				MW	103	-	25	37	28	12	-	1	-	-
				FW	102	1	16	46	22	15	2	-	-	-
				MNW	36	2	10	7	8	5	3	1	-	-
				FNW	37	-	8	15	8	6	-	-	-	-

(CONTINUED)

Table 1 A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
50-ST MARTIN	209	900	21.7			6	175	309	239	112	40	19	-	-
				MW	272	1	38	98	83	40	9	3	-	-
				FW	256	2	47	92	74	30	6	5	-	-
				MNW	194	3	49	60	37	24	16	5	-	-
				FNW	178	-	41	59	45	18	9	6	-	-
51-ST MARY	1014	1457	22.4			3	330	548	380	143	43	10	-	-
				MW	457	-	98	180	123	43	10	3	-	-
				FW	489	-	110	172	141	51	14	1	-	-
				MNW	282	3	70	107	56	28	14	4	-	-
				FNW	229	-	52	89	60	21	5	2	-	-
MORGAN CITY*	604	373	23.2			1	92	121	93	50	13	3	-	-
				MW	130	-	31	48	29	15	5	2	-	-
				FW	143	-	39	38	38	24	4	-	-	-
				MNW	47	1	9	19	9	5	4	-	-	-
				FNW	53	-	13	16	17	6	-	1	-	-
52-ST TAMMANY	1530	2161	18.4			3	289	694	707	354	100	13	-	1
				MW	947	-	114	297	316	174	42	4	-	-
				FW	878	2	104	280	299	147	39	6	-	1
				MNW	165	1	35	59	46	13	10	1	-	-
				FNW	171	-	36	58	46	20	9	2	-	-
SLIDELL*	750	454	16.8			-	43	141	157	86	24	3	-	-
				MW	213	-	23	55	76	47	11	1	-	-
				FW	178	-	8	64	62	34	8	2	-	-
				MNW	27	-	6	10	8	1	2	-	-	-
				FNW	36	-	6	12	11	4	3	-	-	-
53-TANGIPAHOA	1783	1803	21.8			9	406	650	458	189	79	12	-	-
				MW	552	1	96	215	154	63	20	3	-	-
				FW	499	2	92	179	139	65	16	6	-	-
				MNW	384	4	107	140	79	35	18	1	-	-
				FNW	368	2	111	116	86	26	25	2	-	-
HAMMOND*	2	298	19.5			4	62	108	68	36	18	2	-	-
				MW	68	-	6	29	16	12	5	-	-	-
				FW	61	-	11	17	22	8	3	-	-	-
				MNW	78	3	17	34	15	6	2	1	-	-
				FNW	91	1	28	28	15	10	8	1	-	-
54-TENSAS	57	168	20.0			2	49	61	35	14	3	4	-	-
				MW	29	-	7	11	7	4	-	-	-	-
				FW	32	-	5	16	8	3	-	-	-	-
				MNW	59	1	24	16	13	1	3	1	-	-
				FNW	48	1	13	18	7	6	-	3	-	-
55-TERREBONNE	3280	2293	23.7			10	454	852	623	262	74	18	-	-
				MW	860	2	156	326	238	105	26	7	-	-
				FW	872	-	161	338	253	90	25	5	-	-
				MNW	288	3	68	103	70	29	12	3	-	-
				FNW	273	5	69	85	62	38	11	3	-	-
HOUMA*	1478	875	26.8			4	185	324	233	94	26	9	-	-
				MW	311	-	61	122	77	39	9	3	-	-
				FW	298	-	57	111	92	27	9	2	-	-
				MNW	136	2	30	52	32	14	4	2	-	-
				FNW	130	2	37	39	32	14	4	2	-	-
56-UNION	135	304	14.1			4	61	105	83	37	9	4	1	-
				MW	101	1	12	42	27	13	5	1	-	-
				FW	86	2	11	26	31	11	3	2	-	-
				MNW	58	1	21	16	14	4	1	-	1	-
				FNW	59	-	17	21	11	9	-	1	-	-
57-VERMILION	714	1001	20.2			2	194	388	263	108	38	7	1	-
				MW	428	-	83	163	124	40	16	2	-	-
				FW	390	1	71	157	101	44	13	3	-	-
				MNW	81	-	16	27	18	15	4	-	1	-
				FNW	102	1	24	41	20	9	5	2	-	-

(CONTINUED)

Table I A (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER, AND BY SEX AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 POPULATION	SEX-RACE	TOTAL BY SEX-RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
ABBEVILLE*	354	294	23.7			1	66	118	68	31	9	-	1	-
				MW	95	-	27	32	28	5	3	-	-	-
				FW	71	-	10	36	15	8	2	-	-	-
				MNW	56	-	10	17	13	13	2	-	1	-
				FNW	72	1	19	33	12	5	2	-	-	-
58-VERNON	1055	1397	25.0			1	302	640	308	116	24	6	-	-
				MW	525	-	116	225	117	55	9	3	-	-
				FW	454	-	109	205	93	35	9	3	-	-
				MNW	205	-	32	103	53	17	-	-	-	-
				FNW	213	1	45	107	45	9	6	-	-	-
59-WASHINGTON	845	794	17.8			4	191	274	213	87	19	6	-	-
				MW	269	1	56	90	85	32	5	-	-	-
				FW	235	1	58	79	61	29	5	2	-	-
				MNW	148	1	36	61	31	13	3	3	-	-
				FNW	142	1	41	44	36	13	6	1	-	-
BOGALUSA*	714	282	16.8			2	79	83	80	29	7	2	-	-
				MW	80	-	20	26	26	7	1	-	-	-
				FW	76	1	23	20	19	10	1	2	-	-
				MNW	65	1	19	24	16	5	-	-	-	-
				FNW	61	-	17	13	19	7	5	-	-	-
60-WEBSTER	408	694	15.6			7	152	253	181	70	26	5	-	-
				MW	235	-	40	86	67	32	10	-	-	-
				FW	185	1	30	79	54	16	4	1	-	-
				MNW	153	2	50	48	31	12	8	2	-	-
				FNW	121	4	32	40	29	10	4	2	-	-
MINDEN*	335	272	18.1			2	64	96	69	25	11	5	-	-
				MW	66	-	9	29	16	8	4	-	-	-
				FW	59	-	10	24	16	6	2	1	-	-
				MNW	85	1	28	23	20	7	4	2	-	-
				FNW	62	1	17	20	17	4	1	2	-	-
61-W BATON ROUGE	3	429	22.2			3	70	164	109	56	21	6	-	-
				MW	139	-	17	63	37	17	5	-	-	-
				FW	123	1	16	47	39	15	4	1	-	-
				MNW	78	-	17	26	14	14	6	1	-	-
				FNW	89	2	20	28	19	10	6	4	-	-
62-WEST CARROLL	4	256	19.5			1	64	81	66	34	8	2	-	-
				MW	87	-	19	31	23	11	3	-	-	-
				FW	92	-	17	28	29	14	3	1	-	-
				MNW	34	-	12	12	8	1	-	1	-	-
				FNW	43	1	16	10	6	8	2	-	-	-
63-W FELICIANA	16	109	8.8			-	17	37	34	15	4	2	-	-
				MW	28	-	3	8	11	5	-	1	-	-
				FW	27	-	4	11	8	4	-	-	-	-
				MNW	36	-	9	13	10	3	1	-	-	-
				FNW	18	-	1	5	5	3	3	1	-	-
64-WINN	4	272	15.4			2	60	100	74	23	12	1	-	-
				MW	91	1	17	29	32	8	3	1	-	-
				FW	88	-	15	35	22	11	5	-	-	-
				MNW	45	-	15	21	6	-	3	-	-	-
				FNW	48	1	13	15	14	4	1	-	-	-
OUT OF STATE**	990	1000	-			2	175	382	269	136	28	7	1	-
				MW	429	1	74	163	115	59	13	4	-	-
				FW	413	-	68	153	118	62	10	1	1	-
				MNW	82	1	21	35	15	5	5	-	-	-
				FNW	76	-	12	31	21	10	-	2	-	-

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

Table I B

Live Births by Place of Occurrence, Reallocated to Mother's Usual Residence and Shown by Age of Mother, and by Sex and Race of Child Louisiana, by State Planning Districts and Health Service Areas, 1981

STATE PLANNING DISTRICTS (SPD) OR HEALTH SERVICE AREAS (HSA)	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 1,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE IN YEARS								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	82177	82167	19.1			360	15387	29201	23440	10349	2857	527	27	19
				MW	26015	34	3863	9331	8219	3638	795	128	5	2
				FW	24378	36	3637	8831	7788	3178	789	113	3	3
				MNW	16068	164	4028	5537	3739	1817	633	137	9	4
				FNW	15706	126	3859	5502	3694	1716	640	149	10	10
HSA I	29630	29013	18.9			98	4916	9824	8613	4223	1128	193	7	11
				MW	8689	9	1132	2873	2850	1447	323	53	-	2
				FW	8216	7	1033	2760	2763	1292	321	39	-	1
				MNW	6116	47	1398	2122	1498	765	226	54	3	3
				FNW	5992	35	1353	2069	1502	719	258	47	4	5
SPD 1	24605	22515	18.2			74	3703	7426	6786	3450	917	143	6	10
				MW	6386	4	755	1990	2180	1169	250	36	-	2
				FW	5977	6	678	1913	2087	1012	252	28	-	1
				MNW	5125	36	1153	1774	1264	660	192	42	2	2
				FNW	5027	28	1117	1749	1255	609	223	37	4	5
SPD 3	5025	6498	21.8			24	1213	2398	1827	773	211	50	1	1
				MW	2303	5	377	883	670	278	73	17	-	-
				FW	2239	1	355	847	676	280	69	11	-	-
				MNW	991	11	245	348	234	105	34	12	1	1
				FNW	965	7	236	320	247	110	35	10	-	-
HSA II	30772	31258	20.1			117	5549	11389	9080	3833	1074	200	13	3
				MW	10726	18	1594	4024	3365	1374	299	47	5	-
				FW	9962	20	1517	3698	3157	1221	301	44	3	1
				MNW	5325	47	1246	1825	1274	643	240	46	3	1
				FNW	3245	32	1192	1842	1284	595	234	63	2	1
SPD 2	14016	14210	19.3			60	2477	4986	4254	1839	517	73	3	1
				MW	4530	5	617	1652	1461	640	139	14	2	-
				FW	4146	10	566	1480	1387	554	135	14	-	-
				MNW	2792	24	647	946	709	327	119	19	-	1
				FNW	2742	21	647	908	697	318	124	26	1	-
SPD 4	11547	11887	21.5			37	2181	4436	3316	1406	408	95	8	-
				MW	4177	7	662	1569	1300	502	111	24	2	-
				FW	3924	7	645	1500	1170	462	114	23	3	-
				MNW	1892	19	457	663	400	236	94	20	3	-
				FNW	1894	4	417	704	446	206	89	28	-	-
SPD 5	5209	5161	19.4			20	891	1967	1510	588	149	32	2	2
				MW	2019	6	315	803	604	232	49	9	1	-
				FW	1892	3	306	718	600	205	52	7	-	1
				MNW	641	4	142	216	165	80	27	7	-	-
				FNW	609	7	128	230	141	71	21	9	1	1
HSA III	21775	21896	18.1			145	4922	7988	5747	2293	655	134	7	5
				MW	6600	7	1137	2434	2004	817	173	28	-	-
				FW	6200	9	1087	2373	1868	665	167	30	-	1
				MNW	4627	70	1384	1590	967	409	167	37	3	-
				FNW	4469	59	1314	1591	908	402	148	39	4	4
SPD 6	5635	6020	18.6			24	1293	2309	1574	603	184	31	2	-
				MW	2021	2	409	763	572	218	50	7	-	-
				FW	1963	3	379	782	550	187	52	10	-	-
				MNW	1035	6	242	400	238	106	38	4	1	-
				FNW	1001	13	263	364	214	92	44	10	1	-
SPD 7	10285	10112	17.9			58	2219	3578	2773	1085	326	67	1	5
				MW	2964	3	446	1066	985	372	79	13	-	-
				FW	2712	4	415	998	882	320	82	10	-	1
				MNW	2274	32	696	750	462	212	97	24	1	-
				FNW	2162	19	662	764	444	181	68	20	-	4
SPD 8	5855	5764	17.8			63	1410	2101	1400	605	145	36	4	-
				MW	1615	2	282	605	447	227	44	8	-	-
				FW	1525	2	293	593	436	158	33	10	-	-
				MNW	1318	32	446	440	267	91	32	9	1	-
				FNW	1306	27	389	463	250	129	36	9	3	-

Table II

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1981

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TOTAL	82177	82167	19.1	50393	50062	204	127	31774	31582	92	100	42083	40084
ACADIA	899	1227	21.4	929	922	_	7	298	295	_	3	611	616
CROWLEY*	520	353	22.0	240	237	_	3	113	112	_	1	169	184
ALLEN	266	375	17.5	279	277	_	2	96	94	_	2	193	182
ASCENSION	13	1142	22.1	804	802	2	_	338	334	_	4	580	562
ASSUMPTION	2	461	20.4	269	269	_	_	192	188	_	4	226	235
AVOYELLES	310	731	17.6	465	465	_	_	266	266	_	_	405	326
BEAUREGARD	426	506	16.4	425	424	1	_	81	81	_	_	265	241
BIENVILLE	1	285	17.2	138	138	_	_	147	146	_	1	142	143
BOSSIER	1599	1583	19.0	1176	1098	76	2	407	385	22	_	821	762
BOSSIER CITY*	1596	1077	20.8	837	775	62	_	240	218	22	_	547	530
CADDO	7213	4902	19.1	2491	2466	21	4	2411	2390	16	5	2517	2385
SHREVEPORT*	7209	4146	20.2	1947	1926	19	2	2199	2178	16	5	2130	2016
CALCASIEU	4133	3464	20.2	2566	2561	1	4	898	897	_	1	1782	1682
LAKE CHARLES*	3480	1449	19.1	738	734	1	3	711	711	_		720	729
SULPHUR*	626	448	22.4	418	418	_	_	30	29	_	1	236	212
CALDWELL	141	165	15.2	131	131	_	_	34	34	_	_	88	77
CAMERON	1	188	19.8	172	171	_	1	16	16	_	_	103	85
CATAHOULA	1	231	18.7	150	149	_	1	81	79	_	2	123	108
CLAIBORNE	103	283	16.0	138	138	_	_	145	145	_	_	144	139
CONCORDIA	265	427	18.4	241	239	_	2	186	186	_	_	223	204
DE SOTO	2	465	17.6	232	232	_	_	233	232	_	1	241	224
EAST BATON ROUGE	11098	7032	18.6	4060	4034	21	5	2972	2959	1	12	3605	3427
BATON ROUGE*	10656	5653	21.3	2385	2369	14	2	2668	2658	1	9	2585	2468
EAST CARROLL	158	254	21.9	81	77	4	_	173	169	4	_	126	128
EAST FELICIANA	_	398	20.5	208	206	2	_	190	190	_	_	204	194
EVANGELINE	400	692	20.5	459	459	_	_	233	232	_	1	355	337
FRANKLIN	82	441	18.1	263	262	1	_	178	177	_	1	229	212
GRANT	1	268	15.6	210	209	_	1	58	57	_	1	123	145
IBERIA	1377	1552	23.9	1006	1005	_	1	546	541	_	5	806	746
NEW IBERIA*	1374	834	25.2	544	543	_	1	290	288	_	2	451	383
IBERVILLE	16	684	21.1	309	308	_	1	375	367	1	7	345	339
JACKSON	253	277	15.7	169	167	_	2	108	107	_	1	130	147
JEFFERSON	7227	8243	17.6	6270	6249	13	8	1973	1971	1	1	4114	4129
KENNER*	5	1296	18.6	1038	1034	3	1	258	258			648	648
GRETNA*	6	819	39.8	588	586	1	1	231	230	1	_	417	402
HARAHAN*	_	90	7.9	89	89	_	_	1	1	_	_	46	44
WESTWEGO*	1	360	28.6	217	216	1	_	143	143	_	_	171	189
JEFFERSON DAVIS	383	628	19.2	469	469	_	_	159	159	_	_	317	311
JENNINGS*	333	261	21.2	188	188	_	_	73	73	_	_	120	141

CONTINUED)

Table II (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1981

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
LAFAYETTE	5443	3289	21.2	2431	2399	1	31	858	853	_	5	1691	1598
LAFAYETTE*	5425	1690	19.8	1057	1041	1	15	633	628	_	5	872	818
LAFOURCHE	1565	1706	20.1	1347	1342	_	5	359	357	_	2	863	843
THIBODAUX*	1001	338	21.4	204	203	_	1	134	134	_	_	169	169
LA SALLE	115	250	14.2	213	213	_	_	37	37	_	_	119	131
LINCOLN	333	623	15.0	360	360	_	_	263	263	_	_	337	286
RUSTON*	314	288	13.6	160	160	_	_	128	128	_	_	153	135
LIVINGSTON	31	1188	19.1	1092	1088	2	2	96	93	1	2	627	561
MADISON	128	337	20.8	128	104	24	_	209	174	35	_	157	180
MOREHOUSE	561	666	18.8	308	308	_	_	358	357	_	1	348	318
BASTROP*	558	324	21.0	126	126	_	_	198	198	_	_	164	160
NATCHITOCHES	543	675	16.6	346	345	1	_	329	328	_	1	345	330
NATCHITOCHES*	543	313	18.5	110	110	_	_	203	202	_	1	153	160
ORLEANS	15832	10436	18.6	2820	2804	10	6	7616	7604	4	8	5419	5017
OUACHITA	4140	2436	17.0	1399	1398	_	1	1037	1037	_	_	1243	1193
MONROE*	3165	1118	19.3	358	358	_	_	760	760	_	_	567	551
WEST MONROE*	966	280	18.5	231	231	_	_	49	49	_	_	146	134
PLAQUEMINES	13	561	21.2	413	410	2	1	148	147	_	1	280	281
POINTE COUPEE	210	497	20.4	263	263	_	_	234	233	_	1	258	239
RAPIDES	3884	2444	17.8	1547	1537	2	8	897	889	_	8	1197	1247
ALEXANDRIA*	2385	1104	21.2	473	472	_	1	631	624	_	7	550	554
RED RIVER	45	201	18.5	95	94	_	1	106	106	_	_	106	95
RICHLAND	196	460	20.4	234	234	_	_	226	225	1	_	241	216
SABINE	38	401	15.3	280	280	_	_	121	121	_	_	197	204
ST BERNARD	3	1114	16.9	1035	1034	1	_	79	79	_	_	586	528
ST CHARLES	86	777	20.3	499	496	_	3	278	278	_	_	397	380
ST HELENA	1	134	13.7	68	67	1	_	66	66	_	_	69	65
ST JAMES	87	464	21.4	215	214	_	1	249	247	_	2	243	221
ST JOHN	5	797	24.0	480	477	2	1	317	316	1	_	417	380
ST LANDRY	1491	1769	20.7	984	980	_	4	785	784	_	1	892	877
OPELOUSAS*	1065	387	20.3	128	127	_	1	259	259	_	_	199	188
EUNICE*	420	278	22.7	205	205	_	_	73	73	_	_	139	139
ST MARTIN	209	900	21.7	528	524	_	4	372	370	_	2	466	434
ST MARY	1014	1457	22.4	946	942	_	4	511	508	_	3	739	718
MORGAN CITY*	604	373	23.2	273	272	_	1	100	99	_	1	177	196
ST TAMMANY	1530	2161	18.4	1825	1819	6	_	336	335	_	1	1112	1049
SLIDELL*	750	454	16.8	391	390	1	_	63	62	_	1	240	214
TANGIPAHOA	1783	1803	21.8	1051	1047	1	3	752	751	_	1	936	867
HAMMOND*	2	298	19.5	129	127	1	1	169	169	_	_	146	152
TENSAS	57	168	20.0	61	58	3	_	107	107	_	_	88	80

(CONTINUED)

Table II (continued)

LIVE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY SEX OF CHILD, RACE, AND ATTENDANT
LOUISIANA, 1981

PARISH AND CITIES OVER 10,000	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1,000 POPULATION	WHITE				NONWHITE				SEX	
					ATTENDED BY				ATTENDED BY				
				TOTAL	PHYSICIAN	MIDWIFE	OTHER	TOTAL	PHYSICIAN	MIDWIFE	OTHER	MALE	FEMALE
TERREBONNE	3280	2293	23.7	1732	1726	_	6	561	558	_	3	1148	1145
HOUMA*	1478	875	26.8	609	607	_	2	266	264	_	2	447	428
UNION	135	304	14.1	187	187	_	_	117	117	_	_	159	145
VERMILION	714	1001	20.2	818	817	_	1	183	182	_	1	509	492
ABBEVILLE*	354	294	23.7	166	166	_	_	128	127	_	1	151	143
VERNON	1655	1397	25.0	979	975	1	3	418	413	4	1	730	667
WASHINGTON	845	794	17.8	504	504	_	_	290	288	1	1	417	377
BOGALUSA*	714	282	16.8	156	156	_	_	126	125	1	_	145	137
WEBSTER	408	694	15.6	420	418	1	1	274	274	_	_	388	306
MINDEN*	335	272	18.1	125	125	_	_	147	147	_	_	151	121
WEST BATON ROUGE	3	429	22.2	262	262	_	_	167	165	_	2	217	212
WEST CARROLL	4	256	19.5	179	178	1	_	77	77	_	_	121	135
WEST FELICIANA	16	109	8.8	55	53	2	_	54	54	_	_	64	45
WINN	4	272	15.4	179	178	1	_	93	92	_	1	136	136
OUT OF STATE**	990	1000	_	842	833	8	1	158	156	1	1	511	489

X IN RATE COLUMN INDICATES POPULATION NOT AVAILABLE
*INCLUDED IN PARISH TOTALS
** NOT INCLUDED IN STATE TOTALS

Table III

LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
TOTAL	82177	26041	24418	16030	15688
ACADIA	899	348	369	95	87
ACADIA ST. LANDRY HOSPITAL	135	46	45	25	19
AMERICAN LEGION HOSPITAL	514	217	243	31	23
RAYNE BRANCH HOSPITAL	241	82	78	37	44
OUT OF HOSPITAL	9	3	3	2	1
ALLEN	266	98	101	41	26
ALLEN PARISH HOSPITAL	173	73	71	17	12
OAKDALE GENERAL HOSPITAL	90	25	29	22	14
OUT OF HOSPITAL	3	-	1	2	-
ASCENSION	13	1	-	6	6
EAST ASCENSION GENERAL HOSPITAL	3	-	-	1	2
PREVOST MEMORIAL HOSPITAL	4	-	-	1	3
OUT OF HOSPITAL	6	1	-	4	1
ASSUMPTION	2	-	-	1	1
OUT OF HOSPITAL	2	-	-	1	1
AVOYELLES	310	102	77	80	51
BUNKIE GENERAL HOSPITAL	127	51	37	29	10
MARKSVILLE GENERAL HOSPITAL	181	50	40	50	41
OUT OF HOSPITAL	2	1	-	1	-
BEAUREGARD	426	177	178	36	35
BEAUREGARD MEMORIAL HOSPITAL	426	177	178	36	35
BIENVILLE	1	-	-	1	-
OUT OF HOSPITAL	1	-	-	1	-
BOSSIER	1599	687	635	132	145
BARKSDALE AIR FORCE BASE HOSPITAL	585	210	215	74	86
BOSSIER CITY GENERAL HOSPITAL	1007	475	418	57	57
OUT OF HOSPITAL	7	2	2	1	2
CADDO	7213	1858	1693	1910	1752
LA STATE UNIVERSITY MEDICAL CENTER	3810	462	395	1538	1415
HIGHLAND HOSPITAL	458	197	205	31	25
DOCTORS HOSPITAL AND RESEARCH CENTER	116	27	23	34	32
PHYSICIANS AND SURGEONS HOSPITAL	328	105	99	66	58
T. E. SHUMPERT HOSPITAL	1198	564	484	79	71
WILLIS KNIGHTON MEMORIAL HOSPITAL	1280	497	483	157	143
OUT OF HOSPITAL	23	6	4	5	8
CALCASIEU	4133	1630	1474	506	523
DEQUINCY GENERAL HOSPITAL	22	15	5	1	1
DR.WALTER OLIN MOSS REGIONAL HOSPITAL	1046	297	265	243	241
LAKE CHARLES MEMORIAL HOSPITAL	1392	546	515	165	166
ST.PATRICKS HOSPITAL	1034	475	408	69	82
WEST CALCASIEU CAMERON HOSPITAL	627	292	280	26	29
OUT OF HOSPITAL	12	5	1	2	4
CALDWELL	141	54	40	24	23
CALDWELL HOSPITAL	96	35	18	22	21
CITIZENS MEDICAL HOSPITAL	45	19	22	2	2
CAMERON	1	-	1	-	-
OUT OF HOSPITAL	1	-	1	-	-
CATAHOULA	1	-		1	-
CATAHOULA PARISH HOSPITAL	1	-	-	1	-
CLAIBORNE	103	21	28	22	32
HOMER MEMORIAL HOSPITAL	96	17	25	22	32
NORTH CLAIBORNE HOSPITAL	7	4	3	-	-
CONCORDIA	265	45	46	94	80
CONCORDIA PARISH HOSPITAL	260	43	45	94	78
OUT OF HOSPITAL	5	2	1	-	2

(CONTINUED)

Table III (continued)

LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
DESOTO................................	2	-	1	1	-
DESOTO GENERAL HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	1	-	-	1	-
EAST BATON ROUGE......................	11098	3563	3309	2117	2109
BATON ROUGE GENERAL HOSPITAL	2	-	1	1	-
EARL K. LONG MEMORIAL HOSPITAL	3017	390	340	1123	1164
LANE MEMORIAL HOSPITAL	443	172	138	71	62
OUR LADY OF THE LAKE MEDICAL CENTER	1	-	-	-	1
WOMANS HOSPITAL	7609	2997	2823	914	875
OUT OF HOSPITAL	26	4	7	8	7
EAST CARROLL..........................	158	10	17	63	68
EAST CARROLL PARISH HOSPITAL	157	10	16	63	68
OUT OF HOSPITAL	1	-	1	-	-
EVANGELINE............................	400	128	74	78	120
VILLE PLATTE GENERAL HOSPITAL	180	45	24	46	65
SAVOY MEMORIAL HOSPITAL	213	80	50	29	54
OUT OF HOSPITAL	7	3	-	3	1
FRANKLIN..............................	82	14	13	29	26
FRANKLIN PARISH HOSPITAL	80	14	12	29	25
OUT OF HOSPITAL	2	-	1	-	1
GRANT.................................	1	-	-	-	1
OUT OF HOSPITAL	1	-	-	-	1
IBERIA................................	1377	509	438	217	213
DAUTERIVE HOSPITAL INC.	630	291	254	42	43
IBERIA PARISH HOSPITAL	739	217	184	173	165
LASALETTE MEMORIAL HOSPITAL	2	1	-	1	-
OUT OF HOSPITAL	6	-	-	1	5
IBERVILLE.............................	16	1	1	8	6
RHODES J.SPEDALE GENERAL HOSPITAL	7	1	1	4	1
OUT OF HOSPITAL	9	-	-	4	5
JACKSON...............................	253	38	35	89	91
JACKSON PARISH HOSPITAL	251	38	34	89	90
OUT OF HOSPITAL	2	-	1	-	1
JEFFERSON.............................	7227	3182	3006	509	530
EAST JEFFERSON GENERAL HOSPITAL	828	394	381	30	23
OCHSNER FOUNDATION HOSPITAL	666	290	259	53	64
LAKESIDE HOSPITAL	4304	1945	1845	266	248
WEST JEFFERSON GENERAL HOSPITAL	1401	542	510	160	189
OUT OF HOSPITAL	28	11	11	-	6
JEFFERSON DAVIS.......................	383	170	154	34	25
JENNINGS AMERICAN LEGION HOSPITAL	333	148	139	26	20
WELSH GENERAL HOSPITAL	50	22	15	8	5
LAFAYETTE.............................	5443	1762	1694	989	998
LAFAYETTE CHARITY HOSPITAL	1937	261	275	696	705
LAFAYETTE GENERAL HOSPITAL	3453	1479	1404	285	285
OUR LADY OF LOURDES HOSPITAL	1	-	-	-	1
OUT OF HOSPITAL	52	22	15	8	7
LAFOURCHE.............................	1565	678	662	103	122
LADY OF THE SEA HOSPITAL	139	69	65	2	3
ST.ANNE GENERAL HOSPITAL	422	205	181	14	22
THIBODAUX GENERAL HOSPITAL	991	401	411	84	95
OUT OF HOSPITAL	13	3	5	3	2
LASALLE...............................	115	55	43	12	5
HARDTNER MEDICAL CENTER	114	55	42	12	5
LASALLE GENERAL HOSPITAL	1	-	1	-	-

(CONTINUED)

Table III (continued)

LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
LINCOLN..............................	333	147	114	34	38
LINCOLN GENERAL HOSPITAL	314	146	114	27	27
OUT OF HOSPITAL	19	1	-	7	11
LIVINGSTON............................	31	15	15	-	1
DIXON MEMORIAL HOSPITAL	28	15	13	-	-
OUT OF HOSPITAL	3	-	2	-	1
MADISON...............................	128	6	7	53	62
MADISON PARISH HOSPITAL	127	6	7	53	61
OUT OF HOSPITAL	1	-	-	-	1
MOREHOUSE.............................	561	180	164	118	99
MOREHOUSE GENERAL HOSPITAL	558	180	164	116	98
OUT OF HOSPITAL	3	-	-	2	1
NATCHITOCHES..........................	543	187	192	76	88
NATCHITOCHES PARISH HOSPITAL	542	187	192	76	87
OUT OF HOSPITAL	1	-	-	-	1
ORLEANS...............................	15832	3215	2988	4876	4753
JO ELLEN SMITH MEMORIAL HOSPITAL	1720	497	518	365	340
BAPTIST HOSPITAL	2293	1043	968	152	130
CHARITY HOSPITAL OF NEW ORLEANS	5484	477	418	2291	2298
THE NEW ST.CLAUDE GENERAL HOSPITAL	876	14	4	428	430
FLINT GOODRIDGE HOSP OF DILLARD UNIV	218	1	-	105	112
HOTEL DIEU HOSPITAL	972	179	178	330	285
PENDLETON MEMORIAL METHODIST HOSPITAL	2034	645	597	388	404
MONTELEPRE MEMORIAL HOSPITAL	2	-	-	1	1
NEW ORLEANS GENERAL HOSPITAL	143	3	1	72	67
TOURO INFIRMARY	1546	253	211	577	505
TULANE MEDICAL CENTER HOSPITAL	147	27	37	46	37
U.S.PUBLIC HEALTH SERVICE HOSPITAL	318	64	45	98	111
VETERANS ADMINISTRATION HOSPITAL	1	-	-	1	-
OUT OF HOSPITAL	78	12	11	22	33
OUACHITA..............................	4140	1217	1136	893	894
E.A.CONWAY MEMORIAL HOSPITAL	1805	206	180	721	698
GLENWOOD HOSPITAL	966	434	426	51	55
ST.FRANCIS HOSPITAL	1346	577	530	108	131
OUT OF HOSPITAL	23	-	-	13	10
PLAQUEMINES...........................	13	7	3	2	1
PLAQUEMINES PARISH GENERAL HOSPITAL	10	6	2	1	1
OUT OF HOSPITAL	3	1	1	1	-
POINTE COUPEE.........................	210	48	26	64	72
POINTE COUPEE GENERAL HOSPITAL	209	48	26	64	71
OUT OF HOSPITAL	1	-	-	-	1
RAPIDES...............................	3884	1219	1302	683	680
RAPIDES GENERAL HOSPITAL	1229	453	506	138	132
DOCTORS HOSPITAL	32	11	11	2	8
HUEY P.LONG CHARITY HOSPITAL	1451	266	267	453	465
ST.FRANCIS CABRINI HOSPITAL	1147	485	509	84	69
OUT OF HOSPITAL	25	4	9	6	6
RED RIVER.............................	45	18	14	6	7
L.S.HUCKABAY MEMORIAL HOSPITAL	42	16	14	5	7
OUT OF HOSPITAL	3	2	-	1	-
RICHLAND..............................	196	81	93	8	14
RICHLAND PARISH HOSPITAL DELHI	189	81	91	6	11
RICHLAND PARISH HOSPITAL RAYVILLE	3	-	1	1	1
OUT OF HOSPITAL	4	-	1	1	2
SABINE................................	38	8	6	11	13
PLEASANT HILL GENERAL HOSPITAL	37	8	6	10	13
OUT OF HOSPITAL	1	-	-	1	-

(CONTINUED)

Table III (continued)

LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ST.BERNARD............................	3	1	1	-	1
CHALMETTE GENERAL HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	2	1	-	-	1
ST.CHARLES............................	86	18	21	27	20
ST.CHARLES PARISH HOSPITAL	83	17	19	27	20
OUT OF HOSPITAL	3	1	2	-	-
ST.HELENA............................	1	-	1	-	-
OUT OF HOSPITAL	1	-	1	-	-
ST.JAMES............................	87	28	30	13	16
ST.JAMES PARISH HOSPITAL	83	28	29	12	14
WEST ST.JAMES PARISH HOSPITAL	3	-	1	1	1
OUT OF HOSPITAL	1	-	-	-	1
ST.JOHN............................	5	3	2	-	-
OUT OF HOSPITAL	5	3	2	-	-
ST.LANDRY............................	1491	591	552	180	168
MOOSA MEMORIAL HOSPITAL	416	183	166	38	29
OPELOUSAS GENERAL HOSPITAL	1068	406	382	142	138
OUT OF HOSPITAL	7	2	4	-	1
ST.MARTIN............................	209	64	59	46	40
GARY MEMORIAL HOSPITAL	135	41	37	32	25
ST.MARTIN INFIRMARY	66	20	20	11	15
OUT OF HOSPITAL	8	3	2	3	-
ST.MARY............................	1014	347	365	158	144
FRANKLIN FOUNDATION HOSPITAL	400	121	112	88	79
LAKEWOOD HOSPITAL	603	225	250	66	62
OUT OF HOSPITAL	11	1	3	4	3
ST.TAMMANY............................	1530	655	603	141	131
HIGHLAND PARK HOSPITAL	313	104	125	43	41
ST.TAMMANY PARISH HOSPITAL	461	174	172	64	51
SLIDELL MEMORIAL HOSPITAL	747	373	303	33	38
OUT OF HOSPITAL	9	4	3	1	1
TANGIPAHOA............................	1783	518	459	423	383
LALLIE KEMP CHARITY HOSPITAL	784	159	137	256	232
SEVENTH WARD GENERAL HOSPITAL	995	358	320	167	150
OUT OF HOSPITAL	4	1	2	-	1
TENSAS............................	57	4	3	27	23
ST.CHARLES HOSPITAL OF TENSAS PARISH	57	4	3	27	23
TERREBONNE............................	3280	1119	1087	560	514
SOUTH LOUISIANA MEDICAL CENTER	1804	458	455	467	424
TERREBONNE PARISH GENERAL HOSPITAL	1461	655	628	90	88
OUT OF HOSPITAL	15	6	4	3	2
UNION............................	135	38	34	26	37
TRI WARD GENERAL HOSPITAL	1	-	-	-	1
UNION GENERAL HOSPITAL	134	38	34	26	36
VERMILION............................	714	323	280	49	62
ABROM KAPLAN MEMORIAL HOSPITAL	331	168	130	14	19
ABBEVILLE GENERAL HOSPITAL	350	145	140	25	40
ERATH MEMORIAL HOSPITAL	28	7	9	10	2
GUEYDAN MEMORIAL HOSPITAL	1	-	1	-	-
OUT OF HOSPITAL	4	3	-	-	1
VERNON............................	1055	361	320	187	187
LEESVILLE GENERAL HOSPITAL	19	11	8	-	-
U.S.ARMY HOSPITAL	1000	336	305	183	176
BYRD MEMORIAL HOSPITAL	29	12	7	2	8
OUT OF HOSPITAL	7	2	-	2	3

(CONTINUED)

Table III (continued)

LIVE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED BY SEX AND RACE
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
WASHINGTON............................	845	302	287	126	130
BOGALUSA COMMUNITY MEDICAL CENTER	289	126	122	23	18
RIVERSIDE MEDICAL CENTER	129	53	59	8	9
WASHINGTON ST.TAMMANY CHARITY HOSPITAL	423	123	106	93	101
OUT OF HOSPITAL	4	-	-	2	2
WEBSTER...............................	408	180	154	43	31
MINDEN MEDICAL CENTER	335	148	124	36	27
COMMUNITY HOSPITAL	71	32	28	7	4
OUT OF HOSPITAL	2	-	2	-	-
WEST BATON ROUGE......................	3	-	-	1	2
OUT OF HOSPITAL	3	-	-	1	2
WEST CARROLL..........................	4	2	2	-	-
WEST CARROLL PARISH HOSPITAL	4	2	2	-	-
WEST FELICIANA........................	16	7	8	1	-
WEST FELICIANA PARISH HOSPITAL	9	5	3	1	-
OUT OF HOSPITAL	7	2	5	-	-
WINN..................................	4	1	1	-	2
WINNFIELD GENERAL HOSPITAL	1	1	-	-	-
OUT OF HOSPITAL	3	-	1	-	2

Table IV
Congenital Anomalies Specified on Birth Certificates*
Shown by Type of Anomaly and Age of Mother
Louisiana Residents, 1981

CAUSE	TOTAL	AGE									
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 and Over	Not Stated
TOTAL	618	3	114	239	157	79	21	5	-	-	-
Other and unspecified disorders of metabolism - (277)	1	-	-	-	1	-	-	-	-	-	-
Cardiomyopathy - (425)	2	-	-	-	2	-	-	-	-	-	-
Disorders of tooth development and eruption - (520)	1	-	-	-	-	1	-	-	-	-	-
Dentofacial anomalies, including malocclusion - (524)	3	-	1	1	1	-	-	-	-	-	-
Redundant prepuce and phimosis - (605)	1	-	-	1	-	-	-	-	-	-	-
Anencephalus and similar anomalies - (740)	14	-	3	3	4	3	1	-	-	-	-
Spina bifida - (741)	23	-	2	9	9	2	1	-	-	-	-
Other congenital anomalies of nervous system - (742)	13	-	-	7	1	4	1	-	-	-	-
Congenital anomalies of eye - (743)	7	-	1	3	3	-	-	-	-	-	-
Congenital anomalies of ear, face and neck - (744)	12	-	4	3	3	2	-	-	-	-	-
Bulbus cordis anomalies and anomalies of cardiac septal closure - (745)	5	-	-	2	2	-	1	-	-	-	-
Other congenital anomalies of heart - (746)	16	-	3	6	7	-	-	-	-	-	-
Other congenital anomalies of circulatory system - (747)	15	-	1	7	2	4	1	-	-	-	-
Congenital anomalies of respiratory system - (748)	8	-	-	3	5	-	-	-	-	-	-
Cleft plate and cleft lip - (749)	43	-	8	11	12	9	3	-	-	-	-
Other congenital anomalies of upper alimentary tract - (750)	11	-	2	3	2	4	-	-	-	-	-
Other congenital anomalies of digestive system - (751)	13	-	1	8	3	1	-	-	-	-	-
Congenital anomalies of genital organs - (752)	59	1	8	30	10	7	3	-	-	-	-
Congenital anomalies of urinary system - (753)	5	-	1	-	2	2	-	-	-	-	-
Certain congenital musculoskeletal deformities - (754)	86	1	17	37	20	10	1	-	-	-	-
Other congenital anomalies of limbs - (755)	178	1	44	71	41	12	6	3	-	-	-
Other congenital musculoskeletal anomalies - (756)	37	-	4	14	12	6	-	1	-	-	-
Congenital anomalies of the integument - (757)	30	-	8	8	9	5	-	-	-	-	-
Chromosomal anomalies - (758)	19	-	2	7	3	4	2	1	-	-	-
Other and unspecified congenital anomalies - (759)	15	-	3	5	3	3	1	-	-	-	-
Slow fetal growth and fetal malnutrition - (764)	1	-	1	-	-	-	-	-	-	-	-

* This is not an unduplicated count; more than 1 congenital anomaly was specified on some birth certificates.

Table V

IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
TOTAL................................	6982	1417	1551	1862	2152	1400	1387	4195
ACADIA................................	70	17	31	15	7	8	10	52
ACADIA ST. LANDRY HOSPITAL	12	2	4	5	1	3	1	8
AMERICAN LEGION HOSPITAL	34	10	13	5	1	2	6	26
RAYNE BRANCH HOSPITAL	22	5	9	4	4	3	2	17
OUT OF HOSPITAL	2	-	-	1	1	-	1	1
ALLEN................................	11	2	4	4	1	3	1	7
ALLEN PARISH HOSPITAL	4	2	-	1	1	2	1	1
OAKDALE GENERAL HOSPITAL	6	-	3	3	-	1	-	5
OUT OF HOSPITAL	1	-	1	-	-	-	-	1
ASCENSION................................	3	-	-	1	2	2	-	1
PREVOST MEMORIAL HOSPITAL	2	-	-	1	1	1	-	1
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
AVOYELLES................................	24	6	4	8	6	9	2	13
BUNKIE GENERAL HOSPITAL	7	3	2	1	1	2	-	5
MARKSVILLE GENERAL HOSPITAL	17	3	2	7	5	7	2	8
BEAUREGARD................................	39	14	20	3	2	8	6	25
BEAUREGARD MEMORIAL HOSPITAL	39	14	20	3	2	8	6	25
BIENVILLE................................	1	-	-	1	-	1	-	-
OUT OF HOSPITAL	1	-	-	1	-	1	-	-
BOSSIER................................	75	32	23	6	14	9	10	56
BARKSDALE AIR FORCE BASE HOSPITAL	21	2	8	5	6	-	2	19
BOSSIER CITY GENERAL HOSPITAL	54	30	15	1	8	9	8	37
CADDO................................	819	129	139	279	272	193	185	441
LA STATE UNIVERSITY MEDICAL CENTER	560	49	47	239	225	131	136	293
HIGHLAND HOSPITAL	13	2	6	2	3	3	-	10
DOCTORS HOSPITAL AND RESEARCH CENTER	11	2	3	3	3	1	2	8
PHYSICIANS AND SURGEONS HOSPITAL	27	7	3	7	10	9	4	14
T. E. SHUMPERT HOSPITAL	102	36	47	8	11	28	21	53
WILLIS KNIGHTON MEMORIAL HOSPITAL	101	32	33	18	18	19	22	60
OUT OF HOSPITAL	5	1	-	2	2	2	-	3
CALCASIEU................................	276	83	92	48	73	60	61	175
DEQUINCY GENERAL HOSPITAL	3	2	-	-	1	1	-	2
DR.WALTER OLIN MOSS REGIONAL HOSPITAL	111	22	19	28	42	23	21	67
LAKE CHARLES MEMORIAL HOSPITAL	98	26	40	13	19	16	23	59
ST.PATRICKS HOSPITAL	47	22	12	5	8	8	9	30
WEST CALCASIEU CAMERON HOSPITAL	37	11	21	2	3	12	8	17
CALDWELL................................	2	-	1	1	-	-	-	2
CALDWELL HOSPITAL	1	-	-	1	-	-	-	1
CITIZENS MEDICAL HOSPITAL	1	-	1	-	-	-	-	1
CLAIBORNE................................	10	1	4	2	3	-	3	7
HOMER MEMORIAL HOSPITAL	9	-	4	2	3	-	3	6
NORTH CLAIBORNE HOSPITAL	1	1	-	-	-	-	-	1
CONCORDIA................................	28	2	3	11	12	4	4	20
CONCORDIA PARISH HOSPITAL	26	1	3	11	11	3	4	19
OUT OF HOSPITAL	2	1	-	-	1	1	-	1
EAST BATON ROUGE................................	969	177	205	273	314	219	198	552
EARL K. LONG MEMORIAL HOSPITAL	416	29	33	152	202	91	83	242
LANE MEMORIAL HOSPITAL	26	8	7	8	3	3	7	16
WOMANS HOSPITAL	520	138	165	109	108	123	106	291
OUT OF HOSPITAL	7	2	-	4	1	2	2	3
EAST CARROLL................................	11	-	2	3	6	-	-	11
EAST CARROLL PARISH HOSPITAL	10	-	1	3	6	-	-	10
OUT OF HOSPITAL	1	-	1	-	-	-	-	1

(CONTINUED)

Table V (continued)

IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
EVANGELINE	42	9	9	8	16	9	8	25
VILLE PLATTE GENERAL HOSPITAL	19	2	4	5	8	6	3	10
SAVOY MEMORIAL HOSPITAL	23	7	5	3	8	3	5	15
FRANKLIN	11	1	-	6	4	-	4	7
FRANKLIN PARISH HOSPITAL	11	1	-	6	4	-	4	7
IBERIA	92	30	23	15	24	16	19	57
DAUTERIVE HOSPITAL INC.	30	14	12	3	1	5	5	20
IBERIA PARISH HOSPITAL	61	15	11	12	23	11	14	36
LASALETTE MEMORIAL HOSPITAL	1	1	-	-	-	-	-	1
IBERVILLE	2	-	1	-	1	-	-	2
RHODES J.SPEDALE GENERAL HOSPITAL	1	-	1	-	-	-	-	1
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
JACKSON	28	5	3	11	9	3	4	21
JACKSON PARISH HOSPITAL	28	5	3	11	9	3	4	21
JEFFERSON	458	156	178	57	67	92	97	269
EAST JEFFERSON GENERAL HOSPITAL	35	15	19	1	-	4	8	23
OCHSNER FOUNDATION HOSPITAL	101	30	36	16	19	43	23	35
LAKESIDE HOSPITAL	210	81	86	19	24	28	52	130
WEST JEFFERSON GENERAL HOSPITAL	109	29	37	21	22	16	13	80
OUT OF HOSPITAL	3	1	-	-	2	1	1	1
JEFFERSON DAVIS	23	10	9	4	-	2	3	18
JENNINGS AMERICAN LEGION HOSPITAL	21	10	8	3	-	2	3	16
WELSH GENERAL HOSPITAL	2	-	1	1	-	-	-	2
LAFAYETTE	495	104	127	112	152	115	107	273
LAFAYETTE CHARITY HOSPITAL	252	24	31	80	117	55	55	142
LAFAYETTE GENERAL HOSPITAL	239	80	94	31	34	59	51	129
OUT OF HOSPITAL	4	-	2	1	1	1	1	2
LAFOURCHE	85	23	34	8	20	20	12	53
LADY OF THE SEA HOSPITAL	3	1	1	-	1	-	1	2
ST.ANNE GENERAL HOSPITAL	30	10	13	1	6	7	7	16
THIBODAUX GENERAL HOSPITAL	51	12	20	7	12	13	4	34
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
LASALLE	11	5	4	1	1	1	1	9
HARDTNER MEDICAL CENTER	11	5	4	1	1	1	1	9
LINCOLN	21	2	4	7	8	1	5	15
LINCOLN GENERAL HOSPITAL	17	2	4	6	5	1	5	11
OUT OF HOSPITAL	4	-	-	1	3	-	-	4
LIVINGSTON	1	-	-	-	1	-	1	-
OUT OF HOSPITAL	1	-	-	-	1	-	1	-
MADISON	10	-	-	3	7	-	-	10
MADISON PARISH HOSPITAL	10	-	-	3	7	-	-	10
MOREHOUSE	45	15	11	9	10	3	13	29
MOREHOUSE GENERAL HOSPITAL	45	15	11	9	10	3	13	29
NATCHITOCHES	25	5	7	5	8	3	4	18
NATCHITOCHES PARISH HOSPITAL	25	5	7	5	8	3	4	18

(CONTINUED)

Table V (continued)

IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
ORLEANS..............................	1703	214	215	613	661	350	356	997
JO ELLEN SMITH MEMORIAL HOSPITAL	115	21	23	33	38	19	19	77
BAPTIST HOSPITAL	159	49	76	22	12	32	37	90
CHARITY HOSPITAL OF NEW ORLEANS	826	80	55	330	361	198	178	450
THE NEW ST.CLAUDE GENERAL HOSPITAL	122	1	-	51	70	26	29	67
FLINT GOODRIDGE HOSP OF DILLARD UNIV	36	-	-	21	15	4	8	24
HOTEL DIEU HOSPITAL	72	8	5	30	29	20	8	44
PENDLETON MEMORIAL METHODIST HOSPITAL	140	38	41	30	31	24	28	88
NEW ORLEANS GENERAL HOSPITAL	30	-	1	13	16	1	11	18
TOURO INFIRMARY	150	13	10	59	68	18	26	106
TULANE MEDICAL CENTER HOSPITAL	19	2	1	11	5	4	6	9
U.S.PUBLIC HEALTH SERVICE HOSPITAL	18	2	2	6	8	-	4	14
OUT OF HOSPITAL	16	-	1	7	8	4	2	10
OUACHITA..............................	334	60	64	97	113	60	62	212
E.A.CONWAY MEMORIAL HOSPITAL	197	13	13	80	91	27	30	140
GLENWOOD HOSPITAL	43	17	19	1	6	8	10	25
ST.FRANCIS HOSPITAL	89	30	32	13	14	23	22	44
OUT OF HOSPITAL	5	-	-	3	2	2	-	3
PLAQUEMINES..............................	2	1	-	1	-	1	1	-
PLAQUEMINES PARISH GENERAL HOSPITAL	1	1	-	-	-	1	-	-
OUT OF HOSPITAL	1	-	-	1	-	-	1	-
POINTE COUPEE..............................	16	3	-	3	10	1	2	13
POINTE COUPEE GENERAL HOSPITAL	15	3	-	3	9	1	2	12
OUT OF HOSPITAL	1	-	-	-	1	-	-	1
RAPIDES..............................	296	69	83	60	84	58	55	183
RAPIDES GENERAL HOSPITAL	77	28	29	10	10	15	9	53
DOCTORS HOSPITAL	3	-	-	1	2	1	-	2
HUEY P.LONG CHARITY HOSPITAL	146	19	27	38	62	30	30	86
ST.FRANCIS CABRINI HOSPITAL	68	22	27	10	9	12	16	40
OUT OF HOSPITAL	2	-	-	1	1	-	-	2
RED RIVER..............................	4	-	1	3	-	2	-	2
L.S.HUCKABAY MEMORIAL HOSPITAL	3	-	1	2	-	1	-	2
OUT OF HOSPITAL	1	-	-	1	-	1	-	-
RICHLAND..............................	7	1	3	1	2	3	1	3
RICHLAND PARISH HOSPITAL DELHI	6	1	3	-	2	2	1	3
OUT OF HOSPITAL	1	-	-	1	-	1	-	-
SABINE..............................	4	-	-	2	2	-	-	4
PLEASANT HILL GENERAL HOSPITAL	4	-	-	2	2	-	-	4
ST.CHARLES..............................	4	-	1	2	1	-	-	4
ST.CHARLES PARISH HOSPITAL	4	-	1	2	1	-	-	4
ST.JAMES..............................	5	1	-	1	3	1	1	3
ST.JAMES PARISH HOSPITAL	3	1	-	-	2	-	-	3
WEST ST.JAMES PARISH HOSPITAL	2	-	-	1	1	1	1	-
ST.LANDRY..............................	105	37	31	13	24	12	24	69
MOOSA MEMORIAL HOSPITAL	38	12	14	4	8	4	11	23
OPELOUSAS GENERAL HOSPITAL	67	25	17	9	16	8	13	46
ST.MARTIN..............................	21	4	4	4	9	5	2	14
GARY MEMORIAL HOSPITAL	18	4	3	3	8	4	2	12
ST.MARTIN INFIRMARY	1	-	-	-	1	-	-	1
OUT OF HOSPITAL	2	-	1	1	-	1	-	1
ST.MARY..............................	57	12	22	6	17	9	7	41
FRANKLIN FOUNDATION HOSPITAL	15	4	4	3	4	1	4	10
LAKEWOOD HOSPITAL	39	8	18	3	10	7	3	29
OUT OF HOSPITAL	3	-	-	-	3	1	-	2

(CONTINUED)

Table V (continued)

IMMATURE BIRTHS SHOWING HOSPITAL IN WHICH BIRTH OCCURRED
LOUISIANA, 1981

HOSPITAL OR INSTITUTION	TOTAL	WHITE		NONWHITE		WEIGHT IN POUNDS		
		MALE	FEMALE	MALE	FEMALE	3.5 OR UNDER	OVER 3.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5
ST.TAMMANY.............................	72	20	22	11	19	14	12	46
HIGHLAND PARK HOSPITAL	25	4	12	3	6	3	6	16
ST.TAMMANY PARISH HOSPITAL	31	4	7	8	12	10	4	17
SLIDELL MEMORIAL HOSPITAL	15	11	3	-	1	1	2	12
OUT OF HOSPITAL	1	1	-	-	-	-	-	1
TANGIPAHOA.............................	160	31	28	56	45	24	24	112
LALLIE KEMP CHARITY HOSPITAL	70	9	7	31	23	12	6	52
SEVENTH WARD GENERAL HOSPITAL	90	22	21	25	22	12	18	60
TENSAS.................................	5	-	-	2	3	1	1	3
ST.CHARLES HOSPITAL OF TENSAS PARISH	5	-	-	2	3	1	1	3
TERREBONNE.............................	268	74	73	51	70	36	56	176
SOUTH LOUISIANA MEDICAL CENTER	183	42	39	46	56	23	40	120
TERREBONNE PARISH GENERAL HOSPITAL	82	31	34	5	12	12	15	55
OUT OF HOSPITAL	3	1	-	-	2	1	1	1
UNION..................................	13	2	2	4	5	3	2	8
TRI WARD GENERAL HOSPITAL	1	-	-	-	1	1	-	-
UNION GENERAL HOSPITAL	12	2	2	4	4	2	2	8
VERMILION..............................	51	16	20	4	11	14	3	34
ABROM KAPLAN MEMORIAL HOSPITAL	12	5	6	-	1	2	1	9
ABBEVILLE GENERAL HOSPITAL	37	11	14	3	9	10	2	25
ERATH MEMORIAL HOSPITAL	1	-	-	1	-	1	-	-
OUT OF HOSPITAL	1	-	-	-	1	1	-	-
VERNON.................................	63	24	17	9	13	11	6	46
LEESVILLE GENERAL HOSPITAL	1	1	-	-	-	-	1	-
U.S.ARMY HOSPITAL	60	23	16	8	13	11	5	44
BYRD MEMORIAL HOSPITAL	2	-	1	1	-	-	-	2
WASHINGTON.............................	61	14	20	14	13	7	11	43
BOGALUSA COMMUNITY MEDICAL CENTER	10	2	6	1	1	1	2	7
RIVERSIDE MEDICAL CENTER	6	-	3	2	1	1	1	4
WASHINGTON ST.TAMMANY CHARITY HOSPITAL	45	12	11	11	11	5	3	32
WEBSTER................................	23	6	6	4	7	7	3	13
MINDEN MEDICAL CENTER	21	6	6	3	6	6	3	12
COMMUNITY HOSPITAL	2	-	-	1	1	1	-	1
WEST FELICIANA.........................	1	-	1	-	-	-	-	1
WEST FELICIANA PARISH HOSPITAL	1	-	1	-	-	-	-	1

Table VI

LIVE BIRTHS BY LIVE BIRTH ORDER BY WEIGHT OF CHILD
LOUISIANA RESIDENTS, 1981

		WEIGHT IN POUNDS										
BIRTH ORDER	TOTAL	THROUGH 2.5	OVER 2.5 THROUGH 4.5	OVER 4.5 THROUGH 5.5	OVER 5.5 THROUGH 6.5	OVER 6.5 THROUGH 7.5	OVER 7.5 THROUGH 8.5	OVER 8.5 THROUGH 9.5	OVER 9.5	NOT STATED	IMMATURE BIRTHS	PERCENT OF TOTAL LIVE BIRTHS
TOTAL	82167	690	2087	4191	14357	26911	22563	8871	2375	122	6968	8.5
1	33549	290	821	1645	6124	11478	9098	3286	760	47	2756	8.2
2	25792	201	609	1245	4364	8396	7306	2911	732	28	2055	8.0
3	13144	97	313	676	2185	4113	3708	1550	475	27	1086	8.3
4	5328	55	185	328	889	1597	1419	635	204	16	568	10.7
5	2132	21	70	145	366	660	513	258	97	2	236	11.1
6	1012	13	42	55	193	311	240	106	52		110	10.9
7	523	7	15	46	94	145	130	54	31	1	68	13.0
8	286	1	6	20	61	84	68	33	13	-	27	9.4
9	145	2	6	10	29	48	34	15	1	-	18	12.4
10	75	2	3	7	17	21	13	10	2	-	12	16.0
11	51	-	6	4	9	14	13	3	2	-	10	19.6
12	27	-	2	4	5	7	3	4	2	-	6	22.2
13	16	-	2	-	2	7	3	1	1	-	2	12.5
14	1	-	1	-	-	-		-	-	-	1	100
15	1	-	-	-	-	-	1	-	-	-	-	-
UNK.	85	1	6	6	19	30	14	5	3	1	13	15.3

Table VII

LIVE BIRTHS BY WEIGHT OF CHILD SHOWN BY SEX AND RACE
LOUISIANA RESIDENTS, 1981

WEIGHT IN POUNDS	TOTAL	PERCENT	WHITE				NONWHITE			
			MALE	PERCENT	FEMALE	PERCENT	MALE	PERCENT	FEMALE	PERCENT
0.5 OR LESS	5	0.0	-	-	-	-	2	0.0	3	0.0
OVER 0.5 THROUGH 1.5	243	0.3	45	0.2	36	0.1	85	0.5	77	0.5
OVER 1.5 THROUGH 2.5	442	0.5	70	0.3	71	0.3	157	1.0	144	0.9
OVER 2.5 THROUGH 3.5	698	0.9	150	0.6	154	0.6	181	1.1	213	1.4
OVER 3.5 THROUGH 4.5	1389	1.7	309	1.2	304	1.2	366	2.3	410	2.6
OVER 4.5 THROUGH 5.5	4191	5.1	846	3.3	968	4.0	1065	6.6	1312	8.4
OVER 5.5 THROUGH 6.5	14357	17.5	3057	11.8	3994	16.4	3226	20.1	4080	26.0
OVER 6.5 THROUGH 7.5	26911	32.8	7504	28.9	8404	34.5	5459	34.1	5544	35.4
OVER 7.5 THROUGH 8.5	22563	27.5	8524	32.8	7184	29.5	3873	24.2	2982	19.0
OVER 8.5 THROUGH 9.5	8871	10.8	4221	16.2	2632	10.8	1257	7.8	761	4.9
OVER 9.5	2375	2.9	1258	4.8	611	2.5	350	2.2	156	1.0
TOTAL(WITH WEIGHT STATED)	82045	100.0	25984	100.0	24358	100.0	16021	100.0	15682	100.0
WEIGHT NOT STATED	122	-	31	-	20	-	47	-	24	-
TOTAL	82167	-	26015	-	24378	-	16068	-	15706	-

PERCENT MAY NOT ADD DUE TO ROUNDING

Table VIII

LIVE BIRTHS BY BIRTH WEIGHT, AGE OF MOTHER, AND RACE OF CHILD
LOUISIANA RESIDENTS, 1981

AGE OF MOTHER AND RACE	TOTAL	BIRTH WEIGHT											
		499 GRAMS OR LESS	500-999 GRAMS	1000-1499 GRAMS	1500-1999 GRAMS	2000-2499 GRAMS	2500-2999 GRAMS	3000-3499 GRAMS	3500-3999 GRAMS	4000-4499 GRAMS	4500-4999 GRAMS	5000 GRAMS & OVER	NOT STATED
ALL RACES	82167	116	393	676	1326	4446	1568	30614	21517	6968	1049	160	122
UNDER 15 YEARS	360	4	4	6	17	38	9	126	63	10	-	-	-
15-19 YEARS	15387	27	88	199	331	1064	363	5881	3300	715	94	14	37
20-24 YEARS	29201	30	140	235	452	1606	578	11193	7459	1927	301	41	31
25-29 YEARS	23440	39	96	144	311	1084	404	8577	6713	1999	352	51	29
30-34 YEARS	10349	9	47	56	143	458	153	3710	3046	1074	215	35	21
35-39 YEARS	2857	5	16	27	52	157	48	926	810	285	74	15	4
40-44 YEARS	527	2	2	8	18	35	8	180	120	56	13	4	-
45-49 YEARS	26	-	-	1	-	2		14	4	1	-	-	-
50 YEARS & OVER	1	-	-	-	-	-		-	1	-	-	-	-
NOT STATED	19	-	-	-	2	2		7	1	1	-	-	-
WHITE	50393	37	136	254	594	1929	776	18552	15372	4753	847	108	51
UNDER 15 YEARS	70	1	-	-	1	6	1	27	18	5	-	-	-
15-19 YEARS	7500	8	23	64	118	342	138	2855	2066	541	77	8	12
20-24 YEARS	18162	12	53	90	192	710	292	6915	5427	1538	256	27	15
25-29 YEARS	16007	10	34	66	168	559	235	5786	5076	1612	290	39	16
30-34 YEARS	6816	3	19	23	86	224	83	2399	2200	832	165	22	8
35-39 YEARS	1584	3	6	9	21	81	21	488	510	189	51	10	-
40-44 YEARS	241	-	1	2	8	7	3	74	73	34	8	2	-
45-49 YEARS	8	-	-	-	-	-		5	1	1	-	-	-
50 YEARS & OVER	-	-	-	-	-	-		-	-	-	-	-	-
NOT STATED	5	-	-	-	-	-		3	1	1	-	-	-
NONWHITE	31774	79	257	422	732	2517	792	12062	6145	1315	202	52	71
UNDER 15 YEARS	290	3	4	6	16	32	8	99	45	5	-	-	-
15-19 YEARS	7887	19	65	135	213	722	225	3026	1234	174	17	6	25
20-24 YEARS	11039	18	87	145	260	896	285	4278	2032	389	45	14	16
25-29 YEARS	7433	29	62	78	143	525	169	2791	1637	387	62	12	13
30-34 YEARS	3533	6	28	33	57	234	70	1311	846	242	50	13	13
35-39 YEARS	1273	2	10	18	31	76	27	438	300	96	23	5	4
40-44 YEARS	286	2	1	6	10	28	5	106	47	22	5	2	-
45-49 YEARS	18	-	-	1	-	2		9	3	-	-	-	-
50 YEARS & OVER	1	-	-	-	-	-		-	1	-	-	-	-
NOT STATED	14	-	-	-	2	2		4	-	-	-	-	-

Table IX

LIVE BIRTHS BY BIRTH ORDER SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA RESIDENTS, 1981

BIRTH ORDER	RACE	TOTAL	MOTHER'S AGE IN YEARS									PERCENT OF ALL LIVE BIRTHS	MEAN* AGE OF MOTHER
			UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNK.		
TOTAL		82167	360	15387	29201	23440	10349	2857	527	26	20	100.0	24.4
	W	50393	70	7500	18162	16007	6816	1584	241	8	5	61.3	24.8
	NW	31774	290	7887	11039	7433	3533	1273	286	18	15	38.7	23.7
1		33549	345	11603	13052	6629	1606	276	32	1	5	40.8	21.8
	W	22330	69	6160	9342	5281	1254	205	16	1	2	27.2	22.5
	NW	11219	276	5443	3710	1348	352	71	16	-	3	13.7	20.4
2		25792	13	3074	10438	8543	3189	478	50	1	6	31.4	24.6
	W	16571	1	1181	6491	6249	2309	314	25	-	1	20.2	25.2
	NW	9221	12	1893	3947	2294	880	164	25	1	5	11.2	23.5
3		13144	-	570	3933	5084	2843	645	66	1	2	16.0	26.7
	W	7621	-	138	1833	3238	1964	408	39	-	1	9.3	27.5
	NW	5523	-	432	2100	1846	879	237	27	1	1	6.7	25.6
4		5328	1	89	1278	1970	1425	486	69	7	3	6.5	28.1
	W	2432	-	11	380	910	804	285	37	4	1	3.0	29.3
	NW	2896	1	78	898	1060	621	201	32	3	2	3.5	27.1
5		2132	-	12	341	703	637	354	79	5	1	2.6	29.9
	W	862	-	2	89	228	316	184	41	2	-	1.0	31.2
	NW	1270	-	10	252	475	321	170	38	3	1	1.5	29.0
6		1012	-	3	96	309	316	216	72	-	-	1.2	31.3
	W	292	-	-	12	64	96	90	30	-	-	0.4	33.1
	NW	720	-	3	84	245	220	126	42	-	-	0.9	30.5
7		523	-	-	24	114	183	139	61	2	-	0.6	33.0
	W	145	-	-	2	15	50	46	31	1	-	0.2	35.2
	NW	378	-	-	22	99	133	93	30	1	-	0.5	32.2
8		286	-	-	6	55	82	98	39	5	1	0.3	34.2
	W	63	-	-	-	10	12	26	15	-	-	0.1	35.7
	NW	223	-	-	6	45	70	72	24	5	1	0.3	33.8
9		145	-	-	-	15	33	74	22	1	-	0.2	35.7
	W	29	-	-	-	5	5	16	3	-	-	0.0	34.9
	NW	116	-	-	-	10	28	58	19	1	-	0.1	35.8
10		75	-	-	-	6	15	42	11	1	-	0.1	36.1
	W	11	-	-	-	1	2	6	2	-	-	0.0	36.1
	NW	64	-	-	-	5	13	36	9	1	-	0.1	36.1
11		51	-	-	1	4	7	24	14	1	-	0.1	36.8
	W	9	-	-	-	3	2	3	1	-	-	0.0	33.1
	NW	42	-	-	1	1	5	21	13	1	-	0.1	37.6
12		27	-	-	-	-	3	17	6	-	1	0.0	37.6
	W	1	-	-	-	-	-	1	-	-	-	0.0	37.0
	NW	26	-	-	-	-	3	16	6	-	1	0.0	37.6
13		16	-	-	-	1	4	6	4	1	-	0.0	37.0
	W	1	-	-	-	-	-	-	1	-	-	0.0	42.0
	NW	15	-	-	-	1	4	6	3	1	-	0.0	36.7
14		1	-	-	-	-	-	-	1	-	-	0.0	42.0
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	1	-	-	-	-	-	-	1	-	-	0.0	42.0
15		1	-	-	-	-	-	1	-	-	-	0.0	37.0
	W	-	-	-	-	-	-	-	-	-	-	-	-
	NW	1	-	-	-	-	-	1	-	-	-	0.0	37.0
UNK.		85	1	36	32	7	6	1	1	-	1	0.1	21.3
	W	26	-	8	13	3	2	-	-	-	-	0.0	21.8
	NW	59	1	28	19	4	4	1	1	-	1	0.1	21.1

*MEAN AGE CALCULATED FROM GROUPED DATA AT MIDPOINT OF GROUP
PERCENT MAY NOT ADD DUE TO ROUNDING

Table X A

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	19360	19352	235.5			317	7808	6732	2937	1078	386	86	3	5
				W	3670	36	1581	1245	513	213	65	17	-	-
				NW	15682	281	6227	5487	2424	865	321	69	3	5
01-ACADIA	181	255	207.8			3	100	99	31	10	10	2	-	-
				W	87	-	41	29	10	4	2	1	-	-
				NW	168	3	59	70	21	6	8	1	-	-
02-ALLEN	48	60	160.0			1	28	20	8	2	-	1	-	-
				W	21	1	10	7	3	-	-	-	-	-
				NW	39		18	13	5	2	-	1	-	-
03-ASCENSION	10	204	178.6			3	88	60	34	15	4	-	-	-
				W	54	1	24	19	5	4	1	-	-	-
				NW	150	2	64	41	29	11	3	-	-	-
04-ASSUMPTION	-	102	221.3			2	41	31	17	8	1	1	1	-
				W	27	-	15	7	3	2	-	-	-	-
				NW	75	2	26	24	14	6	1	1	1	-
05-AVOYELLES	104	175	239.4			2	58	69	31	11	4	-	-	-
				W	30	-	9	14	5	2	-	-	-	-
				NW	145	2	49	55	26	9	4	-	-	-
06-BEAUREGARD	74	62	122.5			2	26	22	8	2	-	2	-	-
				W	22	-	11	8	3	-	-	-	-	-
				NW	40	2	15	14	5	2	-	2	-	-
07-BIENVILLE	-	87	305.3			3	42	26	11	4	1	-	-	-
				W	12	-	6	5	-	1	-	-	-	-
				NW	75	3	36	21	11	3	1	-	-	-
08-BOSSIER	104	278	175.6			2	126	96	34	13	6	1	-	-
				W	80	1	34	25	16	4	-	-	-	-
				NW	198	1	92	71	18	9	6	1	-	-
09-CADDO	2495	1565	319.3			29	717	498	189	96	29	5	-	2
				W	200	2	81	63	26	23	4	1	-	-
				NW	1365	27	636	435	163	73	25	4	-	2
10-CALCASIEU	656	536	154.7			10	196	211	78	34	6	1	-	-
				W	193	2	75	77	27	10	1	1	-	-
				NW	343	8	121	134	51	24	5	-	-	-
11-CALDWELL	54	39	236.4			-	22	8	8	-	1	-	-	-
				W	14	-	8	4	2	-	-	-	-	-
				NW	25	-	14	4	6	-	1	-	-	-
12-CAMERON	-	22	117.0			1	12	9	-	-	-	-	-	-
				W	16	-	9	7	-	-	-	-	-	-
				NW	6	1	3	2	-	-	-	-	-	-
13-CATAHOULA	1	54	233.8			1	23	21	7	2	-	-	-	-
				W	6	-	2	2	1	1	-	-	-	-
				NW	48	1	21	19	6	1	-	-	-	-
14-CLAIBORNE	46	84	296.8			3	33	28	12	6	1	1	-	-
				W	5	-	2	3	-	-	-	-	-	-
				NW	79	3	31	25	12	6	1	1	-	-
15-CONCORDIA	150	147	344.3			3	60	54	15	12	1	2	-	-
				W	17	-	5	9	2	1	-	-	-	-
				NW	130	3	55	45	13	11	1	2	-	-
16-DESOTO	1	147	316.1			1	69	39	29	6	2	1	-	-
				W	18	-	13	5	-	-	-	-	-	-
				NW	129	1	56	34	29	6	2	1	-	-
17-E BATON ROUGE	2308	1528	217.3			19	562	546	256	100	38	7	-	-
				W	200	-	78	71	31	10	9	1	-	-
				NW	1328	19	484	475	225	90	29	6	-	-

(CONTINUED)

Table X A (continued)

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
16-EAST CARROLL	109	138	543.3			6	64	40	16	10	1	1	-	-
				W	7	-	5	2	-	-	-	-	-	-
				NW	131	6	59	38	16	10	1	1	-	-
19-E FELICIANA	-	119	299.0			-	39	48	22	5	5	-	-	-
				W	22	-	6	9	3	2	2	-	-	-
				NW	97	-	33	39	19	3	3	-	-	-
20-EVANGELINE	138	147	212.4			-	57	47	29	7	7	-	-	-
				W	29	-	10	11	5	1	2	-	-	-
				NW	118	-	47	36	24	6	5	-	-	-
21-FRANKLIN	48	140	317.5			10	63	43	15	6	1	2	-	-
				W	11	1	6	3	1	-	-	-	-	-
				NW	129	9	57	40	14	6	1	2	-	-
22-GRANT	1	44	164.2			1	23	10	5	4	-	1	-	-
				W	16	-	10	3	1	2	-	-	-	-
				NW	28	1	13	7	4	2	-	1	-	-
23-IBERIA	218	319	205.5			6	121	125	36	24	5	2	-	-
				W	89	4	38	30	7	9	-	1	-	-
				NW	230	2	83	95	29	15	5	1	-	-
24-IBERVILLE	10	227	331.9			5	98	72	41	7	3	1	-	-
				W	17	-	9	7	1	-	-	-	-	-
				NW	210	5	89	65	40	7	3	1	-	-
25-JACKSON	127	69	249.1			2	38	20	6	1	2	-	-	-
				W	11	-	6	3	1	1	-	-	-	-
				NW	58	2	32	17	5	-	2	-	-	-
26-JEFFERSON	533	1207	146.4			20	501	420	167	76	18	5	-	-
				W	429	2	173	151	64	31	6	2	-	-
				NW	778	18	328	269	103	45	12	3	-	-
27-JEFF DAVIS	42	113	179.9			1	51	42	15	2	2	-	-	-
				W	43	1	19	16	6	-	1	-	-	-
				NW	70	-	32	26	9	2	1	-	-	-
28-LAFAYETTE	1100	510	155.1			5	191	177	84	36	15	2	-	-
				W	169	2	68	57	27	10	4	1	-	-
				NW	341	3	123	120	57	26	11	1	-	-
29-LAFOURCHE	85	280	164.1			5	125	99	37	7	6	1	-	-
				W	108	1	51	38	12	3	2	1	-	-
				NW	172	4	74	61	25	4	4	-	-	-
30-LASALLE	17	35	140.0			1	24	5	4	1	-	-	-	-
				W	15	1	11	2	1	-	-	-	-	-
				NW	20	-	13	3	3	1	-	-	-	-
31-LINCOLN	28	153	245.6			3	71	50	16	10	3	-	-	-
				W	13	-	6	5	1	-	1	-	-	-
				NW	140	3	65	45	15	10	2	-	-	-
32-LIVINGSTON	3	125	105.2			6	49	42	20	7	1	-	-	-
				W	73	3	27	28	10	5	-	-	-	-
				NW	52	3	22	14	10	2	1	-	-	-
33-MADISON	98	165	489.6			8	63	61	28	4	1	-	-	-
				W	20	-	8	9	3	-	-	-	-	-
				NW	145	8	55	52	25	4	1	-	-	-
34-MOREHOUSE	184	268	402.4			12	118	88	34	12	4	-	-	-
				W	26	-	17	4	3	1	1	-	-	-
				NW	242	12	101	84	31	11	3	-	-	-

(CONTINUED)

Table X A (continued)

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
35-NATCHITOCHES	73	169	250.4			3	77	48	27	10	4	-	-	-
				W	17	1	9	2	2	2	1	-	-	-
				NW	152	2	68	46	25	8	3	-	-	-
36-ORLEANS	5742	4310	413.0			44	1518	1602	739	274	111	19	-	3
				W	280	2	84	102	53	27	9	3	-	-
				NW	4030	42	1434	1500	686	247	102	16	-	3
37-OUACHITA	1216	723	296.8			15	310	267	93	33	2	1	2	-
				W	95	-	43	38	10	4	-	-	-	-
				NW	628	15	267	229	83	29	2	1	2	-
38-PLAQUEMINES	1	103	183.6			1	41	34	17	9	1	-	-	-
				W	41	-	16	9	9	7	-	-	-	-
				NW	62	1	25	25	8	2	1	-	-	-
39-POINTE COUPEE	89	133	267.6			2	47	53	23	5	1	2	-	-
				W	15	-	8	4	2	1	-	-	-	-
				NW	118	2	39	49	21	4	1	2	-	-
40-RAPIDES	805	541	221.4			13	227	173	83	31	11	3	-	-
				W	116	3	54	38	14	4	2	1	-	-
				NW	425	10	173	135	69	27	9	2	-	-
41-RED RIVER	3	65	323.4			3	29	21	10	1	1	-	-	-
				W	3	-	1	1	1	-	-	-	-	-
				NW	62	3	28	20	9	1	1	-	-	-
42-RICHLAND	13	170	369.6			3	80	58	22	7	-	-	-	-
				W	14	-	10	2	1	1	-	-	-	-
				NW	156	3	70	56	21	6	-	-	-	-
43-SABINE	17	104	259.4			2	44	35	17	2	4	-	-	-
				W	29	-	13	11	3	2	-	-	-	-
				NW	75	2	31	24	14		4	-	-	-
44-ST BERNARD	1	111	99.6			1	41	42	24	2	1	-	-	-
				W	77	-	27	29	20	1	-	-	-	-
				NW	34	1	14	13	4	1	1	-	-	-
45-ST CHARLES	32	159	204.6			-	67	60	24	3	3	2	-	-
				W	28	-	17	6	3	1	-	1	-	-
				NW	131	-	50	54	21	2	3	1	-	-
46-ST HELENA	-	37	276.1			1	18	8	6	2	2	-	-	-
				W	5	-	1	2	2	-	-	-	-	-
				NW	32	1	17	6	4	2	2	-	-	-
47-ST JAMES	9	114	245.7			2	44	35	23	8	2	-	-	-
				W	7	-	3	2	2	-	-	-	-	-
				NW	107	2	41	33	21	8	2	-	-	-
48-ST JOHN	1	144	180.7			1	59	44	28	9	3	-	-	-
				W	20	-	8	7	4	1	-	-	-	-
				NW	124	1	51	37	24	8	3	-	-	-
49-ST LANDRY	183	370	269.2			6	162	122	59	13	6	2	-	-
				W	75	-	33	28	10	1	2	1	-	-
				NW	295	6	129	94	49	12	4	1	-	-
50-ST MARTIN	65	232	257.8			4	106	66	31	12	7	6	-	-
				W	54	1	29	14	7	3	-	-	-	-
				NW	178	3	77	52	24	9	7	6	-	-
51-ST MARY	142	288	197.7			3	133	101	35	11	3	2	-	-
				W	86	-	57	17	10	2	-	-	-	-
				NW	202	3	76	84	25	9	3	2	-	-

(CONTINUED)

Table X A (continued)

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
52-ST TAMMANY	205	262	121.2			2	111	88	44	9	8			
				W	119	1	58	36	17	4	3	-	-	-
				NW	143	1	53	52	27	5	5	-	-	-
53-TANGIPAHOA	534	502	278.4			9	202	183	71	21	15	1		
				W	73	3	33	27	5	4	1		-	-
				NW	429	6	169	156	66	17	14	1	-	-
54-TENSAS	44	79	470.2			2	38	24	11	2	1	1		
				W	3	-	2	-	1				-	-
				NW	76	2	36	24	10	2	1	1	-	-
55-TERREBONNE	744	325	141.7			8	128	105	54	24	5	1		
				W	123		50	41	20	9	2	1	-	-
				NW	202	8	78	64	34	15	3	-	-	-
56-UNION	38	60	197.4			1	29	18	10	2				
				W	6		3	2	1		-	-	-	-
				NW	54	1	26	16	9	2	-	-	-	-
57-VERMILION	128	175	174.8			2	68	58	30	9	7	1		
				W	90	1	39	28	13	2	6	1	-	-
				NW	85	1	29	30	17	7	1	-	-	-
58-VERNON	80	130	93.1			1	56	49	20	2	2			
				W	70	-	29	26	12	1	2	-	-	-
				NW	60	1	27	23	8	1		-	-	-
59-WASHINGTON	183	209	263.2			2	90	72	27	13	2	3		
				W	51	1	26	14	5	5			-	-
				NW	158	1	64	58	22	8	2	3	-	-
60-WEBSTER	26	184	265.1			7	79	60	26	10	1	1		
				W	33	1	15	13	1	3			-	-
				NW	151	6	64	47	25	7	1	1	-	-
61-W BATON ROUGE	3	96	223.8			1	33	39	13	9	-	1		
				W	17	-	6	9	1	1			-	-
				NW	79	1	27	30	12	8	-	1	-	-
62-WEST CARROLL	-	60	234.4			1	32	13	11	2	1			
				W	11	-	6	3	1		1	-	-	-
				NW	49	1	26	10	10	2		-	-	-
63 W FELICIANA	-	29	266.1			-	10	8	6	2	2	1		
				W	2	-	1		1				-	-
				NW	27	-	9	8	5	2	2	1	-	-
64-WINN	2	64	235.3			1	30	20	10	1	2			
				W	10	-	7	1	2			-	-	-
				NW	54	1	23	19	8	1	2	-	-	-
OUT OF STATE**	145	153	-			2	64	59	13	7	7	-	1	-
				W	95	1	46	32	7	5	3	-	1	-
				NW	58	1	18	27	6	2	4	-	-	-

**NOT INCLUDED IN STATE TOTALS

Table X B

ILLEGITIMATE BIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1981

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATIO/1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	19360	19352	235.5			317	7808	6732	2937	1078	386	86	3	5
				W	3670	36	1581	1245	513	213	65	17	-	-
				NW	15682	281	6227	5487	2424	865	321	69	3	5
SPD 1	6482	5993	266.2			68	2212	2186	991	370	139	24	-	3
				W	946	5	358	327	163	70	18	5	-	-
				NW	5047	63	1854	1859	828	300	121	19	-	3
SPD 2	3140	3209	225.8			48	1236	1131	519	186	73	16	-	-
				W	529	8	219	190	66	32	13	1	-	-
				NW	2680	40	1017	941	453	154	60	15	-	-
SPD 3	871	1124	173.0			18	464	374	183	59	20	5	1	-
				W	313	1	144	101	44	16	4	3	-	-
				NW	811	17	320	273	139	43	16	2	1	-
SPD 4	2163	2296	193.2			29	938	795	335	122	60	17	-	-
				W	679	8	315	214	89	32	16	5	-	-
				NW	1617	21	623	581	246	90	44	12	-	-
SPD 5	820	793	153.7			15	313	304	109	40	8	4	-	-
				W	295	4	124	115	39	10	2	1	-	-
				NW	498	11	189	189	70	30	6	3	-	-
SPD 6	1160	1190	197.7			23	501	401	175	64	20	6	-	-
				W	280	4	127	95	38	11	4	1	-	-
				NW	910	19	374	306	137	53	16	5	-	-
SPD 7	2793	2836	280.5			56	1287	901	371	158	52	9	-	2
				W	410	5	180	133	50	35	6	1	-	-
				NW	2426	51	1107	768	321	123	46	8	-	2
SPD 8	1931	1911	331.5			60	857	640	254	79	14	5	2	-
				W	218	1	114	70	24	7	2	-	-	-
				NW	1693	59	743	570	230	72	12	5	2	-
HSA 1	7353	7117	245.3			86	2676	2560	1174	429	159	29	1	3
				W	1259	6	502	428	207	86	22	8	-	-
				NW	5858	80	2174	2132	967	343	137	21	1	3
HSA 2	6123	6298	201.5			92	2487	2230	963	348	141	37	-	-
				W	1503	20	658	519	194	74	31	7	-	-
				NW	4795	72	1829	1711	769	274	110	30	-	-
HSA 3	5884	5937	271.1			139	2645	1942	800	301	86	20	2	2
				W	908	10	421	298	112	53	12	2	-	-
				NW	5029	129	2224	1644	688	248	74	18	2	2



British Union Jack-1763

FETAL MORTALITY

Bourbon Spain-1769

Table XI A

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	818	800	9.7			10	184	267	179	93	50	11	1	5
				W	367	2	74	129	87	44	21	8	-	2
				NW	433	8	110	138	92	49	29	3	1	3
01-ACADIA	7	13	10.6			-	5	3	2	1	1	1	-	-
				W	7	-	2	3	1	-	1	-	-	-
				NW	6	-	3	-	1	1	-	1	-	-
02-ALLEN	3	2	5.3			-	-	2	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
03-ASCENSION	1	10	8.8			-	1	7	2	-	-	-	-	-
				W	7	-	1	5	1	-	-	-	-	-
				NW	3	-	-	2	1	-	-	-	-	-
04-ASSUMPTION	-	7	15.2			-	2	-	2	1	1	1	-	-
				W	4	-	2	-	-	-	1	1	-	-
				NW	3	-	-	-	2	1	-	-	-	-
05-AVOYELLES	2	7	9.6			-	3	-	3	-	-	1	-	-
				W	2	-	1	-	-	-	-	1	-	-
				NW	5	-	2	-	3	-	-	-	-	-
06-BEAUREGARD	6	3	5.9			-	-	1	1	1	-	-	-	-
				W	2	-	-	-	1	1	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
07-BIENVILLE	-	3	10.5			-	-	3	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	-	3	-	-	-	-	-	-
08-BOSSIER	11	10	6.3			1	1	2	5	1	-	-	-	-
				W	6	-	1	2	2	1	-	-	-	-
				NW	4	1	-	-	3	-	-	-	-	-
09-CADDO	81	48	9.8			1	11	19	10	3	3	-	-	1
				W	19	1	2	9	4	1	1	-	-	1
				NW	29	-	9	10	6	2	2	-	-	-
10-CALCASIEU	37	34	9.8			-	12	10	6	5	1	-	-	-
				W	23	-	8	7	4	4	-	-	-	-
				NW	11	-	4	3	2	1	1	-	-	-
11-CALDWELL	1	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
12-CAMERON	-	2	10.6			-	1	1	-	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
13-CATAHOULA	-	1	4.3			-	-	-	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
14-CLAIBORNE	1	2	7.1			-	-	1	-	1	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
15-CONCORDIA	3	3	7.0			-	2	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	3	-	2	1	-	-	-	-	-	-
16-DESOTO	-	6	12.9			1	2	2	1	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	5	1	1	2	1	-	-	-	-	-
17-E BATON ROUGE	96	64	9.1			-	9	23	16	12	3	1	-	-
				W	29	-	2	14	6	5	2	-	-	-
				NW	35	-	7	9	10	7	1	1	-	-

(CONTINUED)

Table XI A (continued)

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
18-EAST CARROLL	1	1	3.9			-	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
19-E FELICIANA	-	5	12.6			-	1	2	1	1	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	3	-	-	1	1	1	-	-	-	-
20-EVANGELINE	12	15	21.7			-	7	2	4	-	2	-	-	-
				W	7	-	3	-	3	-	1	-	-	-
				NW	8	-	4	2	1	-	1	-	-	-
21-FRANKLIN	2	5	11.3			-	2	1	1	-	1	-	-	-
				W	2	-	2	-	-	-	-	-	-	-
				NW	3	-	-	1	1	-	1	-	-	-
22-GRANT	-	3	11.2			-	2	1	-	-	-	-	-	-
				W	1	-	-	1	-	-	-	-	-	-
				NW	2	-	2	-	-	-	-	-	-	-
23-IBERIA	9	13	8.4			-	3	6	4	-	-	-	-	-
				W	7	-	1	3	3	-	-	-	-	-
				NW	6	-	2	3	1	-	-	-	-	-
24-IBERVILLE	-	5	7.3			-	3	1	1	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	5	-	3	1	1	-	-	-	-	-
25-JACKSON	1	3	10.8			-	-	2	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
26-JEFFERSON	62	65	7.9			1	13	18	17	7	4	4	-	1
				W	38	1	6	8	11	6	2	4	-	-
				NW	27	-	7	10	6	1	2	-	-	1
27-JEFF DAVIS	8	11	17.5			-	4	2	1	3	-	-	-	1
				W	4	-	1	1	1	1	-	-	-	-
				NW	7	-	3	1	-	2	-	-	-	1
28-LAFAYETTE	62	31	9.4			-	7	14	4	5	1	-	-	-
				W	21	-	5	7	4	5	-	-	-	-
				NW	10	-	2	7	-	-	1	-	-	-
29-LAFOURCHE	13	15	8.8			-	3	7	2	3	-	-	-	-
				W	12	-	2	6	2	2	-	-	-	-
				NW	3	-	1	1	-	1	-	-	-	-
30-LASALLE	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
31-LINCOLN	1	5	8.0			1	1	1	1	1	-	-	-	-
				W	1	-	-	-	-	1	-	-	-	-
				NW	4	1	1	1	1	-	-	-	-	-
32-LIVINGSTON	1	9	7.6			-	2	2	1	4	-	-	-	-
				W	9	-	2	2	1	4	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
33-MADISON	1	2	5.9			1	-	1	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	2	1	-	1	-	-	-	-	-	-
34-MOREHOUSE	3	4	6.0			-	2	1	1	-	-	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	3	-	1	1	1	-	-	-	-	-

(CONTINUED)

Table XI A (continued)

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
35-NATCHITOCHES	7	8	11.9			1	-	4	1	2	-	-	-	-
				W	4	-	-	3	-	1	-	-	-	-
				NW	4	1	-	1	1	1	-	-	-	-
36-ORLEANS	188	132	12.6			2	24	47	36	10	10	1	1	1
				W	21	-	1	11	8	-	1	-	-	-
				NW	111	2	23	36	28	10	9	1	1	1
37-OUACHITA	29	19	7.8			-	7	5	2	4	1	-	-	-
				W	12	-	4	5	-	3	-	-	-	-
				NW	7	-	3	-	2	1	1	-	-	-
38-PLAQUEMINES	-	4	7.1			-	2	-	1	-	1	-	-	-
				W	1	-	1	-	-	-	-	-	-	-
				NW	3	-	1	-	1	-	1	-	-	-
39-POINTE COUPEE	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
40-RAPIDES	47	28	11.5			-	6	7	8	4	3	-	-	-
				W	13	-	2	2	4	4	1	-	-	-
				NW	15	-	4	5	4	-	2	-	-	-
41-RED RIVER	-	5	24.9			-	1	1	1	2	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	3	-	1	-	-	2	-	-	-	-
42-RICHLAND	2	3	6.5			-	1	1	1	-	-	-	-	-
				W	2	-	-	1	1	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
43-SABINE	-	3	7.5			-	-	-	3	-	-	-	-	-
				W	3	-	-	-	3	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
44-ST BERNARD	-	8	7.2			-	2	5	-	1	-	-	-	-
				W	6	-	1	4	-	1	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
45-ST CHARLES	-	10	12.9			-	1	4	3	1	1	-	-	-
				W	4	-	1	1	2	-	-	-	-	-
				NW	6	-	-	3	1	1	1	-	-	-
46-ST HELENA	-	3	22.4			-	1	1	1	-	-	-	-	-
				W	2	-	1	1	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
47-ST JAMES	-	4	8.6			-	1	2	1	-	-	-	-	-
				W	1	-	-	-	1	-	-	-	-	-
				NW	3	-	1	2	-	-	-	-	-	-
48-ST JOHN	-	11	13.8			-	1	2	5	1	2	-	-	-
				W	5	-	-	2	2	-	1	-	-	-
				NW	6	-	1	-	3	1	1	-	-	-
49-ST LANDRY	19	28	15.8			-	11	7	2	5	2	1	-	-
				W	9	-	2	3	2	1	-	1	-	-
				NW	19	-	9	4	-	4	2	-	-	-
50-ST MARTIN	3	10	11.1			-	1	4	4	-	1	-	-	-
				W	5	-	1	2	1	-	1	-	-	-
				NW	5	-	-	2	3	-	-	-	-	-
51-ST MARY	3	11	7.5			-	1	7	1	1	1	-	-	-
				W	6	-	-	5	1	-	-	-	-	-
				NW	5	-	1	2	-	1	1	-	-	-

(CONTINUED)

Table XI A (continued)

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE
AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
52-ST TAMMANY	4	7	3.2			-	1	1	2	1	1	-	-	1
				W	6	-	-	1	2	1	1	-	-	1
				NW	1	-	1	-	-	-	-	-	-	-
53-TANGIPAHOA	25	22	12.2			1	5	4	5	4	3	-	-	-
				W	8		1	1	4		2	-	-	-
				NW	14	1	4	3	1	4	1	-	-	-
54-TENSAS	-	2	11.9			-	-	2	-	-	-	-	-	-
				W		-	-		-	-	-	-	-	-
				NW	2	-	-	2	-	-	-	-	-	-
55-TERREBONNE	34	21	9.2			-	8	7	4	1	1	-	-	-
				W	13	-	5	3	3	1	1	-	-	-
				NW	8	-	3	4	1	-	-	-	-	-
56-UNION	1	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
57-VERMILION	12	14	14.0			-	2	4	5	1	1	1	-	-
				W	11	-	2	4	3	-	1	1	-	-
				NW	3	-	-	-	2	1	-	-	-	-
58-VERNON	6	11	7.9			-	5	5	1	-	-	-	-	-
				W	8	-	4	3	1	-	-	-	-	-
				NW	3	-	1	2	-	-	-	-	-	-
59-WASHINGTON	9	13	16.4			-	2	3	2	4	2	-	-	-
				W	6	-	2	2	1	-	1	-	-	-
				NW	7	-	-	1	1	4	1	-	-	-
60-WEBSTER	4	5	7.2			-	1	3	1	-	-	-	-	-
				W	4	-	1	2	1	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
61-W BATON ROUGE	-	6	14.0			-	1	3	-	1	1	-	-	-
				W	2	-	-	1	-	-	1	-	-	-
				NW	4	-	1	2	-	1		-	-	-
62-WEST CARROLL	-	1	3.9			-	-	1	-	-	-	-	-	-
				W		-	-		-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
63-W FELICIANA	-	-	-			-	-	-	-	-	-	-	-	-
				W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
64-WINN	-	4	14.7			-	-	-	1	1	2	-	-	-
				W	4	-	-	-	1	1	2	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	-	18	-			-	6	7	-	2	1	2	-	-
				W	12	-	6	3	-	2	-	1	-	-
				NW	6	-	-	4	-	-	1	1	-	-

**NOT INCLUDED IN STATE TOTALS

Table XI B

STILLBIRTHS BY PLACE OF OCCURRENCE, REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY AGE OF MOTHER AND RACE OF CHILD LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1981

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	RACE	TOTAL BY RACE	AGE IN YEARS								
						UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
TOTAL	818	800	9.7			10	184	267	179	93	50	11	1	5
				W	367	2	74	129	87	44	21	8	-	2
				NW	433	8	110	138	92	49	29	3	1	3
SPD 1	254	216	9.6			3	42	71	56	19	16	5	1	3
				W	72	1	9	24	21	8	4	4	-	1
				NW	144	2	33	47	35	11	12	1	1	2
SPD 2	132	137	9.6			1	25	46	29	26	9	1	-	-
				W	65	-	10	27	13	9	6	-	-	-
				NW	72	1	15	19	16	17	3	1	-	-
SPD 3	47	68	10.5			-	16	22	17	7	5	1	-	-
				W	39	-	10	12	10	3	3	1	-	-
				NW	29	-	6	10	7	4	2	-	-	-
SPD 4	127	135	11.4			-	37	47	26	13	9	3	-	-
				W	73	-	16	27	18	6	4	2	-	-
				NW	62	-	21	20	8	7	5	1	-	-
SPD 5	54	52	10.1			-	17	16	8	9	1	-	-	1
				W	31	-	10	9	6	6	-	-	-	-
				NW	21	-	7	7	2	3	1	-	-	1
SPD 6	58	57	9.5			-	18	14	14	5	5	1	-	-
				W	28	-	7	6	6	5	3	1	-	-
				NW	29	-	11	8	8	-	2	-	-	-
SPD 7	105	95	9.4			5	17	36	23	10	3	-	-	1
				W	41	1	5	18	11	4	1	-	-	1
				NW	54	4	12	18	12	6	2	-	-	-
SPD 8	41	40	6.9			1	12	15	6	4	2	-	-	-
				W	18	-	7	6	2	3	-	-	-	-
				NW	22	1	5	9	4	1	2	-	-	-
HSA 1	301	284	9.8			3	58	93	73	26	21	6	1	3
				W	111	1	19	36	31	11	7	5	-	1
				NW	173	2	39	57	42	15	14	1	1	2
HSA 2	313	324	10.4			1	79	109	63	48	19	4	-	1
				W	169	-	36	63	37	21	10	2	-	-
				NW	155	1	43	46	26	27	9	2	-	1
HSA 3	204	192	8.8			6	47	65	43	19	10	1	-	1
				W	87	1	19	30	19	12	4	1	-	1
				NW	105	5	28	35	24	7	6	-	-	-

Table XII
Stillbirths Shown by Selected Cause, Age of Mother, and Race of Child
Louisiana Residents, 1979-1981

CAUSE OF STILLBIRTH	TOTAL		WHITE		NONWHITE		1979		1980		1981	
	1979-1981	AVERAGE ANNUAL RATIO	1979-1981	AVERAGE ANNUAL RATIO	1979-1981	ANNUAL AVERAGE RATIO	WHITE	NONWHITE	WHITE	NONWHITE	WHITE	NONWHITE
TOTAL	2501	1027.3	1139	768.0	1362	1431.3	370	488	398	444	371	430
Congenital anomalies - (740-759). . .	136	55.9	100	67.4	36	37.8	31	12	35	13	34	11
Anencephalus and similar anomalies - (740)	47	19.3	36	24.3	11	11.6	8	2	17	5	11	4
Spina bifida - (741)	3	1.2	3	2.0	-	- -	1	-	-	-	2	-
Other congenital anomalies of nervous system - (742)	22	9.0	12	8.1	10	10.5	4	4	2	4	6	2
Congenital anomalies of heart - (745-746)	7	2.9	4	2.7	3	3.2	1	-	-	1	3	2
Congenital anomalies of respiratory system - (748)	1	0.4	-	- -	1	1.1	-	1	-	-	-	-
Multiple congenital anomalies - (759.7)	30	12.3	24	16.2	6	6.3	7	2	9	2	8	2
All other congenital anomalies - (Remainder of 740-759)	26	10.7	21	14.2	5	5.3	10	3	7	1	4	1
Fetus affected by maternal conditions which may be unrelated to present pregnancy - (760)	131	53.8	51	34.4	80	84.1	14	25	15	34	22	21
Maternal hypertensive disorders - (760.0)	96	39.4	36	24.3	60	63.1	11	21	10	24	15	15
Maternal injury - (760.5)	11	4.5	8	5.4	3	3.2	2	2	2	-	4	1
Fetus affected by other maternal conditions which may be unrelated to pregnancy - (Remainder of 760).	24	9.9	7	4.7	17	17.9	1	2	3	10	3	5
Fetus affected by maternal complications of pregnancy - (761)	187	76.8	81	54.6	106	111.4	27	35	31	29	23	42
Premature rupture of membranes - (761.1)	88	36.1	36	24.3	52	54.6	9	20	14	16	13	16
Multiple pregnancy - (761.5) . . .	56	23.0	23	15.5	33	34.7	11	9	7	5	5	19
Fetus affected by other maternal complications of pregnancy - (Remainder of 761)	43	17.7	22	14.8	21	22.1	7	6	10	8	5	7
Fetus affected by complications of placenta, cord, and membranes - (762)	860	353.2	474	319.6	386	405.6	155	123	173	138	146	125
Placenta praevia - (762.0)	32	13.1	15	10.1	17	17.9	3	5	7	9	5	3
Other forms of placental separation and haemorrhage - (762.1) .	338	138.8	157	105.9	181	190.2	57	61	57	58	43	62
Other and unspecified morphological and functional abnormalities of placenta - (762.2) . .	162	66.5	102	68.8	60	63.1	28	17	33	24	41	19
Placenta transfusion syndrome - (762.3)	1	0.4	1	0.7	-	- -	-	-	-	-	1	-

Average annual ratio per 100,000 live births.

Table XII (continued)
Stillbirths Shown by Selected Cause, Age of Mother, and Race of Child
Louisiana Residents, 1979-1981

CAUSE OF STILLBIRTH	TOTAL		WHITE		NONWHITE		1979		1980		1981	
	1979-1981	AVERAGE ANNUAL RATIO	1979-1981	AVERAGE ANNUAL RATIO	1979-1981	AVERAGE ANNUAL RATIO	WHITE	NONWHITE	WHITE	NONWHITE	WHITE	NONWHITE
Prolapsed cord - (762.4)	27	11.1	9	6.1	18	18.9	5	5	3	8	1	5
Other compression of umbilical cord - (762.5)	205	84.2	134	90.4	71	74.6	46	23	51	26	37	22
Other and unspecified conditions of umbilical cord - (762.6) . . .	77	31.6	47	31.7	30	31.5	14	10	18	10	15	10
Abnormalities of chorion and amnion - (762.7-762.9)	18	7.4	9	6.1	9	9.5	2	2	4	3	3	4
Fetus affected by other complications of labour and delivery - (763) . . .	26	10.7	11	7.4	15	15.8	3	6	3	6	5	3
Slow fetal growth and fetal malnutrition - (764)	3	1.2	2	1.3	1	1.1	1	1	-	-	1	-
Disorders relating to short gestation and unspecified low birthweight - (765)	306	125.7	80	53.9	226	237.5	33	100	24	60	23	66
Birth trauma - (767)	5	2.1	3	2.0	2	2.1	-	2	1	-	2	-
Intrauterine hypoxia and birth asphyxia - (768)	148	60.8	78	52.6	70	73.6	26	25	28	28	24	17
Haemolytic disease of fetus due to isoimmunization and other perinatal jaundice - (773-774)	17	7.0	14	9.4	3	3.2	7	2	4	1	3	-
Syndrome of "infant of a diabetic mother" and neonatal diabetes mellitus - (775.0-775.1)	48	19.7	22	14.8	26	27.3	6	7	5	13	11	6
Unspecified cause - (779.9, 799.9). .	532	218.5	176	118.7	356	374.1	54	131	61	108	61	117
All other causes - (Residual)	102	41.9	47	31.7	55	57.8	13	19	18	14	16	22

Average annual ratio per 100,000 live births.

Table XIII

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1981

(By Parish of Residence and Parish of Occurrence)

PARISH	BY PARISH OF OCCURRENCE	BY PARISH OF RESIDENCE
TOTAL	18237	18237
ACADIA	-	45
ALLEN	-	16
ASCENSION	-	87
ASSUMPTION	1	26
AVOYELLES	-	20
BEAUREGARD	-	12
BIENVILLE	1	30
BOSSIER	1476	290
CADDO	1859	1046
CALCASIEU	-	40
CALDWELL	-	12
CAMERON	-	2
CATAHOULA	-	6
CLAIBORNE	-	25
CONCORDIA	-	14
DESOTO	-	50
EAST BATON ROUGE	4374	1496
EAST CARROLL	-	2
EAST FELICIANA	3	26
EVANGELINE	-	18
FRANKLIN	1	12
GRANT	-	11
IBERIA	-	107
IBERVILLE	-	55
JACKSON	-	37
JEFFERSON	4117	2706
JEFFERSON DAVIS	-	13
LAFAYETTE	-	437
LAFOURCHE	-	158
LASALLE	-	13
LINCOLN	-	189
LIVINGSTON	-	86
MADISON	-	2
MOREHOUSE	-	24
NATCHITOCHES	-	95
ORLEANS	6402	5178
OUACHITA	-	290
PLAQUEMINES	-	91
POINTE COUPEE	-	37
RAPIDES	-	201
RED RIVER	-	14
RICHLAND	-	20
SABINE	-	34
ST. BERNARD	-	203
ST. CHARLES	-	126
ST. HELENA	-	11
ST. JAMES	-	44
ST. JOHN	-	137
ST. LANDRY	-	105
ST. MARTIN	-	46
ST. MARY	-	172
ST. TAMMANY	-	327
TANGIPAHOA	-	231
TENSAS	-	3
TERREBONNE	-	225
UNION	-	20
VERMILION	-	52
VERNON	-	47
WASHINGTON	-	58
WEBSTER	-	65
WEST BATON ROUGE	-	51
WEST CARROLL	-	7
WEST FELICIANA	-	17
WINN	-	20
UNKNOWN	3	1870
OUT OF STATE	-	1327

Table XIV

REPORTED INDUCED TERMINATIONS OF PREGNANCY OCCURRING IN LOUISIANA IN 1981

(By Woman's State of Residence)

STATE	ABORTIONS
TOTAL	18237
ALABAMA	11
ALASKA	-
ARIZONA	-
ARKANSAS	128
CALIFORNIA	3
COLORADO	1
CONNECTICUT	1
DELAWARE	-
DISTRICT OF COLUMBIA	3
FLORIDA	9
GEORGIA	4
HAWAII	1
IDAHO	-
ILLINOIS	4
INDIANA	-
IOWA	1
KANSAS	-
KENTUCKY	-
LOUISIANA	15040
MAINE	-
MARYLAND	1
MASSACHUSETTS	1
MICHIGAN	3
MINNESOTA	-
MISSISSIPPI	331
MISSOURI	2
MONTANA	-
NEBRASKA	-
NEVADA	-
NEW HAMPSHIRE	-
NEW JERSEY	-
NEW MEXICO	-
NEW YORK	3
NORTH CAROLINA	2
NORTH DAKOTA	-
OHIO	2
OKLAHOMA	2
OREGON	-
PENNSYLVANIA	2
RHODE ISLAND	-
SOUTH CAROLINA	-
SOUTH DAKOTA	-
TENNESSEE	3
TEXAS	799
UTAH	-
VERMONT	1
VIRGINIA	-
WASHINGTON	-
WEST VIRGINIA	-
WISCONSIN	-
WYOMING	-
CANADA	-
MEXICO	-
OTHER	9
UNKNOWN	1870

Table XV

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND WOMAN'S AGE LOUISIANA, 1981

(By Occurrence)

WEEKS OF GESTATION	WOMAN'S AGE								TOTAL
	Under 15	15-19	20-24	25-29	30-34	35-39	40 and Over	Unknown	
8 AND UNDER	60	2044	3066	2100	1016	430	106	1328	10150
9	18	473	610	395	191	86	26	200	1999
10	22	562	795	419	203	82	36	171	2290
11	7	243	285	153	88	27	13	103	919
12	19	266	297	172	89	37	13	72	965
13	3	112	116	47	19	14	2	35	348
14	4	114	107	52	20	10	2	13	322
15	3	40	34	16	9	1	-	17	120
16	2	35	41	11	6	2	-	12	109
17	1	28	16	10	4	1	-	2	62
18	1	19	14	4	2	3	-	18	61
19	-	2	-	1	-	1	-	-	4
20	-	2	1	-	-	-	-	-	3
21 AND OVER	-	-	1	-	-	-	-	-	1
UNKNOWN	12	208	292	176	91	43	12	50	884
TOTAL	152	4148	5675	3556	1738	737	210	2021	18237

Table XVI

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WEEKS OF GESTATION AND RACE LOUISIANA, 1981

(By Occurrence)

WEEKS OF GESTATION	RACE			TOTAL
	White	Nonwhite	Unknown	
8 AND UNDER	5474	3273	1403	10150
9	901	604	494	1999
10	921	863	506	2290
11	362	341	216	919
12	360	432	173	965
13	146	112	90	348
14	112	128	82	322
15	41	29	50	120
16	28	36	45	109
17	4	6	52	62
18	2	10	49	61
19	1	1	2	4
20	1	2	-	3
21 AND OVER	-	1	-	1
UNKNOWN	126	598	160	884
TOTAL	8479	6436	3322	18237

Table XVII

REPORTED INDUCED TERMINATIONS OF PREGNANCY BY TYPE OF PROCEDURE AND WEEKS OF GESTATION LOUISIANA, 1981

(By Occurrence)

WEEKS OF GESTATION	TYPE OF PROCEDURE								TOTAL
	SUCTION CURETTAGE	SHARP CURETTAGE	AMNIOTIC FLUID REPLACEMEN	HYSTEROTOMY	HYSTERECTOMY	OTHER		UNKNOWN	
						D AND E	OTHER		
8 AND UNDER	10046	12	-	-	-	2	1	89	10150
9	1981	-	-	-	-	1	1	16	1999
10	2264	2	-	-	-	-	1	23	2290
11	901	-	-	-	-	-	10	8	919
12	943	-	-	-	-	1	11	10	965
13	280	-	-	-	-	-	64	4	348
14	257	-	-	-	-	-	62	3	322
15	71	2	-	-	-	-	38	9	120
16	78	-	-	-	-	-	30	1	109
17	19	-	-	-	-	-	42	1	62
18	13	-	-	-	-	-	48	-	61
19	1	-	-	-	-	-	2	1	4
20	2	-	-	1	-	-	-	-	3
21 AND OVER	1	-	-	-	-	-	-	-	1
UNKNOWN	860	3	-	-	-	-	5	16	884
TOTAL	17717	19	-	1	-	4	315	181	18237

Table XVIII
REPORTED INDUCED TERMINATIONS OF PREGNANCY BY WOMAN'S AGE AND RACE LOUISIANA, 1981
(By Occurrence)

WOMAN'S AGE	RACE			TOTAL
	White	Nonwhite	Unknown	
UNDER 15	35	86	31	152
15	95	127	64	286
16	186	184	120	490
17	363	251	184	798
18	619	403	294	1316
19	618	392	248	1258
(15-19)	1881	1357	910	4148
20-24	2575	1981	1119	5675
25-29	1519	1389	648	3556
30-34	697	723	318	1738
35-39	259	334	144	737
40 AND OVER	70	102	38	210
UNKNOWN	1443	464	114	2021
TOTAL	8479	6436	3322	18237

Table XVIX
REPORTED INDUCED TERMINATIONS OF PREGNANY BY WOMAN'S MARITAL STATUS AND RACE LOUISIANA, 1981
(By Occurrence)

WOMAN'S MARITAL STATUS	RACE			TOTAL
	White	Nonwhite	Unknown	
MARRIED	1616	1313	530	3459
UNMARRIED	5301	4518	1871	11690
UNKNOWN	1562	605	921	3088
TOTAL	8479	6436	3322	18237



French Tri-Color-1803

MORTALITY

U.S. Flag of 15 Stars
-1803

Table XX A

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS: UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	36330	35985	8.4			1129	223	123	117	1192	1247	1370	2872	5565	22123	24
				MW	13364	279	55	45	49	606	526	536	1161	2388	7709	10
				FW	11046	233	59	19	20	167	175	264	657	1324	8126	2
				MNW	6404	335	58	37	33	325	402	381	658	1040	3125	10
				FNW	5171	282	51	22	15	94	144	189	396	813	3163	2
01-ACADIA	419	534	9.3			18	3	1	-	23	12	16	37	69	355	-
				MW	237	9	2	-	-	13	6	7	20	30	150	-
				FW	210	6	1	1	-	6	2	7	9	25	153	-
				MNW	49	1	-	-	-	3	4	1	5	10	25	-
				FNW	38	2	-	-	-	1	-	1	3	4	27	-
CROWLEY*	210	165	10.3			5	-	-	-	9	4	3	11	30	103	-
				MW	61	1	-	-	-	4	3	-	6	10	37	-
				FW	71	2	-	-	-	4	-	2	3	12	48	-
				MNW	16	1	-	-	-	1	1	-	1	5	7	-
				FNW	17	1	-	-	-	-	-	1	1	3	11	-
02-ALLEN	191	232	10.8			3	-	1	-	9	10	8	22	34	145	-
				MW	109	-	-	1	-	4	6	3	12	19	64	-
				FW	68	2	-	-	-	1	1	2	4	9	49	-
				MNW	28	1	-	-	-	2	3	3	4	4	11	-
				FNW	27	-	-	-	-	2	-	-	2	2	21	-
03 ASCENSION	224	313	6.1			12	5	4	1	15	7	19	29	44	177	-
				MW	148	1	3	3	-	10	2	9	16	20	84	-
				FW	71	3	1	-	1	1	-	2	5	11	47	-
				MNW	55	3	-	1	-	2	3	7	7	10	22	-
				FNW	39	5	1	-	-	2	2	1	1	3	24	-
04-ASSUMPTION	89	166	7.3			7	3	1	-	6	5	7	10	23	104	-
				MW	63	4	-	-	-	2	1	3	3	17	33	-
				FW	45	1	2	-	-	-	-	-	1	1	40	-
				MNW	32	2	-	-	-	4	2	2	3	3	16	-
				FNW	26	-	1	1	-	-	2	2	3	2	15	-
05-AVOYELLES	356	457	11.0			15	1	2	-	7	11	15	39	62	305	-
				MW	190	5	-	1	-	4	5	5	16	36	118	-
				FW	170	2	1	1	-	-	3	6	11	13	133	-
				MNW	57	5	-	-	-	3	3	3	5	7	31	-
				FNW	40	3	-	-	-	-	-	1	7	6	23	-
06-BEAUREGARD	198	228	7.4			10	-	-	-	8	5	6	11	28	160	-
				MW	112	4	-	-	-	5	4	3	7	11	78	-
				FW	75	3	-	-	-	-	1	3	2	8	58	-
				MNW	25	1	-	-	-	3	-	-	2	6	13	-
				FNW	16	2	-	-	-	-	-	-	-	3	11	-
07-BIENVILLE	80	188	11.3			1	-	-	1	5	5	3	10	26	137	-
				MW	61	-	-	-	-	2	2	-	6	11	40	-
				FW	54	-	-	-	1	-	-	-	2	8	43	-
				MNW	42	-	-	-	-	2	1	1	2	5	31	-
				FNW	31	1	-	-	-	1	2	2	-	2	23	-
08 BOSSIER	383	533	6.4			14	3	1	5	23	23	21	46	83	314	-
				MW	240	4	2	1	2	11	10	12	22	44	132	-
				FW	161	4	-	-	1	7	6	5	14	20	104	-
				MNW	67	-	-	-	-	2	6	2	7	11	39	-
				FNW	65	6	1	-	2	3	1	2	3	8	39	-
BOSSIER CITY*	311	311	6.0			10	1	-	3	12	15	10	27	55	178	-
				MW	147	3	1	-	2	7	6	6	15	28	79	-
				FW	111	4	-	-	1	5	3	3	8	15	72	-
				MNW	24	-	-	-	-	-	5	1	1	7	10	-
				FNW	29	3	-	-	-	-	1	-	3	5	17	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
09-CADDO	3452	2447	9.5			67	18	8	7	51	83	76	174	376	1587	-
				MW	765	16	4	4	2	17	29	18	58	155	462	-
				FW	717	9	1	1	1	5	6	11	36	81	566	-
				MNW	528	26	7	2	3	19	31	33	44	75	288	-
				FNW	437	16	6	1	1	10	17	14	36	65	271	-
SHREVEPORT*	3271	2091	10.2			61	12	7	6	41	71	66	152	317	1358	-
				MW	638	15	2	4	1	13	20	15	48	127	393	-
				FW	611	6	1	1	1	5	6	7	31	66	487	-
				MNW	462	25	6	2	3	15	29	30	42	64	246	-
				FNW	380	15	3	-	1	8	16	14	31	60	232	-
10-CALCASIEU	1440	1314	7.7			26	6	4	6	52	38	53	117	202	810	-
				MW	554	5	2	4	4	26	22	21	50	81	339	-
				FW	458	12	3	-	1	11	4	12	33	58	324	-
				MNW	173	3	-	-	1	12	7	15	21	38	76	-
				FNW	129	6	1	-	-	3	5	5	13	25	71	-
LAKE CHARLES*	1024	689	9.1			12	1	-	2	20	23	22	55	110	444	-
				MW	236	1	-	-	1	6	9	6	21	30	162	-
				FW	221	5	-	-	-	5	2	2	11	27	169	-
				MNW	135	2	-	-	1	7	7	11	15	36	56	-
				FNW	97	4	1	-	-	2	5	3	8	17	57	-
SULPHUR*	250	169	8.5			2	1	-	-	6	5	8	16	31	100	-
				MW	92	2	1	-	-	3	4	5	10	19	48	-
				FW	70	-	-	-	-	2	1	3	6	11	47	-
				MNW	5	-	-	-	-	1	-	-	-	-	4	-
				FNW	2	-	-	-	-	-	-	-	-	1	1	-
11-CALDWELL	100	117	10.8			3	1	-	1	4	-	2	8	17	81	-
				MW	55	1	1	-	-	4	-	2	3	10	34	-
				FW	41	-	-	-	-	-	-	-	3	3	35	-
				MNW	9	-	-	-	-	-	-	-	1	1	7	-
				FNW	12	2	-	-	1	-	-	-	1	3	5	-
12-CAMERON	60	80	8.4			3	1	1	-	4	2	2	10	15	42	-
				MW	54	1	1	1	-	4	2	2	6	11	26	-
				FW	20	1	-	-	-	-	-	-	1	3	15	-
				MNW	4	-	-	-	-	-	-	-	3	1	-	-
				FNW	2	1	-	-	-	-	-	-	-	-	1	-
13-CATAHOULA	92	124	10.0			2	1	1	1	6	4	3	10	18	78	-
				MW	60	1	1	1	-	5	3	2	6	10	31	-
				FW	40	-	-	-	-	-	-	-	2	6	32	-
				MNW	13	1	-	-	1	1	1	1	1	1	6	-
				FNW	11	-	-	-	-	-	-	-	1	1	9	-
14-CLAIBORNE	169	220	12.4			6	1	1	-	9	8	3	9	27	156	-
				MW	59	1	-	-	-	2	2	2	3	9	40	-
				FW	63	-	1	-	-	4	-	-	1	2	55	-
				MNW	68	1	-	-	-	3	5	-	3	14	42	-
				FNW	30	4	-	1	-	-	1	1	2	2	19	-
15-CONCORDIA	154	207	8.9			14	2	-	-	5	5	5	17	22	137	-
				MW	63	5	-	-	-	4	1	4	9	9	31	-
				FW	42	2	-	-	-	-	2	-	2	4	32	-
				MNW	45	1	-	-	-	1	2	1	3	4	33	-
				FNW	57	6	2	-	-	-	-	-	3	5	41	-
16-DESOTO	193	295	11.1			6	-	2	2	2	7	10	17	36	213	-
				MW	86	1	-	1	1	1	2	4	5	15	56	-
				FW	73	1	-	-	1	1	1	2	4	3	60	-
				MNW	75	3	-	1	-	-	3	2	4	12	50	-
				FNW	61	1	-	-	-	-	1	2	4	6	47	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
17-E BATON ROUGE	2988	2468	6.5			108	19	18	7	97	101	103	216	409	1389	1
				MW	820	16	2	3	1	47	32	38	85	155	441	-
				FW	680	21	4	2	2	7	15	13	48	95	473	-
				MNW	514	40	9	6	3	34	41	33	42	83	222	1
				FNW	454	31	4	7	1	9	13	19	41	76	253	-
BATON ROUGE*	2681	2026	8.5			88	13	17	5	71	81	82	165	347	1150	1
				MW	626	11	1	2	-	26	19	28	57	128	354	-
				FW	533	11	2	2	1	5	10	8	34	78	382	-
				MNW	453	36	8	6	3	31	39	31	38	72	188	1
				FNW	408	30	2	7	1	9	13	15	36	69	226	-
18-EAST CARROLL	119	132	11.4			6	-	-	-	9	2	7	5	15	88	-
				MW	11	-	-	-	-	2	-	1	-	2	6	-
				FW	18	-	-	-	-	2	-	2	2	1	11	-
				MNW	53	4	-	-	-	4	1	2	3	6	33	-
				FNW	50	2	-	-	-	1	1	2	-	6	38	-
19-E FELICIANA	214	163	8.4			3	1	-	1	4	5	8	8	25	106	2
				MW	45	-	-	-	1	1	2	3	4	10	24	-
				FW	48	-	-	-	-	1	1	3	1	6	36	-
				MNW	32	-	-	-	-	1	1	1	3	6	18	2
				FNW	38	3	1	-	-	1	1	1	-	3	28	-
20-EVANGELINE	329	369	10.9			6	4	1	4	11	11	14	34	51	233	-
				MW	172	2	-	1	3	7	7	7	12	28	105	-
				FW	131	1	-	-	1	2	1	3	12	16	95	-
				MNW	41	2	4	-	-	-	2	3	6	2	22	-
				FNW	25	1	-	-	-	2	1	1	4	5	11	-
21-FRANKLIN	221	275	11.3			9	3	-	-	9	5	14	15	25	195	-
				MW	108	1	-	-	-	6	2	8	5	10	76	-
				FW	83	-	2	-	-	1	-	1	9	6	64	-
				MNW	45	3	1	-	-	2	1	4	-	6	28	-
				FNW	39	5	-	-	-	-	2	1	1	3	27	-
22-GRANT	77	157	9.1			1	2	-	-	6	6	6	17	15	104	-
				MW	75	-	-	-	-	4	2	4	7	10	48	-
				FW	59	1	2	-	-	2	-	2	6	4	42	-
				MNW	16	-	-	-	-	-	2	-	4	1	9	-
				FNW	7	-	-	-	-	-	2	-	-	-	5	-
23-IBERIA	488	576	8.9			27	2	-	4	26	19	24	50	77	347	-
				MW	210	8	1	-	1	12	8	9	19	33	119	-
				FW	167	6	1	-	1	3	4	7	7	18	120	-
				MNW	112	6	-	-	2	6	3	6	20	15	54	-
				FNW	87	7	-	-	-	5	4	2	4	11	54	-
NEW IBERIA*	401	333	10.1			14	1	-	1	20	11	15	35	43	193	-
				MW	128	4	1	-	-	8	4	5	14	14	78	-
				FW	98	3	-	-	-	2	2	5	6	13	67	-
				MNW	66	4	-	-	1	5	1	4	12	12	27	-
				FNW	41	3	-	-	-	5	4	1	3	4	21	-
24-IBERVILLE	222	315	9.7			7	1	-	1	9	13	11	26	47	200	-
				MW	97	2	-	-	1	3	4	-	12	16	59	-
				FW	66	2	-	-	-	3	1	4	2	4	50	-
				MNW	77	3	1	-	-	3	4	4	8	15	39	-
				FNW	75	-	-	-	-	-	4	3	4	12	52	-
25-JACKSON	133	175	9.9			5	1	-	1	1	1	7	12	21	126	-
				MW	62	4	-	-	1	-	-	3	4	10	40	-
				FW	67	-	-	-	-	-	-	1	4	2	60	-
				MNW	27	1	1	-	-	-	1	2	2	5	15	-
				FNW	19	-	-	-	-	1	-	1	2	4	11	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
26-JEFFERSON	2893	3022	6.4			107	16	13	11	97	136	114	289	561	1678	
				MW	1402	38	3	5	4	63	72	54	148	301	714	-
				FW	1139	21	8	3	3	17	28	29	84	175	771	-
				MNW	294	23	3	4	3	15	29	19	38	53	107	-
				FNW	187	25	2	1	1	2	7	12	19	32	86	-
KENNER*	43	316	4.5			14	1	-	-	12	22	25	24	64	154	
				MW	135	1	1	-	-	7	10	12	14	31	59	-
				FW	100	7	-	-	-	2	3	4	7	17	60	-
				MNW	43	2	-	-	-	3	7	6	2	9	14	-
				FNW	38	4	-	-	-	-	2	3	1	7	21	-
GRETNA*	41	318	15.5			13	2	2	2	12	20	12	36	50	169	
				MW	138	6	-	1	2	7	10	6	18	32	56	-
				FW	97	1	-	-	-	2	4	3	8	10	69	-
				MNW	52	4	1	1	-	3	6	3	8	4	22	-
				FNW	31	2	1	-	-	-	-	-	2	4	22	-
HARAHAN*	13	80	7.0			2	1	1	-	2	3	2	6	17	46	
				MW	43	-	-	1	-	2	2	1	1	12	24	-
				FW	35	2	-	-	-	-	1	1	4	5	22	-
				MNW	1	-	-	-	-	-	-	-	1	-	-	-
				FNW	1	-	1	-	-	-	-	-	-	-	-	-
WESTWEGO*	15	148	11.7			10	1	-	-	7	7	6	13	28	76	
				MW	80	3	-	-	-	6	5	2	7	17	40	-
				FW	44	1	1	-	-	1	1	2	4	6	28	-
				MNW	13	2	-	-	-	-	1	2	-	2	6	-
				FNW	11	4	-	-	-	-	-	-	2	3	2	-
27-JEFF DAVIS	279	301	9.2			5	5	1	1	9	14	11	12	52	191	
				MW	128	2	2	-	1	6	10	4	5	27	71	-
				FW	120	2	2	-	-	1	1	3	2	16	93	-
				MNW	31	-	1	1	-	2	3	2	3	6	13	-
				FNW	22	1	-	-	-	-	-	2	2	3	14	-
JENNINGS*	190	112	9.1			1	3	1	-	4	4	3	4	20	72	
				MW	42	1	2	-	-	4	3	1	3	6	22	-
				FW	44	-	-	-	-	-	-	-	-	7	37	-
				MNW	16	-	1	1	-	-	1	1	1	5	6	-
				FNW	10	-	-	-	-	-	-	1	-	2	7	-
28-LAFAYETTE	1323	911	5.9			42	6	5	1	36	35	40	86	139	521	
				MW	386	15	1	2	-	22	20	18	34	73	201	-
				FW	310	17	2	2	1	6	5	5	21	35	216	-
				MNW	118	7	2	1	-	5	7	11	23	12	50	-
				FNW	97	3	1	-	-	3	3	6	8	19	54	-
LAFAYETTE*	1231	599	7.0			23	4	3	1	23	20	30	60	93	342	
				MW	224	7	-	2	-	12	9	12	18	46	118	-
				FW	208	7	1	1	1	4	2	4	15	24	149	-
				MNW	96	6	2	-	-	4	6	10	20	11	37	-
				FNW	71	3	1	-	-	3	3	4	7	12	38	-
29-LAFOURCHE	544	594	7.0			18	4	5	2	36	34	29	55	83	328	
				MW	285	7	3	4	1	24	18	12	29	53	134	-
				FW	219	5	1	1	-	6	9	11	16	20	150	-
				MNW	48	1	-	-	1	2	5	3	8	5	23	-
				FNW	42	5	-	-	-	4	2	3	2	5	21	-
THIBODAUX*	214	151	9.5			6	2	1	-	7	7	6	11	26	85	
				MW	51	-	2	1	-	2	2	2	4	11	27	-
				FW	52	2	-	-	-	1	2	2	2	8	35	-
				MNW	22	1	-	-	-	1	1	-	4	4	11	-
				FNW	26	3	-	-	-	3	2	2	1	3	12	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
30-LASALLE	149	192	10.9			2	-	-	1	11	3	8	9	34	124	-
				MW	100	-	-	-	1	8	2	5	6	14	64	-
				FW	69	2	-	-	-	2	-	3	2	15	45	-
				MNW	13	-	-	-	-	1	1	-	-	3	8	-
				FNW	10	-	-	-	-	-	-	-	1	2	7	-
31-LINCOLN	262	268	6.5			7	1	-	1	8	3	3	11	35	199	-
				MW	93	1	1	-	-	5	-	2	4	14	66	-
				FW	73	1	-	-	-	1	-	-	1	3	67	-
				MNW	51	3	-	-	1	-	2	-	2	9	34	-
				FNW	51	2	-	-	-	2	1	1	4	9	32	-
RUSTON*	222	119	5.6			4	-	-	-	4	1	2	6	18	84	-
				MW	38	1	-	-	-	2	-	2	3	8	22	-
				FW	37	-	-	-	-	-	-	-	1	2	34	-
				MNW	18	2	-	-	-	-	1	-	-	3	12	-
				FNW	26	1	-	-	-	2	-	-	2	5	16	-
32-LIVINGSTON	271	408	6.6			18	2	1	2	17	18	14	39	67	230	-
				MW	222	12	2	1	1	11	17	7	22	46	103	-
				FW	141	4	-	-	1	3	-	6	12	17	98	-
				MNW	29	1	-	-	-	2	1	1	5	2	17	-
				FNW	16	1	-	-	-	1	-	-	-	2	12	-
33-MADISON	127	173	10.7			4	3	1	-	2	1	5	8	28	121	-
				MW	38	3	-	-	-	1	1	1	2	4	26	-
				FW	26	-	1	-	-	-	-	-	-	5	20	-
				MNW	59	1	1	-	-	-	-	1	4	7	45	-
				FNW	50	-	1	1	-	1	-	3	2	12	30	-
34-MOREHOUSE	322	341	9.6			5	3	-	-	7	6	11	27	45	237	-
				MW	120	1	1	-	-	2	1	5	10	22	78	-
				FW	93	-	1	-	-	2	-	3	9	10	68	-
				MNW	74	4	1	-	-	3	5	2	5	7	47	-
				FNW	54	-	-	-	-	-	-	1	3	6	44	-
BASTROP*	273	177	11.5			3	2	-	-	1	2	7	12	21	129	-
				MW	55	-	-	-	-	1	-	4	3	8	39	-
				FW	53	-	1	-	-	-	-	1	4	5	42	-
				MNW	39	3	1	-	-	-	2	1	4	5	23	-
				FNW	30	-	-	-	-	-	-	1	1	3	25	-
35-NATCHITOCHES	305	376	9.2			5	1	1	1	9	7	14	31	48	259	-
				MW	126	1	-	-	-	5	2	4	13	11	90	-
				FW	99	1	-	-	-	-	2	4	4	14	74	-
				MNW	84	3	1	1	1	3	2	4	9	10	50	-
				FNW	67	-	-	-	-	1	1	2	5	13	45	-
NATCHITOCHES*	220	145	8.6			2	1	-	1	3	2	7	10	21	98	-
				MW	34	-	-	-	-	2	-	1	3	4	24	-
				FW	37	1	-	-	-	-	1	-	1	5	29	-
				MNW	43	1	1	-	1	1	1	4	3	5	26	-
				FNW	31	-	-	-	-	-	-	2	3	7	19	-
36-ORLEANS	7450	6134	11.0			179	33	21	14	150	214	234	476	1007	3798	8
				MW	1580	18	2	1	2	29	43	55	123	307	995	5
				FW	1634	15	4	2	-	8	25	20	66	160	1333	1
				MNW	1609	81	12	11	8	96	119	105	184	291	701	1
				FNW	1311	65	15	7	4	17	27	54	103	249	769	1
37-OUACHITA	1233	1104	7.7			35	3	1	4	30	36	37	82	148	728	-
				MW	398	5	-	1	3	18	12	17	33	57	252	-
				FW	340	7	2	-	-	3	4	13	21	30	260	-
				MNW	191	14	1	-	1	4	14	7	16	36	98	-
				FNW	175	9	-	-	-	5	6	-	12	25	118	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
MONROE*	867	596	10.3			23	-	-	2	15	19	12	44	81	400	-
				MW	167	3	-	-	1	7	5	5	13	22	111	-
				FW	138	1	-	-	-	-	1	2	6	10	118	-
				MNW	148	11	-	-	1	4	8	5	15	27	77	-
				FNW	143	8	-	-	-	4	5	-	10	22	94	-
WEST MONROE*	264	247	16.4			2	-	-	-	4	5	11	17	32	176	-
				MW	107	-	-	-	-	3	1	3	7	15	78	-
				FW	109	1	-	-	-	1	2	6	9	11	79	-
				MNW	17	1	-	-	-	-	1	2	-	4	9	-
				FNW	14	-	-	-	-	-	1	-	1	2	10	-
38-PLAQUEMINES	83	178	6.7			10	4	3	3	7	13	10	22	29	77	-
				MW	73	6	1	-	-	4	8	6	10	10	28	-
				FW	50	-	-	-	-	1	1	2	6	11	29	-
				MNW	38	4	1	3	1	2	4	2	5	4	12	-
				FNW	17	-	2	-	2	-	-	-	1	4	8	-
39-POINTE COUPEE	143	219	9.0			8	1	-	-	8	7	7	13	34	141	-
				MW	73	-	-	-	-	3	3	2	4	13	48	-
				FW	48	2	-	-	-	-	3	1	3	3	36	-
				MNW	47	2	-	-	-	5	1	3	3	8	25	-
				FNW	51	4	1	-	-	-	-	1	3	10	32	-
40-RAPIDES	1732	1259	9.2			37	6	2	4	30	42	37	87	221	793	-
				MW	469	10	2	-	4	15	21	16	33	91	277	-
				FW	407	10	-	2	-	8	6	8	18	59	296	-
				MNW	193	14	1	-	-	5	4	11	20	36	102	-
				FNW	190	3	3	-	-	2	11	2	16	35	118	-
ALEXANDRIA*	1014	613	11.7			21	3	-	1	13	18	15	41	111	390	-
				MW	163	5	-	-	1	5	6	3	8	38	97	-
				FW	174	3	-	-	-	2	2	1	7	23	136	-
				MNW	148	10	1	-	-	4	3	9	14	29	78	-
				FNW	128	3	2	-	-	2	7	2	12	21	79	-
41-RED RIVER	141	152	14.0			6	1	-	-	2	6	8	5	15	109	-
				MW	47	2	-	-	-	1	2	3	1	7	31	-
				FW	51	1	-	-	-	-	-	3	1	4	42	-
				MNW	31	3	1	-	-	1	2	1	2	2	19	-
				FNW	23	-	-	-	-	-	2	1	1	2	17	-
42-RICHLAND	260	244	10.8			3	-	-	2	7	3	3	13	35	178	-
				MW	80	-	-	-	2	3	-	1	4	18	52	-
				FW	64	2	-	-	-	1	-	-	1	10	50	-
				MNW	58	-	-	-	-	3	1	-	6	4	44	-
				FNW	42	1	-	-	-	-	2	2	2	3	32	-
43-SABINE	205	263	10.1			4	1	1	-	7	7	8	23	31	181	-
				MW	119	1	-	1	-	5	4	2	10	18	78	-
				FW	94	1	-	-	-	1	2	4	9	8	69	-
				MNW	27	1	1	-	-	1	1	2	2	1	18	-
				FNW	23	1	-	-	-	-	-	-	2	4	16	-
44-ST BERNARD	400	530	8.0			11	8	3	-	19	15	22	42	106	304	-
				MW	279	5	2	1	-	14	11	17	28	58	143	-
				FW	228	6	6	2	-	4	3	5	13	42	147	-
				MNW	13	-	-	-	-	-	1	-	1	4	7	-
				FNW	10	-	-	-	-	1	-	-	-	2	7	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE / 1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
45-ST CHARLES	132	231	6.0			15	2	1	1	13	11	11	20	39	118	-
				MW	89	6	1	-	-	10	4	4	9	20	35	-
				FW	72	1	-	-	1	2	2	2	6	7	51	-
				MNW	45	6	1	-	-	1	5	4	3	8	17	-
				FNW	25	2	-	1	-	-	-	1	2	4	15	-
46-ST HELENA	51	91	9.3			-	-	-	-	5	6	1	3	9	67	-
				MW	35	-	-	-	-	3	1	-	1	6	24	-
				FW	19	-	-	-	-	-	2	-	-	1	16	-
				MNW	15	-	-	-	-	2	3	-	2	1	7	-
				FNW	22	-	-	-	-	-	-	1	-	1	20	-
47-ST JAMES	123	181	8.4			11	1	1	-	13	7	5	12	26	105	-
				MW	55	4	-	1	-	2	2	2	4	7	33	-
				FW	38	1	-	-	-	2	-	2	1	3	29	-
				MNW	56	4	1	-	-	9	3	1	4	11	23	-
				FNW	32	2	-	-	-	-	2	-	3	5	20	-
48-ST JOHN	137	225	6.8			13	3	1	1	9	9	17	22	32	118	-
				MW	81	3	1	-	1	5	3	9	10	10	39	-
				FW	57	5	1	-	-	2	1	1	5	6	36	-
				MNW	48	3	1	1	-	2	3	3	5	10	20	-
				FNW	39	2	-	-	-	-	2	4	2	6	23	-
49 ST LANDRY	624	769	9.0			24	5	1	1	23	26	36	73	102	478	-
				MW	268	5	1	1	-	9	9	12	27	39	165	-
				FW	205	3	2	-	1	2	5	3	14	30	145	-
				MNW	180	11	1	-	-	10	9	17	17	22	93	-
				FNW	116	5	1	-	-	2	3	4	15	11	75	-
OPELOUSAS*	325	224	11.6			4	1	-	-	9	8	13	18	26	142	-
				MW	61	-	-	-	-	1	1	4	6	9	40	-
				FW	62	-	-	-	-	2	1	1	1	7	50	-
				MNW	65	2	1	-	-	5	6	7	8	6	30	-
				FNW	33	2	-	-	-	1	-	1	3	4	22	-
EUNICE*	119	115	9.4			3	1	-	1	3	6	4	14	13	70	-
				MW	46	1	-	-	-	2	3	3	7	7	23	-
				FW	38	1	1	-	1	-	3	-	2	4	26	-
				MNW	13	1	-	-	-	-	-	1	-	1	10	-
				FNW	18	-	-	-	-	1	-	-	5	1	11	-
50 ST MARTIN	187	297	7.2			17	2	1	3	18	10	11	25	44	166	-
				MW	111	3	-	-	1	13	6	2	14	18	54	-
				FW	77	3	1	-	-	-	-	-	1	8	64	-
				MNW	60	7	-	1	1	4	2	6	7	10	22	-
				FNW	49	4	1	-	1	1	2	3	3	8	26	-
51-ST MARY	414	500	7.7			16	4	1	4	28	17	39	49	79	263	-
				MW	204	4	4	-	-	16	8	16	15	41	100	-
				FW	126	3	-	-	1	6	-	5	10	16	85	-
				MNW	94	3	-	1	3	3	6	15	17	15	31	-
				FNW	76	6	-	-	-	3	3	3	7	7	47	-
MORGAN CITY*	167	156	9.7			5	1	1	-	6	4	10	18	30	81	-
				MW	73	1	1	-	-	5	3	5	8	17	33	-
				FW	51	1	-	-	-	1	-	2	4	9	34	-
				MNW	19	2	-	1	-	-	-	3	5	2	6	-
				FNW	13	1	-	-	-	-	1	-	1	2	8	-
52-ST TAMMANY	719	804	6.8			25	7	3	2	36	29	33	78	142	449	-
				MW	378	7	3	2	1	25	19	18	39	74	190	-
				FW	301	10	2	-	1	7	6	12	23	50	190	-
				MNW	72	3	-	1	-	4	3	2	12	13	34	-
				FNW	53	5	2	-	-	-	1	1	4	5	35	-

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
SLIDELL*	260	179	6.6			6	-	-	-	7	10	14	21	35	86	-
				MW	84	2	-	-	-	4	7	8	10	19	34	-
				FW	73	4	-	-	-	2	3	5	8	13	38	-
				MNW	11	-	-	-	-	1	-	-	2	2	6	-
				FNW	11	-	-	-	-	-	-	1	1	1	8	-
53-TANGIPAHOA	675	721	8.7			36	5	1	3	22	28	30	42	105	449	-
				MW	275	11	2	-	2	10	17	9	19	56	149	-
				FW	224	6	-	1	-	4	4	7	11	14	177	-
				MNW	119	11	2	-	-	6	4	6	6	18	66	-
				FNW	103	8	1	-	1	2	3	8	6	17	57	-
HAMMOND*	61	130	8.5			13	2	1	-	-	1	5	8	21	79	-
				MW	34	2	1	-	-	-	-	1	1	7	22	-
				FW	47	3	-	1	-	-	-	1	2	1	39	-
				MNW	25	4	-	-	-	-	-	2	3	4	12	-
				FNW	24	4	1	-	-	-	1	1	2	9	6	-
54-TENSAS	63	88	10.5			2	-	-	1	-	2	4	6	14	59	-
				MW	16	-	-	-	1	-	-	1	-	3	11	-
				FW	15	1	-	-	-	-	-	2	2	5	5	-
				MNW	31	-	-	-	-	-	2	1	2	3	23	-
				FNW	26	1	-	-	-	-	-	-	2	3	20	-
55-TERREBONNE	631	657	6.8			25	6	4	2	42	34	38	62	102	342	-
				MW	296	7	2	2	2	28	15	21	29	49	141	-
				FW	213	10	1	-	-	10	8	8	20	31	125	-
				MNW	77	3	1	1	-	2	9	5	8	12	36	-
				FNW	71	5	2	1	-	2	2	4	5	10	40	-
HOUMA*	292	293	9.0			9	2	1	-	18	10	16	28	49	160	-
				MW	127	3	-	-	-	10	5	6	11	25	67	-
				FW	100	2	1	-	-	7	1	5	11	13	60	-
				MNW	35	1	-	-	-	-	2	4	4	6	18	-
				FNW	31	3	1	1	-	1	2	1	2	5	15	-
56-UNION	177	226	10.5			4	-	1	-	9	7	2	17	27	159	-
				MW	91	-	-	1	-	4	-	2	7	13	64	-
				FW	72	2	-	-	-	1	1	-	3	2	63	-
				MNW	39	2	-	-	-	4	5	-	4	9	15	-
				FNW	24	-	-	-	-	-	1	-	3	3	17	-
57-VERMILION	382	431	8.7			13	2	-	1	14	19	10	36	69	267	-
				MW	208	5	-	-	1	10	12	6	16	30	128	-
				FW	156	2	2	-	-	2	2	3	13	25	107	-
				MNW	39	3	-	-	-	1	3	1	4	12	15	-
				FNW	28	3	-	-	-	1	2	-	3	2	17	-
ABBEVILLE*	161	151	12.2			2	1	-	-	6	5	4	14	24	95	-
				MW	54	-	-	-	-	3	2	3	5	8	33	-
				FW	59	-	1	-	-	1	-	-	4	9	44	-
				MNW	24	1	-	-	-	1	2	1	3	7	9	-
				FNW	14	1	-	-	-	1	1	-	2	-	9	-
58-VERNON	218	342	6.1			16	5	3	1	17	13	11	31	50	192	3
				MW	169	2	-	1	1	9	10	8	17	25	95	1
				FW	122	7	4	1	-	2	1	2	8	18	78	1
				MNW	30	5	-	-	-	6	2	1	4	4	8	
				FNW	21	2	1	1	-	-	-	-	2	3	11	1

(CONTINUED)

Table XX A (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
59-WASHINGTON	473	539	12.1			9	2	1	2	16	17	25	42	74	351	-
				MW	198	2	2	-	-	10	9	10	13	32	120	-
				FW	185	1	-	-	1	3	3	4	12	19	142	-
				MNW	84	1	-	1	1	1	5	7	11	11	46	-
				FNW	72	5	-	-	-	2	-	4	6	12	43	-
BOGALUSA*	298	253	15.0			2	1	-	1	7	5	13	20	36	168	-
				MW	82	2	1	-	-	5	2	4	5	15	48	-
				FW	93	-	-	-	1	-	1	3	6	9	73	-
				MNW	47	-	-	-	-	1	2	5	7	6	26	-
				FNW	31	-	-	-	-	1	-	1	2	6	21	-
60-WEBSTER	403	503	11.3			5	1	-	3	13	10	15	25	84	347	-
				MW	218	-	-	-	3	8	4	10	14	33	146	-
				FW	143	2	-	-	-	2	3	1	4	20	111	-
				MNW	86	1	1	-	-	3	3	3	5	22	48	-
				FNW	56	2	-	-	-	-	-	1	2	9	42	-
MINDEN*	218	178	11.9			5	-	-	-	1	8	3	9	29	123	-
				MW	59	-	-	-	-	1	3	-	3	11	41	-
				FW	48	2	-	-	-	-	3	1	2	2	38	-
				MNW	39	1	-	-	-	-	2	1	4	10	21	-
				FNW	32	2	-	-	-	-	-	1	-	6	23	-
61-W BATON ROUGE	58	151	7.8			5	-	-	1	6	6	7	13	27	91	-
				MW	33	-	-	-	-	3	2	1	3	4	20	-
				FW	27	-	-	-	-	-	-	1	3	6	17	-
				MNW	46	1	-	-	-	3	3	4	1	8	26	-
				FNW	45	4	-	-	1	-	1	1	6	4	28	-
62-WEST CARROLL	70	137	10.5			3	-	-	1	5	1	1	8	14	104	-
				MW	51	-	-	-	-	1	-	1	3	6	40	-
				FW	62	-	-	-	-	-	-	-	4	6	52	-
				MNW	11	1	-	-	1	3	-	-	1	-	5	-
				FNW	13	2	-	-	-	1	1	-	-	2	7	-
63-W FELICIANA	92	85	6.8			-	1	-	1	4	2	5	9	12	51	-
				MW	21	-	-	-	-	2	2	-	3	2	12	-
				FW	15	-	-	-	-	-	-	1	2	2	10	-
				MNW	29	-	-	-	1	2	-	2	2	4	18	-
				FNW	20	-	1	-	-	-	-	2	2	4	11	-
64-WINN	188	226	12.8			5	1	-	-	2	3	8	19	32	156	-
				MW	78	2	-	-	-	-	1	2	8	12	53	-
				FW	84	2	-	-	-	1	-	3	5	11	62	-
				MNW	37	1	1	-	-	1	2	2	4	6	20	-
				FNW	27	-	-	-	-	-	-	1	2	3	21	-
RESIDENCE UNK***	-	27	-			-	-	-	-	4	2	3	1	2	5	10
				MW	15	-	-	-	-	3	1	1	1	2	3	4
				FW	1	-	-	-	-	-	-	1	-	-	-	-
				MNW	11	-	-	-	-	1	1	1	-	-	2	6
				FNW	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**	780	1152	-			43	5	6	4	85	115	82	121	223	467	1
				MW	671	16	2	2	3	65	83	55	79	137	228	1
				FW	281	12	2	4	1	12	13	12	25	39	161	-
				MNW	132	11	1	-	-	8	14	12	9	31	46	-
				FNW	68	4	-	-	-	-	5	3	8	16	32	-

*CITIES INCLUDED IN PARISH TOTALS
*NOT INCLUDED IN STATE TOTALS
**PARISH OF RESIDENCE UNKNOWN, ASSUMED LOUISIANA RESIDENCE

Table XX B

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT, 1981

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	36330	35985	8.4			1129	223	123	117	1192	1247	1370	2872	5565	22123	24
				MW	13364	279	55	45	49	606	526	536	1161	2388	7709	10
				FW	11046	233	59	19	20	167	175	264	657	1324	8126	2
				MNW	6404	335	58	37	33	325	402	381	658	1040	3125	10
				FNW	5171	282	51	22	15	94	144	189	396	813	3163	2
SPD 1	11545	10668	8.6			332	68	43	30	309	407	413	907	1845	6306	8
				MW	3712	74	11	9	7	135	153	150	348	750	2070	5
				FW	3352	52	20	7	4	37	63	68	192	438	2470	1
				MNW	2026	111	16	19	12	117	156	128	240	365	861	1
				FNW	1578	95	21	8	7	20	35	67	127	292	905	1
SPD 2	5411	5473	7.4			206	37	25	19	203	210	230	440	848	3252	3
				MW	1967	44	11	7	6	103	91	79	182	360	1084	-
				FW	1524	39	5	3	5	27	29	42	99	178	1102	
				MNW	1047	62	12	8	5	61	66	68	90	166	506	3
				FNW	935	61	9	7	3	17	24	41	69	144	560	-
SPD 3	1656	2054	6.9			89	19	13	6	119	100	107	181	305	1115	
				MW	869	31	7	7	4	71	43	51	84	156	415	-
				FW	644	23	5	1	1	22	20	24	49	68	431	-
				MNW	306	19	4	2	1	20	27	18	31	49	135	-
				FNW	235	16	3	3	-	6	10	14	17	32	134	-
SPD 4	4166	4387	7.9			163	28	10	18	179	149	190	390	630	2630	
				MW	1796	51	9	4	6	102	76	77	157	292	1022	-
				FW	1382	41	9	3	5	27	19	33	87	173	985	-
				MNW	693	40	7	3	6	32	36	60	99	98	312	-
				FNW	516	31	3	-	1	18	18	20	47	67	311	-
SPD 5	2168	2155	8.1			47	12	7	7	82	69	80	172	331	1348	
				MW	957	12	5	6	5	45	44	33	80	149	578	-
				FW	741	20	5	-	1	13	7	20	42	94	539	-
				MNW	261	5	1	1	1	19	13	20	33	55	113	-
				FNW	196	10	1	-	-	5	5	7	17	33	118	-
SPD 6	2966	2964	9.2			92	18	8	7	84	87	93	229	454	1889	3
				MW	1204	25	3	3	6	49	45	46	102	207	717	1
				FW	993	26	7	4	-	15	12	24	54	130	720	1
				MNW	404	27	2	-	1	18	17	19	41	62	217	-
				FNW	363	14	6	1	-	2	13	4	32	55	235	1
SPD 7	5593	5245	9.3			121	27	14	20	129	159	161	351	761	3502	
				MW	1814	27	7	7	8	57	57	57	136	317	1141	-
				FW	1528	20	2	1	4	21	20	30	76	163	1191	-
				MNW	1059	41	11	4	5	34	56	48	80	161	617	-
				FNW	844	33	7	2	3	17	26	26	59	120	551	-
SPD 8	2825	3012	9.3			79	14	3	10	83	64	93	201	389	2076	
				MW	1030	15	2	2	7	41	16	42	71	155	679	-
				FW	881	12	6	-		10	5	22	58	80	688	-
				MNW	597	30	5		2	23	30	19	44	84	360	-
				FNW	504	22	1	1	1	9	13	10	28	70	349	-

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN SPD RESIDENCE DATA

Table XX B (continued)

DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO USUAL RESIDENCE OF THE DECEASED AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY HEALTH SERVICE AREA, 1981

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/1000 POPULATION	SEX RACE	TOTAL BY SEX RACE	AGE AT DEATH IN YEARS										
						UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
TOTAL	36330	35985	8.4			1129	223	123	117	1192	1247	1370	2872	5565	22123	24
				MW	13364	279	55	45	49	606	526	536	1161	2388	7709	10
				FW	11046	233	59	19	20	167	175	264	657	1324	8126	2
				MNW	6404	335	58	37	33	325	402	381	658	1040	3125	10
				FNW	5171	282	51	22	15	94	144	189	396	813	3163	2
HSA 1	13201	12722	8.3			421	87	56	36	428	507	520	1088	2150	7421	8
				MW	4581	105	18	16	11	206	196	201	432	906	2485	5
				FW	3996	75	25	8	5	59	83	92	241	506	2901	1
				MNW	2332	130	20	21	13	137	183	146	271	414	996	1
				FNW	1813	111	24	11	7	26	45	81	144	324	1039	1
HSA 2	11745	12615	7.7			416	77	42	44	464	428	500	1002	1809	7230	3
				MW	4720	107	25	17	17	250	211	189	419	801	2684	
				FW	3647	100	19	6	11	62	55	95	228	445	2626	-
				MNW	2001	107	20	12	12	112	115	148	222	319	931	3
				FNW	1647	102	13	7	4	40	47	68	133	244	989	-
HSA 3	11384	11221	9.3			292	59	25	37	296	310	347	781	1604	7467	3
				MW	4048	67	12	12	21	147	118	145	309	679	2537	1
				FW	3402	58	15	5	4	46	37	76	188	373	2599	1
				MNW	2060	98	18	4	8	75	103	86	165	307	1196	
				FNW	1711	69	14	4	4	28	52	40	119	245	1135	1

UNKNOWN PARISH OF RESIDENCE NOT INCLUDED IN HSA RESIDENCE DATA

Table XXI

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
TOTAL................................	36357	1146	224	123	117	492	725	1303	1408	2898	5646	22250	25
ACADIA................................	419	6	2	1	-	5	9	14	16	31	51	284	-
ACADIA ST. LANDRY HOSPITAL	16	-	-	-	-	-	-	-	-	3	-	13	-
AMERICAN LEGION HOSPITAL	108	2	-	-	-	-	-	-	1	2	21	82	-
RAYNE BRANCH HOSPITAL	72	1	-	-	-	1	-	1	3	5	9	52	-
OUT OF HOSPITAL	223	3	2	1	-	4	9	13	12	21	21	137	-
ALLEN................................	191	1	-	1	-	4	2	10	4	13	19	137	-
ALLEN PARISH HOSPITAL	43	-	-	-	-	-	-	1	-	3	3	36	-
OAKDALE GENERAL HOSPITAL	49	-	-	-	-	-	-	4	-	3	2	40	-
OUT OF HOSPITAL	99	1	-	1	-	4	2	5	4	7	14	61	-
ASCENSION................................	224	4	2	2	-	5	6	7	14	19	30	135	-
EAST ASCENSION GENERAL HOSPITAL	33	1	-	-	-	-	-	-	-	2	3	27	-
PREVOST MEMORIAL HOSPITAL	61	-	-	-	-	1	-	1	3	3	5	48	-
OUT OF HOSPITAL	130	3	2	2	-	4	6	6	11	14	22	60	-
ASSUMPTION................................	89	3	-	-	-	2	4	7	3	6	13	51	-
ASSUMPTION GENERAL HOSPITAL	25	-	-	-	-	-	-	-	-	-	4	21	-
OUT OF HOSPITAL	64	3	-	-	-	2	4	7	3	6	9	30	-
AVOYELLES................................	356	5	-	-	-	2	6	8	10	19	39	267	-
BUNKIE GENERAL HOSPITAL	84	1	-	-	-	-	-	-	-	3	7	73	-
MARKSVILLE GENERAL HOSPITAL	70	2	-	-	-	-	-	-	3	1	8	56	-
OUT OF HOSPITAL	202	2	-	-	-	2	6	8	7	15	24	138	-
BEAUREGARD................................	198	1	-	-	-	4	5	3	5	8	23	149	-
BEAUREGARD MEMORIAL HOSPITAL	85	-	-	-	-	-	-	-	-	1	11	73	-
MERRYVILLE GENERAL HOSPITAL	20	-	-	-	-	-	-	-	-	-	1	19	-
OUT OF HOSPITAL	93	1	-	-	-	4	5	3	5	7	11	57	-
BIENVILLE................................	80	-	-	-	-	-	3	4	2	5	9	57	-
BIENVILLE GENERAL HOSPITAL	25	-	-	-	-	-	-	-	1	1	2	21	-
OUT OF HOSPITAL	55	-	-	-	-	-	3	4	1	4	7	36	-
BOSSIER................................	383	6	1	2	4	8	16	16	15	33	61	221	-
BARKSDALE AIR FORCE BASE HOSPITAL	21	1	-	-	-	-	-	-	1	3	8	8	-
BOSSIER CITY GENERAL HOSPITAL	127	4	-	-	-	-	1	4	6	11	20	81	-
OUT OF HOSPITAL	235	1	1	2	4	8	15	12	8	19	33	132	-
CADDO................................	3452	153	22	13	8	23	40	116	121	269	586	2100	1
LA STATE UNIVERSITY MEDICAL CENTER	659	83	7	3	2	11	15	38	45	69	101	284	1
HIGHLAND HOSPITAL	132	2	-	-	-	1	1	1	4	9	23	91	-
NORTH CADDO MEMORIAL HOSPITAL	37	-	-	-	-	-	-	1	-	3	6	27	-
DOCTORS HOSPITAL AND RESEARCH CENTER	109	2	-	1	-	-	-	1	4	4	11	86	-
PHYSICIANS AND SURGEONS HOSPITAL	134	2	-	-	-	-	-	2	3	7	14	106	-
T. E. SCHUMPERT HOSPITAL	558	36	2	3	3	2	1	6	15	39	97	354	-
VETERANS ADMINISTRATION HOSPITAL	333	-	-	-	-	-	1	3	8	38	122	161	-
WILLIS KNIGHTON MEMORIAL HOSPITAL	291	7	1	-	2	1	1	2	5	27	49	196	-
OUT OF HOSPITAL	1199	21	12	6	1	8	21	62	37	73	163	795	-
CALCASIEU................................	1440	33	5	3	6	20	31	41	60	119	231	891	-
DEQUINCY GENERAL HOSPITAL	25	1	-	-	-	-	-	-	1	-	2	21	-
DR.WALTER OLIN MOSS REGIONAL HOSPITAL	104	13	2	-	-	1	2	3	7	19	32	25	-
LAKE CHARLES MEMORIAL HOSPITAL	264	3	-	-	-	3	5	4	10	20	51	168	-
ST.PATRICKS HOSPITAL	315	3	-	-	1	1	5	4	14	24	51	212	-
WEST CALCASIEU CAMERON HOSPITAL	173	5	-	-	-	2	1	1	3	16	29	116	-
OUT OF HOSPITAL	559	8	3	3	5	13	18	29	25	40	66	349	-
CALDWELL	100	-	1	-	1	2	-	-	-	3	12	81	-
CALDWELL HOSPITAL	41	-	-	-	-	-	-	-	-	1	2	38	-
CITIZENS MEDICAL HOSPITAL	20	-	-	-	-	-	-	-	-	-	-	20	-
OUT OF HOSPITAL	39	-	1	-	1	2	-	-	-	2	10	23	-
CAMERON................................	60	1	1	-	-	2	3	9	4	11	9	20	-
SOUTH CAMERON MEMORIAL HOSPITAL	10	-	-	-	-	-	-	1	-	2	2	5	-
OUT OF HOSPITAL	50	1	1	-	-	2	3	8	4	9	7	15	-

(CONTINUED)

Table XXI (continued)

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
CATAHOULA..................................	92	1	-	1	1	2	1	5	3	9	10	59	-
CATAHOULA PARISH HOSPITAL	40	-	-	1	-	1	1	3	1	6	5	22	-
OUT OF HOSPITAL	52	1	-	-	1	1	-	2	2	3	5	37	-
CLAIBORNE..................................	169	2	-	1	-	3	3	5	3	8	23	121	-
HOMER MEMORIAL HOSPITAL	65	-	-	-	-	-	-	-	-	5	8	52	-
NORTH CLAIBORNE HOSPITAL	32	1	-	-	-	1	-	-	1	1	1	27	-
OUT OF HOSPITAL	72	1	-	1	-	2	3	5	2	2	14	42	-
CONCORDIA..................................	154	6	1	-	-	3	5	3	4	12	12	108	-
CONCORDIA PARISH HOSPITAL	65	2	1	-	-	-	-	-	2	6	3	51	-
OUT OF HOSPITAL	89	4	-	-	-	3	5	3	2	6	9	57	-
DESOTO.....................................	193	-	-	-	1	1	2	6	8	9	21	145	-
DESOTO GENERAL HOSPITAL	78	-	-	-	-	1	-	1	1	1	4	70	-
OUT OF HOSPITAL	115	-	-	-	1	-	2	5	7	8	17	75	-
EAST BATON ROUGE...........................	2988	141	22	16	9	55	56	111	126	265	488	1697	2
BATON ROUGE GENERAL HOSPITAL	605	2	3	3	2	9	4	18	19	50	105	389	1
DOCTORS MEMORIAL HOSPITAL	55	-	-	-	-	2	1	1	2	6	7	36	-
EARL K. LONG MEMORIAL HOSPITAL	259	54	5	3	1	4	5	13	24	28	45	77	-
GREENWELL SPRINGS HOSPITAL	2	-	-	-	-	-	-	-	-	-	1	1	-
LANE MEMORIAL HOSPITAL	132	-	-	-	-	-	1	-	-	6	15	110	-
OUR LADY OF THE LAKE MEDICAL CENTER	697	5	4	2	2	6	7	20	24	62	124	441	-
WOMANS HOSPITAL	65	65	-	-	-	-	-	-	-	-	-	-	-
OUT OF HOSPITAL	1173	15	10	8	4	34	38	59	57	113	191	643	1
EAST CARROLL...............................	120	3	-	-	-	2	5	1	6	6	12	85	-
EAST CARROLL PARISH HOSPITAL	62	3	-	-	-	-	3	-	4	1	7	44	-
OUT OF HOSPITAL	58	-	-	-	-	2	2	1	2	5	5	41	-
EAST FELICIANA.............................	216	2	1	-	-	-	4	6	10	5	29	159	-
CLINTON INFIRMARY INC.	34	-	-	-	-	-	-	-	-	1	7	26	-
EAST LOUISIANA STATE HOSPITAL	28	-	-	-	-	-	-	2	1	-	6	19	-
JACKSON SPECIAL HOSPITAL	1	-	-	-	-	-	-	-	-	-	1	-	-
OUT OF HOSPITAL	153	2	1	-	-	-	4	4	9	4	15	114	-
EVANGELINE.................................	329	5	4	1	3	5	3	9	14	30	42	213	-
VILLE PLATTE GENERAL HOSPITAL	104	1	2	-	-	-	-	1	4	4	12	80	-
SAVOY MEMORIAL HOSPITAL	95	1	2	-	-	-	1	-	3	6	11	71	-
OUT OF HOSPITAL	130	3	-	1	3	5	2	8	7	20	19	62	-
FRANKLIN...................................	221	2	2	-	-	4	5	5	11	15	24	153	-
FRANKLIN PARISH HOSPITAL	89	-	-	-	-	-	-	1	1	5	8	74	-
OUT OF HOSPITAL	132	2	2	-	-	4	5	4	10	10	16	79	-
GRANT......................................	77	-	1	-	-	3	1	4	3	5	14	46	-
OUT OF HOSPITAL	77	-	1	-	-	3	1	4	3	5	14	46	-
IBERIA.....................................	488	10	1	2	5	3	11	8	16	37	70	325	-
DAUTERIVE HOSPITAL INC.	131	2	-	-	1	-	1	3	2	6	17	99	-
IBERIA PARISH HOSPITAL	116	3	-	-	-	1	1	1	3	9	20	78	-
LASALETTE MEMORIAL HOSPITAL	2	-	-	-	-	-	-	-	-	-	1	1	-
OUT OF HOSPITAL	239	5	1	2	4	2	9	4	11	22	32	147	-
IBERVILLE..................................	222	3	-	-	1	2	4	10	5	13	30	154	-
RHODES J.SPEDALE GENERAL HOSPITAL	78	-	-	-	-	-	-	-	3	4	11	60	-
U.S.PUBLIC HEALTH SERVICE HOSPITAL	2	-	-	-	-	-	-	-	-	-	-	2	-
OUT OF HOSPITAL	142	3	-	-	1	2	4	10	2	9	19	92	-
JACKSON....................................	133	-	1	-	1	-	-	1	3	7	15	105	-
JACKSON PARISH HOSPITAL	78	-	-	-	-	-	-	-	2	3	6	67	-
OUT OF HOSPITAL	55	-	1	-	1	-	-	1	1	4	9	38	-

(CONTINUED)

Table XXI (continued)

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
JEFFERSON..............................	2895	157	29	14	10	38	74	110	114	260	492	1597	-
EAST JEFFERSON GENERAL HOSPITAL	645	4	2	1	-	3	14	16	14	49	116	426	-
OCHSNER FOUNDATION HOSPITAL	526	90	20	3	3	8	7	12	24	40	107	212	-
LAKESIDE HOSPITAL	66	31	-	-	-	-	-	-	3	2	10	20	-
METAIRIE GENERAL HOSPITAL	103	-	-	-	-	-	-	-	-	2	1	100	-
SOUTH JEFFERSON GENERAL HOSPITAL	12	-	-	-	-	-	-	-	-	1	1	10	-
WEST JEFFERSON GENERAL HOSPITAL	443	9	1	2	1	4	10	16	14	48	82	256	-
OUT OF HOSPITAL	1100	23	6	8	6	23	43	66	59	118	175	573	-
JEFFERSON DAVIS..........................	279	2	3	1	1	2	3	12	8	10	38	199	-
JENNINGS AMERICAN LEGION HOSPITAL	92	2	-	-	-	1	1	4	2	3	9	70	-
WELSH GENERAL HOSPITAL	31	-	-	-	-	-	-	-	-	1	5	25	-
OUT OF HOSPITAL	156	-	3	1	1	1	2	8	6	6	24	104	-
LAFAYETTE..............................	1323	75	7	4	3	23	34	58	62	133	213	711	-
LAFAYETTE CHARITY HOSPITAL	197	28	1	1	-	2	6	8	17	24	42	68	-
LAFAYETTE GENERAL HOSPITAL	329	41	5	1	2	4	5	5	8	36	56	166	-
OUR LADY OF LOURDES HOSPITAL	374	1	-	-	1	6	8	6	16	45	66	225	-
OUT OF HOSPITAL	423	5	1	2	-	11	15	39	21	28	49	252	-
LAFOURCHE..............................	544	9	1	4	1	12	22	28	20	49	63	335	-
LADY OF THE SEA HOSPITAL	55	-	-	-	-	-	1	2	1	4	6	41	-
ST.ANNE GENERAL HOSPITAL	84	2	-	-	-	-	-	-	1	9	13	59	-
THIBODAUX GENERAL HOSPITAL	136	3	-	-	-	-	1	3	3	6	18	102	-
OUT OF HOSPITAL	269	4	1	4	1	12	20	23	15	30	26	133	-
LASALLE..............................	149	1	-	-	1	2	5	2	4	5	23	106	-
HARDTNER MEDICAL CENTER	32	-	-	-	-	-	1	-	1	2	4	24	-
LASALLE GENERAL HOSPITAL	57	-	-	-	-	-	-	-	-	1	8	48	-
OUT OF HOSPITAL	60	1	-	-	1	2	4	2	3	2	11	34	-
LINCOLN..............................	262	2	1	-	-	5	-	5	5	10	29	205	-
LINCOLN GENERAL HOSPITAL	166	1	-	-	-	1	-	3	1	7	21	132	-
OUT OF HOSPITAL	96	1	1	-	-	4	-	2	4	3	8	73	-
LIVINGSTON..............................	271	1	1	1	2	6	5	11	4	19	38	183	-
DIXON MEMORIAL HOSPITAL	121	-	-	1	-	-	-	1	1	1	18	99	-
OUT OF HOSPITAL	150	1	1	-	2	6	5	10	3	18	20	84	-
MADISON..............................	127	2	2	1	-	-	1	1	2	5	16	97	-
MADISON PARISH HOSPITAL	38	-	-	-	-	-	-	-	-	-	4	34	-
OUT OF HOSPITAL	89	2	2	1	-	-	1	1	2	5	12	43	-
MOREHOUSE..............................	322	1	2	-	-	2	2	4	9	16	39	247	-
MOREHOUSE GENERAL HOSPITAL	170	1	-	-	-	1	-	1	6	11	20	130	-
OUT OF HOSPITAL	152	-	2	-	-	1	2	3	3	5	19	117	-
NATCHITOCHES..............................	305	3	1	1	1	3	4	7	12	25	34	214	-
NATCHITOCHES PARISH HOSPITAL	130	-	-	-	1	2	1	1	3	9	11	102	-
OUT OF HOSPITAL	175	3	1	1	-	1	3	6	9	16	23	112	-

(CONTINUED)

Table XXI (continued)

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ORLEANS	7467	297	48	31	21	59	124	300	331	651	1345	4243	17
JO ELLEN SMITH MEMORIAL HOSPITAL	238	13	1	1	-	-	1	4	8	25	47	138	-
BAPTIST HOSPITAL	600	76	2	1	-	4	3	5	14	36	101	358	-
CHARITY HOSPITAL OF NEW ORLEANS	1275	119	19	11	6	20	38	88	99	158	266	448	3
CHILDRENS HOSPITAL	17	5	4	3	3	-	1	-	-	-	-	1	-
DEPAUL HOSP AND COMM MENTAL HLTH CNTR	4	-	-	-	-	-	-	-	-	2	-	2	-
THE NEW ST.CLAUDE GENERAL HOSPITAL	114	3	1	-	1	1	1	4	-	9	19	75	-
EYE AND EAR INSTITUTE OF LOUISIANA	3	-	-	-	-	-	-	-	-	-	1	2	-
FLINT GOODRIDGE HOSP OF DILLARD UNIV	87	-	-	-	-	-	-	1	1	6	13	66	-
HOTEL DIEU HOSPITAL	377	6	-	-	1	-	1	10	12	26	57	264	-
PENDLETON MEMORIAL METHODIST HOSPITAL	270	8	2	1	-	1	2	9	12	22	47	166	-
MERCY HOSPITAL	359	-	-	-	-	-	-	3	13	22	55	266	-
MONTELEPRE MEMORIAL HOSPITAL	44	1	-	-	-	-	-	-	-	-	8	35	-
NEW ORLEANS GENERAL HOSPITAL	39	1	-	-	-	-	-	1	3	-	11	23	-
ST.CHARLES GENERAL HOSPITAL	152	-	-	-	-	-	-	-	3	5	18	126	-
TOURO INFIRMARY	489	3	1	-	-	-	2	5	13	31	78	356	-
TULANE MEDICAL CENTER HOSPITAL	210	35	9	5	4	4	2	7	7	26	24	87	-
U.S.PUBLIC HEALTH SERVICE HOSPITAL	52	-	-	-	-	-	-	2	6	8	18	18	-
VETERANS ADMINISTRATION HOSPITAL	443	-	-	-	-	-	-	7	6	65	181	183	1
OUT OF HOSPITAL	2694	27	9	9	6	29	73	154	134	210	401	1629	13
OUACHITA	1233	45	6	2	6	19	18	33	37	94	172	801	-
E.A.CONWAY MEMORIAL HOSPITAL	168	15	-	-	-	2	5	8	9	18	25	86	-
GLENWOOD HOSPITAL	167	1	-	-	-	-	1	3	2	8	22	130	-
ST.FRANCIS HOSPITAL	439	23	4	2	2	4	3	5	11	38	61	286	-
STERLINGTON GENERAL HOSPITAL	21	-	-	-	-	-	-	-	-	-	2	19	-
OUT OF HOSPITAL	438	6	2	-	4	13	9	17	15	30	62	280	-
PLAQUEMINES	83	2	2	2	2	2	11	11	13	9	13	16	-
PLAQUEMINES PARISH GENERAL HOSPITAL	13	-	-	-	-	1	2	-	3	-	5	2	-
OUT OF HOSPITAL	70	2	2	2	2	1	9	11	10	9	8	14	-
POINTE COUPEE	143	2	-	-	-	4	2	8	5	9	21	92	-
POINTE COUPEE GENERAL HOSPITAL	69	2	-	-	-	-	-	-	1	4	10	52	-
OUT OF HOSPITAL	74	-	-	-	-	4	2	8	4	5	11	40	-
RAPIDES	1732	48	11	6	3	18	16	51	48	145	330	1056	-
RAPIDES GENERAL HOSPITAL	379	5	1	1	-	1	1	5	8	21	63	273	-
CENTRAL LOUISIANA STATE HOSPITAL	13	-	-	-	-	-	1	1	3	3	3	2	-
DOCTORS HOSPITAL	22	-	-	-	-	-	-	-	-	2	3	17	-
ENGLAND AIR FORCE BASE HOSPITAL	5	-	-	-	-	-	-	1	-	2	1	1	-
HUEY P.LONG CHARITY HOSPITAL	139	15	2	-	1	-	-	7	5	19	34	56	-
ST.FRANCIS CABRINI HOSPITAL	301	17	3	1	1	3	1	4	5	12	36	218	-
PINECREST STATE HOSPITAL	6	1	1	1	-	-	-	1	-	-	1	1	-
VETERANS ADMINISTRATION HOSPITAL	296	-	-	-	-	-	-	4	4	37	103	148	-
OUT OF HOSPITAL	571	10	4	3	1	14	13	20	23	49	86	340	-
RED RIVER	141	2	1		-	1	2	6	5	5	9	110	-
L.S.HUCKABAY MEMORIAL HOSPITAL	67	-	1	-	-	1	-	1	3	-	1	60	-
HANNA CLINIC AND HOSPITAL	5	-	-	-	-	-	-	-	-	3	1	1	-
OUT OF HOSPITAL	69	2	-	-	-	-	2	5	2	2	7	49	-
RICHLAND	260	1	-	-	2	1	4	1	2	10	25	214	-
RICHLAND PARISH HOSPITAL DELHI	52	-	-	-	-	-	-	-	-	1	4	47	-
RICHLAND PARISH HOSPITAL RAYVILLE	102	-	-	-	-	-	1	-	1	3	11	86	-
OUT OF HOSPITAL	106	1	-	-	2	1	3	1	1	6	10	81	-
SABINE	206	-	1	-	-	3	1	5	5	17	24	150	-
FRASER HOSPITAL	84	-	-	-	-	-	-	-	3	4	7	70	-
PLEASANT HILL GENERAL HOSPITAL	27	-	1	-	-	-	-	-	-	3	3	20	-
OUT OF HOSPITAL	95	-	-	-	-	3	1	5	2	10	14	60	-
ST.BERNARD	400	-	8	2	-	6	9	11	9	29	77	249	-
CHALMETTE GENERAL HOSPITAL	158	-	2	1	-	1	1	3	2	10	25	113	-
DE LA RONDE HOSPITAL	55	-	1	-	-	-	-	1	2	6	19	26	-
OUT OF HOSPITAL	187	-	5	1	-	5	8	7	5	13	33	110	-
ST.CHARLES	132	1	1	-	1	3	8	16	8	10	14	70	-
ST.CHARLES PARISH HOSPITAL	42	-	-	-	-	1	-	1	-	3	5	32	-
OUT OF HOSPITAL	90	1	1	-	1	2	8	15	8	7	9	38	-

(CONTINUED)

Table XXI (continued)

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
ST.HELENA..................................	51	-	-	-	-	2	-	5	2	2	3	37	-
ST.HELENA PARISH HOSPITAL	25	-	-	-	-	-	-	1	-	-	1	23	-
OUT OF HOSPITAL	26	-	-	-	-	2	-	4	2	2	2	14	-
ST.JAMES..................................	124	3	1	-	-	5	8	8	4	9	11	75	-
ST.JAMES PARISH HOSPITAL	30	-	1	-	-	-	-	1	-	2	1	25	-
WEST ST.JAMES PARISH HOSPITAL	16	1	-	-	-	-	-	2	1	2	2	8	-
OUT OF HOSPITAL	78	2	-	-	-	5	8	5	3	5	8	42	-
ST.JOHN..................................	137	2	1	1	1	3	8	8	8	11	15	79	-
OUT OF HOSPITAL	137	2	1	1	1	3	8	8	8	11	15	79	-
ST.LANDRY..................................	624	7	3	-	2	15	9	21	18	49	77	423	-
MOOSA MEMORIAL HOSPITAL	76	-	-	-	-	1	-	-	1	7	9	58	-
OPELOUSAS GENERAL HOSPITAL	190	3	-	-	-	-	-	4	4	13	15	151	-
DOCTORS HOSPITAL	6	-	-	-	-	-	-	-	-	2	2	2	-
ST.LUKE HOSPITAL	37	-	-	-	-	-	-	2	-	1	4	30	-
OUT OF HOSPITAL	315	4	3	-	2	14	9	15	13	26	47	182	-
ST.MARTIN..................................	187	7	1	-	3	10	12	9	8	11	23	103	-
GARY MEMORIAL HOSPITAL	46	6	1	-	-	-	-	-	-	2	5	32	-
ST.MARTIN INFIRMARY	12	-	-	-	1	-	-	-	-	-	2	9	-
OUT OF HOSPITAL	129	1	-	-	2	10	12	9	8	9	16	62	-
ST.MARY..................................	414	10	3	-	2	12	18	19	30	44	62	214	-
FAIRVIEW HOSPITAL	18	-	-	-	-	-	-	-	-	1	7	10	-
FRANKLIN FOUNDATION HOSPITAL	89	2	-	-	-	1	-	-	4	5	13	64	-
LAKEWOOD HOSPITAL	92	4	2	-	1	2	4	1	5	6	13	54	-
OUT OF HOSPITAL	215	4	1	-	1	9	14	18	21	32	29	86	-
ST.TAMMANY..................................	719	8	7	2	1	19	20	24	22	66	104	446	-
HIGHLAND PARK HOSPITAL	53	1	-	-	-	-	-	1	-	5	8	38	-
ST.TAMMANY PARISH HOSPITAL	192	1	1	-	-	-	1	2	4	12	31	140	-
SLIDELL MEMORIAL HOSPITAL	190	2	-	1	-	1	4	-	9	20	29	124	-
OUT OF HOSPITAL	284	4	6	1	1	18	15	21	9	29	36	144	-
TANGIPAHOA..................................	675	16	5	-	3	10	19	22	25	34	93	448	-
HOOD MEMORIAL HOSPITAL	48	1	-	-	-	-	-	-	-	2	5	40	-
LALLIE KEMP CHARITY HOSPITAL	75	2	-	-	1	-	1	3	7	5	15	41	-
E.S.PIKE MEMORIAL HOSPITAL	42	-	-	-	-	-	-	-	-	-	2	40	-
SEVENTH WARD GENERAL HOSPITAL	151	2	-	-	-	-	-	2	2	7	23	115	-
OUT OF HOSPITAL	359	11	5	-	2	10	18	17	16	20	48	212	-
TENSAS..................................	63	1	-	-	-	-	1	-	3	2	10	46	-
ST.CHARLES HOSPITAL OF TENSAS PARISH	28	1	-	-	-	-	-	-	-	2	4	21	-
OUT OF HOSPITAL	35	-	-	-	-	-	1	-	3	-	6	25	-
TERREBONNE..................................	633	19	3	4	3	19	21	35	40	57	98	333	1
SOUTH LOUISIANA MEDICAL CENTER	102	5	-	-	-	1	3	1	10	14	22	46	-
TERREBONNE PARISH GENERAL HOSPITAL	159	5	-	-	-	-	-	5	3	13	20	113	-
OUT OF HOSPITAL	372	9	3	4	3	18	18	29	27	30	56	174	1
UNION..................................	177	3		1	-	2	5	3	2	12	16	133	-
TRI WARD GENERAL HOSPITAL	42	1	-	-	-	-	-	-	-	-	-	41	-
UNION GENERAL HOSPITAL	35	-	-	-	-	-	-	1	-	3	2	29	-
OUT OF HOSPITAL	100	2	-	1	-	2	5	2	2	9	14	63	-
VERMILION..................................	382	9	1	-	1	5	9	20	13	30	52	242	-
ABROM KAPLAN MEMORIAL HOSPITAL	55	-	-	-	-	1	-	1	1	2	6	44	-
ABBEVILLE GENERAL HOSPITAL	123	6	1	-	-	1	1	4	4	14	15	77	-
ERATH MEMORIAL HOSPITAL	38	-	-	-	-	-	-	1	1	1	6	29	-
GUEYDAN MEMORIAL HOSPITAL	15	-	-	-	-	-	-	-	-	-	4	11	-
OUT OF HOSPITAL	151	3	-	-	1	3	8	14	7	13	21	81	-
VERNON..................................	218	10	3	1	2	2	10	10	10	16	31	121	2
LEESVILLE GENERAL HOSPITAL	19	-	-	-	-	-	-	-	-	2	1	15	1
U.S.ARMY HOSPITAL	23	8	1	-	-	-	1	-	-	3	4	6	-
BYRD MEMORIAL HOSPITAL	64	-	-	-	-	-	-	-	1	2	8	53	-
OUT OF HOSPITAL	112	2	2	1	2	2	9	10	9	9	18	47	1

(CONTINUED)

Table XXI (continued)

DEATHS SHOWING HOSPITAL IN WHICH DEATH OCCURRED, BY AGE
LOUISIANA, 1981

HOSPITAL	TOTAL	AGE											
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 & OVER	UNK
WASHINGTON................................	473	8	-	1	2	6	6	15	23	38	61	313	-
BOGALUSA COMMUNITY MEDICAL CENTER	124	-	-	-	-	-	-	-	1	6	10	107	-
RIVERSIDE MEDICAL CENTER	87	1	-	-	-	-	-	-	3	3	15	65	-
WASHINGTON ST.TAMMANY CHARITY HOSPITAL	70	3	-	-	-	3	-	1	9	7	9	38	-
OUT OF HOSPITAL	192	4	-	1	2	3	6	14	10	22	27	103	-
WEBSTER...................................	403	2	2	-	2	7	2	6	9	13	53	307	-
MINDEN MEDICAL CENTER	116	2	-	-	-	-	-	2	1	3	13	95	-
COMMUNITY HOSPITAL	99	-	-	-	-	2	-	1	1	2	9	84	-
OUT OF HOSPITAL	188	-	2	-	2	5	2	3	7	8	31	128	-
WEST BATON ROUGE..........................	59	-	-	-	-	2	1	4	6	7	8	30	1
OUT OF HOSPITAL	59	-	-	-	-	2	1	4	6	7	8	30	1
WEST CARROLL..............................	70	1	-	-	1	1	1	-	3	3	7	53	-
WEST CARROLL PARISH HOSPITAL	24	-	-	-	-	-	1	-	-	-	1	22	-
OUT OF HOSPITAL	46	1	-	-	1	1	-	-	3	3	6	31	-
WEST FELICIANA............................	92	-	1	1	-	1	2	3	7	8	12	56	1
ANGOLA GENERAL HOSPITAL	3	-	-	-	-	-	-	-	1	1	-	1	-
WEST FELICIANA PARISH HOSPITAL	42	-	-	-	-	-	-	-	4	1	4	32	1
OUT OF HOSPITAL	47	-	1	1	-	1	2	3	2	6	8	23	-
WINN......................................	188	1	1	-	-	2	3	2	6	18	22	133	-
WINNFIELD GENERAL HOSPITAL	112	-	-	-	-	-	-	-	2	9	11	90	-
OUT OF HOSPITAL	76	1	1	-	-	2	3	2	4	9	11	43	-

Table XXII
Principal Causes of Death by Parish
Louisiana, 1981

(By Residence)

PARISH	TOTAL		Disease of Heart (390-398, 402) (404-429)		Malignant Neoplasms (140-208)		Cerebrovascular Disease (430-438)		Accidents and Adverse Effects (E800-E949)		Chronic Obstructive Pulmonary Diseases and Allied Conditions (490-496)	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
TOTAL	35985	835.8	13074	303.7	7190	167.0	3129	72.7	2454	57.0	860	20.0
ACADIA	532	928.6	185	322.9	97	169.3	56	97.7	33	57.6	17	29.7
ALLEN	232	1080.2	86	400.4	43	200.2	26	121.1	21	97.8	5	23.3
ASCENSION	313	606.9	112	217.2	62	120.2	15	29.1	42	81.4	4	7.8
ASSUMPTION	165	734.9	67	296.6	40	177.1	11	48.7	6	26.6	1	4.4
AVOYELLES	457	1097.9	189	454.1	73	175.4	40	96.1	28	67.3	12	28.8
BEAUREGARD	228	737.5	86	278.2	44	142.3	23	74.4	14	45.3	6	19.4
BIENVILLE	188	1133.0	69	415.8	45	271.2	17	102.5	9	54.2	2	12.1
BOSSIER	533	640.5	177	212.7	114	137.0	41	49.3	42	50.5	15	18.0
CADDO	2447	954.7	883	344.5	559	216.1	228	89.0	144	56.2	54	21.1
CALCASIEU	1314	766.8	437	255.0	272	158.7	145	84.6	93	54.3	35	20.4
CALDWELL	117	1077.5	45	414.4	24	221.0	11	101.3	6	55.3	3	27.6
CAMERON	80	840.6	25	262.7	24	252.2	6	63.0	8	84.1	3	31.5
CATAHOULA	124	1001.3	42	339.1	25	201.9	13	105.0	12	96.9	2	16.1
CLAIBORNE	220	1240.0	90	507.3	36	202.9	27	152.2	15	84.5	2	11.3
CONCORDIA	207	890.7	74	318.4	32	137.7	35	150.6	13	55.9	3	12.9
DESOTO	295	1114.6	90	340.1	57	215.4	54	204.0	17	64.2	11	41.6
EAST BATON ROUGE	2468	652.1	935	247.1	477	126.0	184	48.6	175	46.2	54	14.3
EAST CARROLL	132	1135.8	30	258.1	20	172.1	20	172.1	10	86.0	4	34.4
EAST FELICIANA	163	837.6	49	251.8	37	190.1	24	123.3	12	61.7	5	25.7
EVANGELINE	369	1093.6	147	435.7	60	177.8	29	85.9	28	83.0	11	32.6
FRANKLIN	275	1127.0	100	409.8	54	221.3	36	147.5	20	82.0	8	32.8
GRANT	157	911.2	43	249.6	31	179.9	17	98.7	13	75.4	12	69.6
IBERIA	576	888.7	209	322.4	113	174.3	45	69.4	45	69.4	17	26.2
IBERVILLE	315	972.3	126	388.9	60	185.2	25	77.2	19	58.6	10	30.9
JACKSON	175	992.4	64	362.9	41	232.5	23	130.4	4	22.7	3	17.0
JEFFERSON	3022	643.7	1041	221.7	664	141.4	236	50.3	199	42.4	80	17.0
JEFFERSON DAVIS	301	919.5	96	293.3	48	146.6	27	82.5	26	79.4	11	33.6
LAFAYETTE	911	585.8	308	198.1	198	127.3	66	42.4	64	41.2	19	12.2
LAFOURCHE	594	699.2	219	257.8	108	127.1	42	49.4	68	80.0	12	14.1
LASALLE	192	1091.8	81	460.6	42	238.8	16	91.0	22	125.1	6	34.1
LINCOLN	268	647.0	105	253.5	59	142.4	35	84.5	15	36.2	4	9.7
LIVINGSTON	408	655.5	137	220.1	72	115.7	24	38.6	35	56.2	11	17.7
MADISON	173	1070.3	64	395.9	41	253.7	20	123.7	9	55.7	4	24.7
MOREHOUSE	341	960.9	129	363.5	71	200.1	35	98.6	15	42.3	4	11.3
NATCHITOCHES	376	922.3	148	363.0	72	176.6	49	120.2	16	39.2	9	22.1
ORLEANS	6134	1095.1	2249	401.5	1235	220.5	497	88.7	279	49.8	116	20.7
OUACHITA	1104	772.6	503	352.0	200	140.0	74	51.8	57	39.9	24	16.8
PLAQUEMINES	178	673.6	55	208.1	49	185.4	12	45.4	24	90.8	3	11.4
POINTE COUPEE	219	900.0	71	291.8	49	201.4	27	111.0	13	53.4	4	16.4
RAPIDES	1259	915.2	491	356.9	243	176.6	107	77.8	55	40.0	48	34.9
RED RIVER	152	1402.2	71	655.0	19	175.3	7	64.6	3	27.7	5	46.1
RICHLAND	244	1084.1	128	568.7	39	173.3	25	111.1	9	40.0	3	13.3
SABINE	263	1006.1	104	397.8	45	172.1	23	88.0	24	91.8	4	15.3
ST. BERNARD	530	801.8	206	311.7	114	172.5	43	65.1	41	62.0	16	24.2
ST. CHARLES	231	603.3	82	214.2	47	122.7	14	36.6	25	65.3	5	13.1
ST. HELENA	91	931.0	30	306.9	12	122.8	13	133.0	10	102.3	-	- -
ST. JAMES	181	836.6	60	277.3	33	152.5	17	78.6	19	87.8	6	27.7
ST. JOHN	225	677.4	72	216.8	43	129.5	16	48.2	22	66.2	4	12.0
ST. LANDRY	769	899.9	292	341.7	141	165.0	66	77.2	68	79.6	15	17.6
ST. MARTIN	297	716.1	117	282.1	47	113.3	23	55.5	29	69.9	10	24.1
ST. MARY	500	768.2	178	273.5	107	164.4	35	53.8	47	72.2	15	23.0
ST. TAMMANY	804	682.9	250	212.3	207	175.8	71	60.3	72	61.2	31	26.3
TANGIPAHOA	721	871.3	187	226.0	103	124.5	71	85.8	61	73.7	13	15.7
TENSAS	88	1046.1	42	499.3	19	225.9	4	47.6	4	47.6	1	11.9
TERREBONNE	657	678.5	218	225.1	123	127.0	41	42.3	83	85.7	21	21.7
UNION	226	1046.2	91	421.3	44	203.7	17	78.7	16	74.1	5	23.1
VERMILION	431	871.4	170	343.7	88	177.9	30	60.7	38	76.8	6	12.1
VERNON	342	611.7	98	175.3	57	101.9	28	50.1	34	60.8	2	3.6
WASHINGTON	539	1205.3	201	449.5	89	199.0	42	93.9	44	98.4	17	38.0
WEBSTER	503	1133.2	178	401.0	103	232.0	71	159.9	35	78.8	15	33.8
WEST BATON ROUGE	151	782.0	54	279.6	31	160.5	7	36.3	12	62.1	1	5.2
WEST CARROLL	137	1045.7	62	473.2	24	183.2	12	91.6	6	45.8	2	15.3
WEST FELICIANA	85	688.7	31	249.0	16	128.5	7	56.2	10	80.3	2	16.1
WINN	226	1281.7	89	505.5	48	272.6	27	153.4	11	62.5	7	39.8
UNKNOWN	29	- -	6	- -	-	- -	1	- -	5	- -	-	- -
OUT OF STATE*.	1152	- -	338	- -	204	- -	58	- -	213	- -	22	- -

* Not included in state totals.

Table XXII (continued)
Principal Causes of Death by Parish
Louisiana, 1981
(By Residence)

PARISH	Diabetes Mellitus (250)	Pneumonia and Influenza (480-487)	Atherosclerosis (440)	Homicide and •• Legal Intervention (E960-E978)	Certain Conditions Originating in the Perinatal Period (760-779)	Suicide (E950-E959)	Nephritis, Nephrotic Syndrome, and Nephrosis (580-589)	Chronic Liver Disease and Cirrhosis (571)	Congenital Anomalies (740-759)	Septicemia (038)	All Other Causes Residual
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
TOTAL	819	727	713	712	585	502	465	443	314	270	3728
ACADIA	11	17	20	3	8	11	5	6	5	5	53
ALLEN	5	7	2	6	-	1	3	3	1	-	23
ASCENSION	4	6	4	7	5	7	4	3	4	2	32
ASSUMPTION	4	5	5	4	1	1	1	1	3	2	14
AVOYELLES	13	10	17	3	6	4	2	4	5	3	48
BEAUREGARD	1	2	13	3	5	3	-	3	4	2	19
BIENVILLE	2	4	3	2	-	1	3	2	-	2	27
BOSSIER	11	15	11	9	10	11	8	9	1	6	53
CADDO	50	59	15	60	28	29	24	30	18	27	239
CALCASIEU	32	18	47	16	15	20	19	15	10	13	127
CALDWELL	6	4	3	-	2	2	2	2	-	-	7
CAMERON	-	1	2	1	1	2	1	1	1	-	4
CATAHOULA	2	5	1	1	-	1	3	-	2	-	15
CLAIBORNE	8	8	2	3	4	3	2	1	1	1	17
CONCORDIA	4	5	4	5	9	1	-	1	2	1	18
DESOTO	9	8	7	3	5	3	5	2	1	1	22
EAST BATON ROUGE	41	42	43	62	74	44	31	26	26	20	234
EAST CARROLL	7	6	9	3	2	-	1	2	1	-	17
EAST FELICIANA	2	5	1	2	1	2	1	4	1	1	16
EVANGELINE	14	9	2	6	1	12	5	3	5	4	33
FRANKLIN	10	5	1	3	5	2	6	1	2	-	22
GRANT	5	4	1	4	-	-	5	-	1	3	18
IBERIA	8	7	14	10	14	8	9	5	5	1	66
IBERVILLE	9	5	7	1	1	3	7	2	3	1	36
JACKSON	2	7	1	2	-	2	3	3	2	2	16
JEFFERSON	74	48	33	57	51	72	43	45	37	17	325
JEFFERSON DAVIS	11	11	10	3	5	5	4	3	3	-	38
LAFAYETTE	16	11	27	17	22	22	13	9	15	8	96
LAFOURCHE	12	4	12	10	10	9	6	4	9	3	66
LASALLE	1	5	1	1	1	1	1	-	-	2	12
LINCOLN	2	4	5	1	4	-	2	2	2	-	28
LIVINGSTON	6	7	8	7	13	6	5	4	2	4	67
MADISON	-	3	-	3	3	2	2	1	1	1	19
MOREHOUSE	6	9	8	5	3	-	7	4	3	1	41
NATCHITOCHES	8	10	4	6	4	3	5	3	1	1	37
ORLEANS	195	107	69	217	99	58	87	114	30	63	719
OUACHITA	26	21	16	15	19	14	14	10	7	4	100
PLAQUEMINES	4	4	-	1	4	2	2	1	5	3	9
POINTE COUPEE	6	3	4	2	2	5	5	5	5	1	17
RAPIDES	19	38	15	27	17	17	17	13	12	10	130
RED RIVER	5	1	5	3	4	1	3	1	1	3	20
RICHLAND	3	7	2	2	2	1	2	1	1	-	19
SABINE	6	11	9	3	1	5	2	1	2	4	19
ST. BERNARD	10	8	3	3	5	9	4	10	4	5	49
ST. CHARLES	2	2	-	5	8	4	8	2	7	1	19
ST. HELENA	6	3	3	2	-	-	-	1	1	-	10
ST. JAMES	3	4	3	2	2	-	4	2	3	3	20
ST. JOHN	9	1	1	1	7	5	6	3	5	1	29
ST. LANDRY	18	21	12	6	13	13	14	11	6	2	71
ST. MARTIN	3	6	5	5	10	6	2	1	5	-	28
ST. MARY	12	13	3	13	10	5	2	8	6	3	43
ST. TAMMANY	15	18	15	12	10	10	6	12	9	4	62
TANGIPAHOA	5	16	136	11	17	11	11	2	2	3	72
TENSAS	2	1	-	-	1	1	1	1	-	1	10
TERREBONNE	16	12	27	15	12	14	6	7	8	1	53
UNION	1	4	1	5	1	2	3	1	-	2	33
VERMILION	7	10	5	3	5	7	8	3	5	7	39
VERNON	5	8	3	6	10	7	3	1	4	1	75
WASHINGTON	15	9	23	7	3	5	6	12	2	7	57
WEBSTER	12	9	4	3	3	4	4	7	2	5	48
WEST BATON ROUGE	7	6	4	2	2	2	4	1	3	-	15
WEST CARROLL	3	3	1	2	1	1	2	2	-	1	15
WEST FELICIANA	2	-	1	-	-	-	-	2	-	-	14
WINN	6	5	-	4	3	-	1	2	2	-	21
UNKNOWN	-	-	-	6	1	-	-	2	-	1	7
OUT OF STATE*	14	14	12	44	23	25	20	15	15	11	124

* Not included in state totals.

Table XXIII
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX AND RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
ALL CAUSES	35985	835.8			1129	223	123	117	486	706	1247	1370	2872	5565	8668	8472	4983	24
			MW	13364	279	55	45	49	253	353	526	536	1161	2380	3584	2945	1180	10
			FW	11046	233	59	19	20	77	90	175	264	657	1324	2382	3223	2521	2
			MNW	6404	335	58	37	33	128	197	402	381	658	1040	1481	1136	508	10
			FNW	5171	282	51	22	15	28	66	144	189	396	813	1221	1168	774	2
I. Infectious and parasitic diseases - (001-139)	464	10.8			28	12	3	3	4	6	21	24	38	75	109	99	42	-
			MW	136	7	4	1	1	3	2	3	4	13	27	35	24	12	-
			FW	114	6	2	-	1	-	-	1	4	5	20	34	31	10	-
			MNW	121	8	3	2	1	-	1	13	9	14	14	27	18	11	-
			FNW	93	7	3	-	-	1	3	4	7	6	14	13	26	9	-
A. Intestinal infectious diseases - (001-009)	10	0.2			7	-	-	-	-	-	-	-	-	2	1	-	-	-
			MW	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
			FNW	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Cholera and typhoid and paratyphoid fevers - (001-002)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Shigellosis - (004)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Other salmonella infections and other food poisoning (bacterial) - (003,005)	2	0.0		-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Amebiasis - (006)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Intestinal infections due to other specified organisms - (007-008) . .	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Ill-defined intestinal infections - (009)	8	0.2			7	-	-	-	-	-	-	-	-	-	1	-	-	-
			MW	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
B. Tuberculosis - (010-018)	57	1.3			-	-	-	-	-	-	4	4	9	9	17	13	1	-
			MW	19	-	-	-	-	-	-	-	1	3	6	5	4	-	-
			FW	8	-	-	-	-	-	-	-	-	-	1	3	4	-	-
			MNW	23	-	-	-	-	-	-	3	1	5	2	8	3	1	-
			FNW	7	-	-	-	-	-	-	1	2	1	-	1	2	-	-
1. Tuberculosis of respiratory system (010-012)	50	1.2			-	-	-	-	-	-	3	4	8	7	15	12	1	-
			MW	16	-	-	-	-	-	-	-	1	3	5	4	2	-	-
			FW	8	-	-	-	-	-	-	-	-	-	1	3	4	-	-
			MNW	20	-	-	-	-	-	-	3	1	4	1	7	3	1	-
			FNW	6	-	-	-	-	-	-	-	2	1	-	1	2	-	-
2. Other tuberculosis - (013-018) . .	7	0.2			-	-	-	-	-	-	1	-	1	2	2	1	-	-
			MW	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
C. Zoonotic and other bacterial diseases - (020-041)	312	7.2			19	11	2	2	3	1	9	16	21	49	68	74	37	-
			MW	84	6	3	-	1	2	-	2	1	5	15	21	17	11	-
			FW	79	4	2	-	-	-	-	-	2	4	13	20	25	9	-
			MNW	83	5	3	2	1	-	1	6	8	8	11	16	14	8	-
			FNW	66	4	3	-	-	1	-	1	5	4	10	11	18	9	-
1. Brucellosis - (023)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Diphtheria - (032)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Whooping cough - (033)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Streptococcal sore throat, scarlatina, and erysipelas - (034-035)	1	0.0			-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Meningococcal infection - (036) . .	25	0.6			8	6	2	-	2	-	3	1	1	2	-	-	-	-
			MW	8	3	2	-	-	2	-	1	-	-	-	-	-	-	-
			FW	6	3	2	-	-	-	-	-	-	1	-	-	-	-	-
			MNW	7	2	1	2	-	-	-	1	1	-	-	-	-	-	-
			FNW	4	-	1	-	-	-	-	1	-	-	2	-	-	-	-
6. Tetanus - (037)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. Septicemia - (038)	270	6.3			11	5	-	2	1	1	6	13	17	43	63	72	36	-
			MW	72	3	1	-	1	-	-	1	1	4	14	20	17	10	-
			FW	69	1	-	-	-	-	-	-	2	2	13	18	24	9	-
			MNW	71	3	2	-	1	-	1	5	6	7	9	15	14	8	-
			FNW	58	4	2	-	-	1	-	-	4	4	7	10	17	9	-
8. All other bacterial diseases - (020-022, 024-031, 039-041)	16	0.4			-	-	-	-	-	-	-	2	3	4	5	2	-	-
			MW	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-
			FW	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-
			MNW	5	-	-	-	-	-	-	-	2	2	3	2	-	-	-
			FNW	4	-	-	-	-	-	-	-	1	-	1	1	1	-	-
D. Viral diseases - (045-079)	48	1.1			-	-	1	1	1	4	4	3	5	7	15	6	1	-
			MW	18	-	-	1	-	1	2	-	1	4	2	5	2	-	-
			FW	17	-	-	-	1	-	-	1	2	1	3	8	1	-	-
			MNW	5	-	-	-	-	-	-	2	-	-	-	2	-	1	-
			FNW	8	-	-	-	-	-	2	1	-	-	2	-	3	-	-
1. Acute poliomyelitis - (045)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Smallpox - (050)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3. Measles - (055)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Rubella - (056)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Arthropod-borne encephalitis - (062-064)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Viral hepatitis - (070)	26	0.6			-	-	-	-	-	3	3	2	4	4	7	3	-	-
			MW	11	-	-	-	-	-	2	-	1	4	1	2	1	-	-
			FW	9	-	-	-	-	-	-	-	1	-	2	5	1	-	-
			MNW	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
			FNW	4	-	-	-	-	-	1	1	-	-	1	-	1	-	-
7. Other viral diseases - (046-049 051-054, 057-061, 065-066, 071-079)	22	0.5			-	-	1	1	1	1	1	1	1	3	8	3	1	-
			MW	7	-	-	1	-	1	-	-	-	-	1	3	1	-	-
			FW	8	-	-	-	1	-	-	1	1	1	1	3	-	-	-
			MNW	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-
			FNW	4	-	-	-	-	-	1	-	-	-	1	-	2	-	-
E. Rickettsioses and other arthropod-borne diseases - (080-088)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1. Typhus and other rickettsioses - (080-083)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Malaria - (084)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3. All other arthropod-borne diseases - (085-088)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F. Syphilis and other venereal diseases - (090-099)	4	0.1			1	-	-	-	-	-	-	-	-	-	1	1	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
1. Syphilis - (090-097)	4	0.1			1	-	-	-	-	-	-	-	-	-	1	1	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
a. Cardiovascular syphilis - (093)	2	0.0			-	-	-	-	-	-	-	-	-	-	-	1	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Neurosyphilis - (094)	1	0.0			-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
c. All other syphilis - (090-091, 095-097)	1	0.0			1	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Gonococcal infections - (098) . . .	-	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Other venereal diseases - (099) . .	-	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-		-	-	-	-	-	-	-	-	-	-
G. Other infectious and parasitic diseases and late effects of infectious and parasitic diseases - (100-139)	32	0.7			1	1	-	-	-	1	3	1	3	8	7	5	2	-
			MW	13	-	1	-	-	-	-	1	1	1	4	3	1	1	-
			FW	8	1	-	-	-	-	-	-	-	-	2	3	1	1	-
			MNW	5	-	-	-	-	-	-	2	-	1	-	1	1	-	-
			FNW	6	-	-	-	-	-	1	-	-	1	2	-	2	-	-
1. Mycoses - (110-118)	8	0.2			-	1	-	-	-	-	1	-	-	3	2	1	-	-
			MW	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-
			FW	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
			MNW	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2. Helminthiases - (120-129)	-	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Late effects of tuberculosis - (137)	7	0.2			-	-	-	-	-	-	-	-	1	-	2	2	2	-
			MW	3	-	-	-	-	-	-	-	-		-	1	1	1	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
4. Late effects of acute polio-myelitis - (133)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. All other infectious and parasitic diseases and late effects of other infectious and parasitic diseases - (100-104, 130-136, 139)	16	0.4			1	-	-	-	-	1	1	1	2	5	3	2	-	-
			MW	6	-	-	-	-	-	-	-	1	1	3	1	-	-	-
			FW	5	1	-	-	-	-	-	-	-	-	1	2	1	-	-
			MNW	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
			FNW	3	-	-	-	-	-	1	-	-	-	1	-	1	-	-
II. Neoplasms - (140-239) . . .	7327	170.2			2	14	14	11	22	27	101	277	817	1706	2256	1519	557	4
			MW	2864	1	5	4	3	9	11	29	92	324	680	939	606	160	1
			FW	2297	1	5	4	3	9	4	33	83	253	480	644	509	268	1
			MNW	1264	-	3	5	4	4	7	20	48	135	321	402	248	65	2
			FNW	902	-	1	1	1	-	5	19	54	105	225	271	156	64	-
A. Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues - (140-208) . .	7190	167.0			2	11	13	10	21	25	95	268	799	1682	2220	1490	550	4
			MW	2821	1	4	4	3	9	9	27	89	318	673	928	598	157	1
			FW	2247	1	3	4	2	9	4	33	82	247	470	630	496	265	1
			MNW	1243	-	3	4	4	3	7	18	47	131	317	397	245	65	2
			FNW	879	-	1	1	1	-	5	17	50	103	222	265	151	63	-

/

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
1. Malignant neoplasms of lip, oral cavity, and pharynx - (140-149)	163	3.8			-	-	1	-	-	-	-	2	26	45	48	28	13	-
			MW	70	-	-	-	-	-	-	-	-	8	23	26	15	6	-
			FW	35	-	-	1	-	-	-	-	1	7	8	6	6	6	-
			MNW	38	-	-	-	-	-	-	-	1	9	10	12	6	-	-
			FNW	12	-	-	-	-	-	-	-	-	2	4	4	1	1	-
a. Of lip - (140)	3	0.1			-	-	-	-	-	-	-	-	1	-	1	-	1	-
			MW	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Of tongue - (141)	29	0.7			-	-	-	-	-	-	-	-	3	9	9	5	3	-
			MW	14	-	-	-	-	-	-	-	-	1	2	5	3	3	-
			FW	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-
			MNW	9	-	-	-	-	-	-	-	-	2	3	3	1	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
c. Of pharynx - (146-149.0)	84	2.0			-	-	-	-	-	-	-	1	13	25	32	11	2	-
			MW	37	-	-	-	-	-	-	-	-	3	13	14	6	1	-
			FW	18	-	-	-	-	-	-	-	-	6	4	5	3	-	-
			MNW	21	-	-	-	-	-	-	-	1	3	6	9	2	-	-
			FNW	8	-	-	-	-	-	-	-	-	1	2	4	-	1	-
d. Of other and ill-defined sites within the lip, oral cavity, and pharynx - (142-145, 149.1-149.9)	47	1.1			-	-	1	-	-	-	-	1	9	11	6	12	7	-
			MW	25	-	-	-	-	-	-	-	-	3	8	6	6	2	-
			FW	12	-	-	1	-	-	-	-	1	1	2	-	2	5	-
			MNW	8	-	-	-	-	-	-	-	-	4	1	-	3	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
2. Malignant neoplasms of digestive organs and peritoneum - (150-159) .	1735	40.3			-	1	1	-	2	-	18	56	152	368	535	420	182	-
			MW	612	-	1	-	-	-	-	6	20	64	139	202	136	44	-
			FW	582	-	-	1	-	-	-	4	11	45	94	171	162	94	-
			MNW	302	-	-	-	-	2	-	6	17	29	72	96	60	20	-
			FNW	239	-	-	-	-	-	-	2	8	14	63	66	62	24	-
a. Of esophagus - (150)	147	3.4			-	-	-	-	-	-	2	7	18	43	45	25	7	-
			MW	57	-	-	-	-	-	-	1	-	7	17	21	10	1	-
			FW	25	-	-	-	-	-	-	-	-	3	5	8	7	2	-
			MNW	49	-	-	-	-	-	-	1	6	8	16	10	6	2	-
			FNW	16	-	-	-	-	-	-	-	1	-	5	6	2	2	-
b. Of stomach - (151)	261	6.1			-	-	-	-	1	-	3	13	15	51	94	61	23	-
			MW	78	-	-	-	-	-	-	1	6	7	13	30	17	4	-
			FW	57	-	-	-	-	-	-	-	2	1	12	18	15	9	-
			MNW	76	-	-	-	-	1	-	1	1	3	16	34	16	4	-
			FNW	50	-	-	-	-	-	-	1	4	4	10	12	13	6	-
c. Of small intestine, including duodenum - (152)	11	0.3			-	-	-	-	-	-	-	-	2	5	3	1	-	-
			MW	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-
			FW	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
d. Of colon - (153)	641	14.9			-	-	-	-	1	-	8	20	55	119	184	175	79	-
			MW	234	-	-	-	-	-	-	3	7	21	46	75	58	24	-
			FW	259	-	-	-	-	-	-	2	6	20	44	75	74	38	-
			MNW	66	-	-	-	-	1	-	2	6	7	13	14	15	8	-
			FNW	82	-	-	-	-	-	-	1	1	7	16	20	28	9	-
1) Hepatic and splenic flexures and transverse colon - (153.0-153.1, 153.7	6	0.1			-	-	-	-	-	-	-	-	1	1	2	2	-	-
			MW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
			FW	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2) Descending colon - (153.2). .	5	0.1			-	-	-	-	-	-	-	-	-	2	-	2	1	-
			MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FW	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3) Sigmoid colon - (153.3) . . .	20	0.5			-	-	-	-	-	-	-	-	3	2	8	5	2	-
			MW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			FW	13	-	-	-	-	-	-	-	-	2	2	4	3	2	-
			MNW	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
4) Cecum, appendix, and ascending colon - (153.4-153.6)	28	0.7			-	-	-	-	-	-	-	-	1	2	7	15	3	-
			MW	6	-	-	-	-	-	-	-	-	-	1	1	4	-	-
			FW	17	-	-	-	-	-	-	-	-	1	-	4	9	3	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-
5) Other and colon, unspecified - (153.8-153.9)	582	13.5			-	-	-	-	1	-	8	20	50	112	167	151	73	-
			MW	222	-	-	-	-	-	-	3	7	20	44	72	52	24	-
			FW	222	-	-	-	-	-	-	2	6	17	40	65	59	33	-
			MNW	62	-	-	-	-	1	-		6	6	13	12	14	8	-
			FNW	76	-	-	-	-	-	-		1	7	15	18	26	8	-
e. Of rectum, rectosigmoid junction, and anus - (154)	115	2.7			-	-	-	-	-	-	1	1	12	20	34	24	23	-
			MW	50	-	-	-	-	-	-	-	-	9	11	13	11	6	-
			FW	35	-	-	-	-	-	-	1	-	2	2	12	6	12	-
			MNW	20	-	-	-	-	-	-	-	1	1	5	5	4	4	-
			FNW	10	-	-	-	-	-	-	-	-	-	2	4	3	1	-
f. Of liver and intrahepatic bile ducts - (155)	119	2.8			-	1	1	-	-	-	-	4	12	21	43	28	9	-
			MW	48	-	1	-	-	-	-	-	-	5	9	21	11	1	-
			FW	29	-	-	1	-	-	-	-	1	3	1	9	7	7	-
			MNW	24	-	-	-	-	-	-	-	1	4	5	7	6	1	-
			FNW	18	-	-	-	-	-	-	-	2	-	6	6	4	-	-
1) Liver, primary - (155.0) . .	34	0.8			-	1	1	-	-	-	-	-	3	7	10	12	-	-
			MW	16	-	1	-	-	-	-	-	-	1	3	5	6	-	-
			FW	7	-	-	1	-	-	-	-	-	1	-	2	3	-	-
			MNW	9	-	-	-	-	-	-	-	-	1	3	3	2	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
2) Intrahepatic bile ducts - (155.1)	7	0.2			-	-	-	-	-	-	-	1	1	-	4	1	-	-
			MW	5	-	-	-	-	-	-	-	-	1	-	3	1	-	-
			FW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3) Liver, not specified as primary or secondary - (155.2) . . .	78	1.8			-	-	-	-	-	-	-	3	8	14	29	15	9	-
			MW	27	-	-	-	-	-	-	-	-	3	6	13	4	1	-
			FW	21	-	-	-	-	-	-	-	-	2	1	7	4	7	-
			MNW	14	-	-	-	-	-	-	-	1	3	2	3	4	1	-
			FNW	16	-	-	-	-	-	-	-	2	-	5	6	3	-	-
g. Of gallbladder and extrahepatic bile ducts - (156)	53	1.2			-	-	-	-	-	-	-	-	4	14	16	13	6	-
			MW	16	-	-	-	-	-	-	-	-	1	4	6	4	1	-
			FW	22	-	-	-	-	-	-	-		2	3	4	8	5	-
			MNW	6	-	-	-	-	-	-	-	-	1	3	2	-	-	-
			FNW	9	-	-	-	-	-	-	-	-	-	4	4	1	-	-
h. Of pancreas - (157)	359	8.3			-	-	-	-	-	-	3	11	32	89	108	82	34	-
			MW	117	-	-	-	-	-	-	1	7	14	34	31	23	7	-
			FW	142	-	-	-	-	-	-	1	2	11	27	42	39	20	-
			MNW	55	-	-	-	-	-	-	1	2	5	12	22	12	1	-
			FNW	45	-	-	-	-	-	-	-	-	2	16	13	8	6	-
i. Of retroperitoneum, peritoneum, other and ill-defined sites within the digestive organs and peritoneum - (158-159)	29	0.7			-	-	-	-	-	-	1	-	2	6	8	11	1	-
			MW	6	-	-	-	-	-	-	-	-	-	2	3	1	-	-
			FW	10	-	-	-	-	-	-	-	-	1	-	2	6	1	-
			MNW	6	-	-	-	-	-	-	1	-	-	2	2	1	-	-
			FN	7	-	-	-	-	-	-	-	-	1	2	1	3	-	-
3. Malignant neoplasms of respiratory and intrathoracic organs - (160-165)	2123	49.3			-	-	-	1	-	-	1	60	284	637	740	330	69	1
			MW	1136	-	-	-	1	-	-	-	29	151	315	411	198	30	1
			FW	410	-	-	-	-	-	-	1	9	49	135	142	54	20	-
			MNW	446	-	-	-	-	-	-	-	16	55	143	152	66	14	-
			FNW	131	-	-	-	-	-	-	-	6	29	44	35	12	5	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
a. Of larynx - (161)	62	1.4			-	-	-	-	-	-	-	2	7	25	18	10	-	-
			MW	36	-	-	-	-	-	-	-	1	2	11	14	8	-	-
			FW	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
			MNW	16	-	-	-	-	-	-	-	-	3	9	3	1	-	-
			FNW	7	-	-	-	-	-	-	-	1	2	3	-	1	-	-
b. Of trachea, bronchus, and lung - (162)	2034	47.2			-	-	-	-	-	-	-	57	276	603	716	313	68	1
			MW	1087	-		-	-	-	-	-	28	149	298	394	187	30	1
			FW	397	-	-	-	-	-	-	-	9	49	130	138	51	20	-
			MNW	426	-	-	-	-	-	-	-	15	51	134	149	64	13	-
			FNW	124	-	-	-	-	-	-	-	5	27	41	35	11	5	-
c. Of all other and ill-defined sites within the respiratory system and intrathoracic organs - (160, 163-165)	27	0.6			-	-	-	1	-	-	1	1	1	9	6	7	1	-
			MW	13	-	-	-	1	-	-	-	-	-	6	3	3	-	-
			FW	10	-	-	-	-	-	-	1	-	-	3	3	3	-	-
			MNW	4	-	-	-	-	-	-		1	1	-	-	1	1	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Malignant neoplasms of bone, connective tissue, skin and breast - (170-175)	685	15.9			-	2	1	1	2	2	26	53	122	150	167	97	62	-
			MW	73	-	1	1	1	1	1	6	7	17	12	10	8	8	-
			FW	423	-	-	-	-	1	-	12	31	77	89	102	69	42	-
			MNW	18	-	1	-	-	-	-	-	1	5	5	5	1	-	-
			FNW	171	-	-	-	-	-	1	8	14	23	44	50	19	12	-
a. Of bone and articular cartilage - (170)	18	0.4			-	-	-	1	2	2	2	1	2	3	3	-	2	-
			MW	5	-	-	-	1	1	1	2	-	-	-	-	-	-	-
			FW	4	-	-	-	-	1	-	-	-	-	1	1	-	1	-
			MNW	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-
			FNW	5	-	-	-	-	-	1	-	1	-	1	1	-	1	-
b. Of connective and other soft tissue - (171)	54	1.3			-	2	1	-	-	-	3	5	8	11	9	7	8	-
			MW	19	-	1	1	-	-	-	2	-	5	1	3	2	4	-
			FW	22	-	-	-	-	-	-	1	4	2	6	3	3	3	-
			MNW	6	-	1	-	-	-	-	-	1	1	2	-	1	-	-
			FNW	7	-	-	-	-	-	-	-	-	-	2	3	1	1	-
c. Melanoma of skin - (172)	69	1.6			-	-	-	-	-	-	3	11	11	13	16	10	5	-
			MW	38	-	-	-	-	-	-	2	7	9	8	6	4	2	-
			FW	22	-	-	-	-	-	-	1	4	2	2	6	5	2	-
			MNW	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-
			FNW	5	-	-	-	-	-	-	-	-	-	2	1	1	1	-
d. Other malignant neoplasms of skin - (173)	16	0.4			-	-	-	-	-	-	-	1	5	3	2	2	3	-
			MW	8	-	-	-	-	-	-	-	-	3	2	1	1	1	-
			FW	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-
			MNW	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
e. Of female breast - (174)	524	12.2			-	-	-	-	-	-	18	35	96	119	136	77	43	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	371	-	-	-	-	-	-	0	23	73	80	91	60	34	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	153	-	-	-	-	-	-	8	12	23	39	45	17	9	-
f. Of male breast - (175)	4	0.1			-	-	-	-	-	-	-	-	-	1	1	1	1	-
			MW	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Malignant neoplasms of genital organs - (170-187)	707	16.4			-	-	-	-	2	2	10	25	46	114	212	214	81	1
			MW	234	-	-	-	-	1	-	1	2	10	29	60	99	32	-
			FW	196	-	-	-	-	1	-	5	13	23	39	55	39	20	1
			MNW	157	-	-	-	-	-	1	-	-	3	17	51	66	19	-
			FNW	120	-	-	-	-	-	1	4	10	10	29	46	10	10	-
a. Of cervix uteri - (180)	89	2.1			-	-	-	-	-	-	5	14	10	18	21	13	8	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	47	-	-	-	-	-	-	3	7	5	9	10	7	6	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	42	-	-	-	-	-	-	2	7	5	9	11	6	2	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Of other parts of uterus - (179, 181-182)	82	1.9			-	-	-	-	-	1	3	2	6	16	32	14	8	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	45	-	-	-	-	-	-	1	-	5	8	15	12	4	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	37	-	-	-	-	-	1	2	2	1	8	17	2	4	-
c. Of ovary and other uterine adnexa - (183)	126	2.9			-	-	-	-	1	-	1	7	15	31	42	19	9	1
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	93	-	-	-	-	1	-	1	6	12	20	29	17	6	1
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	33	-	-	-	-	-	-	-	1	3	11	13	2	3	-
d. Of other and unspecified female genital organs - (184)	19	0.4			-	-	-	-	-	-	-	-	2	3	6	3	5	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	11	-	-	-	-	-	-	-	-	1	2	1	3	4	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	8	-	-	-	-	-	-	-	-	1	1	5	-	1	-
e. Of prostate - (185)	380	8.8			-	-	-	-	-	-	-	-	10	46	110	163	51	-
			MW	226	-	-	-	-	-	-	-	-	8	29	59	98	32	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	154	-	-	-	-	-	-	-	-	2	17	51	65	19	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f. Of testis - (186)	6	0.1			-	-	-	-	1	1	1	2	1	-	-	-	-	-
			MW	4	-	-	-	-	1	-	1	2	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
g. Of penis and other male genital organs - (187)	5	0.1			-	-	-	-	-	-	-	-	2	-	1	2	-	-
			MW	4	-	-	-	-	-	-	-	-	2	-	1	1	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Malignant neoplasms of urinary organs - (188-189)	267	6.2			-	1	2	-	-	1	-	6	19	49	86	66	37	-
			MW	135	-	-	1	-	-	-	-	3	11	20	50	30	20	-
			FW	76	-	1	-	-	-	-	-	2	5	13	18	23	14	-
			MNW	32	-	-	-	-	-	1	-	1	1	9	14	4	2	-
			FNW	24	-	-	1	-	-	-	-	-	2	7	4	9	1	-
a. Of bladder - (188)	125	2.9			-	-	-	-	-	-	-	1	6	13	34	41	30	-
			MW	66	-	-	-	-	-	-	-	-	4	6	21	18	17	-
			FW	31	-	-	-	-	-	-	-	-	1	2	3	14	11	-
			MNW	20	-	-	-	-	-	-	-	1	1	5	7	4	2	-
			FNW	8	-	-	-	-	-	-	-	-	-	-	3	5	-	-
b. Of kidney and other and unspecified urinary organs - (189)	142	3.3			-	1	2	-	-	1	-	5	13	36	52	25	7	-
			MW	69	-	-	1	-	-	-	-	3	7	14	29	12	3	-
			FW	45	-	1	-	-	-	-	-	2	4	11	15	5	3	-
			MNW	12	-	-	-	-	-	1	-	-	-	4	7	-	-	-
			FNW	16	-	-	1	-	-	-	-	-	2	7	1	4	1	-
7. Malignant neoplasms of other and unspecified sites - (190-199) . . .	864	20.0			1	3	1	5	5	4	18	37	90	201	255	177	65	2
			MW	302	1	-	-	-	3	1	4	13	30	89	101	53	7	-
			FW	289	-	1	1	2	1	1	5	8	24	52	82	70	42	-
			MNW	160	-	1	-	2	1	2	6	8	21	39	41	27	10	2
			FNW	113	-	1	-	1	-	-	3	8	15	21	31	27	6	-
a. Of eye - (190	3	0.1			-	1	-	-	-	-	-	-	-	-	1	-	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
b. Of brain - (191)	111	2.6			-	-	1	3	3	2	6	9	8	32	31	14	2	-
			MW	50	-	-	-	-	1	1	2	2	4	20	15	4	1	-
			FW	39	-	-	1	2	1	-	2	5	3	9	9	7	-	-
			MNW	12	-	-	-	1	1	1	2	1	-	1	4	1	-	-
			FNW	10	-	-	-	-	-	-	-	1	1	2	3	2	1	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Of other and unspecified parts of nervous system - (192)	2	0.0			-	-	-	2	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
d. Of thyroid gland and other endocrine glands and related structures - (193-194)	25	0.6			1	1	-	-	1	1	-	2	4	5	3	3	4	-
			MW	8	1	-	-	-	1	-	-	-	2	1	2	1	-	-
			FW	11	-	1	-	-	-	1	-	1	2	1	1	1	3	-
			MNW	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-
			FNW	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-
e. Of all other and unspecified sites - (195-199)	723	16.8			-	1	-	-	1	1	12	26	78	154	220	160	58	2
			MW	244	-	-	-	-	1	-	2	11	24	68	84	48	6	-
			FW	237	-	-	-	-	-	-	3	2	19	42	71	62	38	-
			MNW	144	-	1	-	-	-	1	4	7	21	36	37	26	9	2
			FNW	98	-	-	-	-	-	-	3	6	14	18	28	24	5	-
8. Malignant neoplasms of lymphatic and hematopoietic tissues - (200-208)	646	15.0			1	4	7	3	10	16	22	29	60	118	177	158	41	-
			MW	251	-	2	2	1	4	7	10	15	27	46	68	59	10	-
			FW	236	1	1	1	-	6	3	6	7	17	40	54	73	27	-
			MNW	90	-	1	4	2	-	3	6	3	8	22	26	15	-	-
			FNW	69	-	-	-	-	-	3	-	4	8	10	29	11	4	-
a. Lymphosarcoma and reticulosarcoma - (200)	90	2.1			-	1	-	-	-	5	3	3	6	21	18	31	2	-
			MW	33	-	1	-	-	-	3	1	1	4	7	5	11	-	-
			FW	40	-	-	-	-	-	-	-	-	1	9	10	18	2	-
			MNW	12	-	-	-	-	-	1	2	1	-	3	3	2	-	-
			FNW	5	-	-	-	-	-	1	-	1	1	2	-	-	-	-
b. Hodgkin's disease - (201) . . .	33	0.8			-	-	-	-	-	4	4	5	7	5	4	4	-	-
			MW	15	-	-	-	-	-	-	3	3	5	2	1	1	-	-
			FW	11	-	-	-	-	-	3	-	1	1	2	1	3	-	-
			MNW	6	-	-	-	-	-	1	1	1	1	1	1	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
c. Other malignant neoplasms of lymphoid and histiocytic tissue - (202)	92	2.1			1	-	-	-	4	2	2	6	11	20	18	20	8	-
			MW	43	-	-	-	-	1	1	-	5	4	11	9	10	2	-
			FW	39	1	-	-	-	3	-	1	-	4	9	6	9	6	-
			MNW	5	-	-	-	-	-	-	1	-	1	-	2	1	-	-
			FNW	5	-	-	-	-	-	1	-	1	2	-	1	-	-	-
d. Multiple myeloma and immunoproliferative neoplasms - (203)	134	3.1			-	-	-	-	-	-	1	4	12	25	55	29	8	-
			MW	40	-	-	-	-	-	-	-	3	6	9	11	8	3	-
			FW	38	-	-	-	-	-	-	1	-	1	6	15	10	5	-
			MNW	27	-	-	-	-	-	-	-	-	2	7	11	7	-	-
			FNW	29	-	-	-	-	-	-	-	1	3	3	18	4	-	-
e. Leukemia - (204-208)	297	6.9			-	3	7	3	6	5	12	11	24	47	82	74	23	-
			MW	120	-	1	2	1	3	3	6	3	8	17	42	29	5	-
			FW	108	-	1	1	-	3	-	4	6	10	14	22	33	14	-
			MNW	40	-	1	4	2	-	1	2	1	4	11	9	5	-	-
			FNW	29	-	-	-	-	-	1	-	1	2	5	9	7	4	-
1) Lymphoid leukemia - (204) . .	76	1.8			-	1	6	2	3	3	1	1	5	3	21	23	7	-
			MW	31	-	1	1	1	2	1	1	-	4	1	12	7	-	-
			FW	28	-	-	1	-	1	-	-	1	-	1	7	11	6	-
			MNW	11	-	-	4	1	-	1	-	-	-	1	1	3	-	-
			FNW	6	-	-	-	-	-	1	-	-	1	-	1	2	1	-
2) Myeloid leukemia - (205) . .	132	3.1			-	1	-	-	1	1	8	7	13	32	39	22	8	-
			MW	50	-	-	-	-	-	1	3	3	3	12	18	9	1	-
			FW	51	-	1	-	-	1	-	4	3	7	9	9	12	5	-
			MNW	16	-	-	-	-	-	-	1	-	2	7	5	1	-	-
			FNW	15	-	-	-	-	-	-	-	1	1	4	7	-	2	-
3) Monocytic leukemia - (206 . .	5	0.1			-	-	-	-	-	-	-	-	1	-	2	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FW	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4) Other and unspecified leukemia - (207-208)	84	2.0			-	1	1	1	2	1	3	3	5	12	20	27	8	-
			MW	38	-	-	1	-	1	1	2	-	1	4	11	13	4	-
			FW	26	-	-	-	-	1	-	-	2	3	4	5	8	3	-
			MNW	12	-	1	-	1	-	-	1	1	1	3	3	1	-	-
			FNW	8	-	-	-	-	-	-	-	-	-	1	1	5	1	-
B. Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature - (210-239)	137	3.2			-	3	1	1	1	2	6	9	18	24	36	29	7	-
			MW	43	-	1	-	-	-	2	2	3	6	7	11	8	3	-
			FW	50	-	2	-	1	-	-	-	1	6	10	14	13	3	-
			MNW	21	-	-	1	-	1	-	2	1	4	4	5	3	-	-
			FNW	23	-	-	-	-	-	-	2	4	2	3	6	5	1	-
1. Benign neoplasms - (210-229) . . .	24	0.6			-	-	-	-	-	-	-	3	3	4	7	7	-	-
			MW	8	-	-	-	-	-	-	-	1	2	1	1	3	-	-
			FW	8	-	-	-	-	-	-	-	-	-	3	3	2	-	-
			MNW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			FNW	5	-	-	-	-	-	-	-	2	1	-	1	1	-	-
a. Of female genital organs - (218-221)	2	0.0			-	-	-	-	-	-	-	1	-	1	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
b. Of eye, brain, and other parts of nervous system - (224-225)	12	0.3			-	-	-	-	-	-	-	-	1	3	3	5	-	-
			MW	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-
			FW	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
c. Of all other and unspecified sites - (210-217, 222-223, 226-229)	10	0.2			-	-	-	-	-	-	-	2	2	-	4	2	-	-
			MW	5	-	-	-	-	-	-	-	1	2	-	1	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
			FNW	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
2. Carcinoma in situ - (230-234) . . .	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Of breast and genitourinary system - (233)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Of all other and unspecified sites - (230-232, 234)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Neoplasms of uncertain behavior - (235-238)	22	0.5			-	1	-	-	-	-	4	1	1	3	3	8	1	-
			MW	6	-	1	-	-	-	-	1	-	-	2	1	1	-	-
			FW	7	-	-	-	-	-	-	-	-	-	-	1	5	1	-
			MNW	4	-	-	-	-	-	-	2	-	1	-	-	1	-	-
			FNW	5	-	-	-	-	-	-	1	1	-	1	1	1	-	-
4. Neoplasms of unspecified nature - (239)	91	2.1			-	2	1	1	1	2	2	5	14	17	26	14	6	-
			MW	29	-	-	-	-	-	2	1	2	4	4	9	4	3	-
			FW	35	-	2	-	1	-	-	-	1	6	7	10	6	2	-
			MNW	14	-	-	1	-	1	-	-	1	3	4	3	1	-	-
			FNW	13	-	-	-	-	-	-	1	1	1	2	4	3	1	-
III. Endocrine, nutritional, and metabolic diseases and immunity disorders - (240-279)	1048	24.3			10	8	1	1	3	6	22	43	69	158	324	260	143	-
			MW	272	3	3	-	-	1	1	8	17	17	48	88	58	28	-
			FW	317	-	3	-	1	2	4	3	9	14	30	92	103	56	-
			MNW	156	5	1	-	-	-	1	4	6	11	29	48	34	17	-
			FNW	303	2	1	1	-	-	-	7	11	27	51	96	65	42	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirhs) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
A. Endocrine and metabolic diseases and immunity disorders - (240-259, 270-279)	1002	23.3			7	8	1	1	3	6	22	42	67	155	316	246	128	-
			MW	265	3	3	-	-	1	1	8	17	17	48	85	55	27	-
			FW	303	-	3	-	1	2	4	3	8	14	29	92	96	51	-
			MNW	144	3	1	-	-	-	1	4	6	9	29	45	32	14	-
			FNW	290	1	1	1	-	-	-	7	11	27	49	94	63	36	-
1. Disorders of thyroid gland - (240-246)	19	0.4			-	-	-	-	-	1	-	-	1	2	8	5	2	-
			MW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			FW	11	-	-	-	-	-	-	-	-	1	1	3	4	2	-
			MNW	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-
			FNW	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-
2. Diabetes mellitus - (250)	819	19.0			-	2	-	-	-	3	14	27	57	131	283	211	91	-
			MW	219	-	-	-	-	-	1	6	12	14	45	76	48	17	-
			FW	255	-	1	-	-	-	2	2	5	10	22	85	87	41	-
			MNW	114	-	-	-	-	-	-	2	6	8	24	39	27	8	-
			FNW	231	-	1	-	-	-	-	4	4	25	40	83	49	25	-
3. Disorders of the pituitary gland and its hypothalamic control - (253)	3	0.1			-	-	-	-	-	-	-	-	-	2	1	-	-	-
			MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
4. Diseases of thymus gland - (254)	1	0.0			1	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Disorders of adrenal glands - (255)	3	0.1			-	-	-	-	-	-	-	1	-	2	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Cystic fibrosis - (277.0)	5	0.1			1	1	-	1	1	1	-	-	-	-	-	-	-	-
			MW	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
			FW	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. Obesity - (278.0)	35	0.8			-	-	-	-	-	-	3	10	7	7	6	2	-	-
			MW	8	-	-	-	-	-	-	-	2	3	1	1	1	-	-
			FW	7	-	-	-	-	-	-	-	2	1	1	2	1	-	-
			MNW	5	-	-	-	-	-	-	1	-	1	2	1	-	-	-
			FNW	15	-	-	-	-	-	-	2	6	2	3	2	-	-	-
8. All other endocrine and metabolic diseases and immunity disorders - (251-252, ?56-259, 270-276, 277.1-277.9, 278.1-279)	117	2.7			5	5	1	-	2	1	5	4	2	11	18	28	35	-
			MW	32	2	2	-	-	1	-	2	3	-	1	6	5	10	-
			FW	23	-	2	-	-	1	1	1	-	2	3	1	4	8	-
			MNW	22	2	1	-	-	-	-	1	-	-	3	4	5	6	-
			FNW	40	1	-	1	-	-	-	1	1	-	4	7	14	11	-
B. Nutritional deficiencies - (260-269) .	46	1.1			3	-	-	-	-	-	-	1	2	3	8	14	15	-
			MW	7	-	-	-	-	-	-	-	-	-	-	3	3	1	-
			FW	14	-	-	-	-	-	-	-	1	-	1	-	7	5	-
			MNW	12	2	-	-	-	-	-	-	-	2	-	3	2	3	-
			FNW	13	1	-	-	-	-	-	-	-	-	2	2	2	6	-
1. Nutritional marasmus - (261) . . .	19	0.4			2	-	-	-	-	-	-	-	2	-	6	3	6	-
			MW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	9	2	-	-	-	-	-	-	-	2	-	3	1	1	-
			FNW	6	-	-	-	-	-	-	-	-	-	-	1	1	4	-
2. Other protein-calorie malnutrition - (262-263)	24	0.6			1	-	-	-	-	-	-	-	-	2	2	11	8	-
			MW	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-
			FW	11	-	-	-	-	-	-	-	-	-	-	-	7	4	-
			MNW	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
			FNW	6	1	-	-	-	-	-	-	-	-	2	1	1	1	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNAATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3. All other nutritional deficiencies - (260, 264-269) . . .	3	0.1			-	-	-	-	-	-	-	1	-	1	-	-	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
IV. Diseases of blood and blood-forming organs - (280-289)	149	3.5			6	-	1	4	-	3	6	7	14	22	28	42	16	-
			MW	52	1	-	-	1	-	1	1	3	5	11	9	14	6	-
			FW	42	-	-	-	-	-	-	-	-	3	6	8	19	6	-
			MNW	27	2	-	1	2	-	-	3	3	3	2	6	4	1	-
			FNW	28	3	-	-	1	-	2	2	1	3	3	5	5	3	-
A. Anemias - (280-285)	78	1.8			2	-	1	3	-	2	3	4	5	8	13	26	11	-
			MW	26	1	-	-	1	-	-	-	1	1	4	4	10	4	-
			FW	23	-	-	-	-	-	-	-	-	1	4	4	10	4	-
			MNW	14	-	-	1	1	-	-	2	3	2	-	2	3	-	-
			FNW	15	1	-	-	1	-	2	1	-	1	-	3	3	3	-
1. Deficiency anemias - (280-281) . .	7	0.2			-	-	-	-	-	-	-	1	-	1	1	3	1	-
			MW	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
2. Hemolytic anemias - (282-283) . . .	20	0.5			1	-	1	2	-	1	2	-	4	3	3	3	-	-
			MW	3	-	-	-	1	-	-	-	-	1	-	-	1	-	-
			FW	6	-	-	-	-	-	-	-	-	-	3	2	1	-	-
			MNW	6	-	-	1	-	-	-	2	-	2	-	-	1	-	-
			FNW	5	1	-	-	1	-	1	-	-	1	-	1	-	-	-
3. Aplastic anemia - (284)	22	0.5			1	-	-	1	-	-	1	-	1	2	2	10	4	-
			MW	11	1	-	-	-	-	-	-	-	-	2	1	5	2	-
			FW	8	-	-	-	-	-	-	-	-	1	-	1	4	2	-
			MNW	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
4. Other and unspecified anemias - (285)	29	0.7			-	-	-	-	-	1	-	3	-	2	7	10	6	-
			MW	9	-	-	-	-	-	-	-	1	-	1	2	3	2	-
			FW	8	-	-	-	-	-	-	-	-	-	1	1	5	1	-
			MNW	5	-	-	-	-	-	-	-	2	-	-	2	1	-	-
			FNW	7	-	-	-	-	-	1	-	-	-	-	2	1	3	-
B. Purpura and other hemorrhagic conditions - (287)	17	0.4			1	-	-	-	-	-	1	-	3	2	4	5	1	-
			MW	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
			FW	8	-	-	-	-	-	-	-	-	-	-	2	5	1	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	4	-	-	-	-	-	-	1	-	1	-	2	-	-	-
C. All other diseases of blood and blood-forming organs - (286, 288-289)	54	1.3			3	-	-	1	-	1	2	3	6	12	11	11	4	-
			MW	22	-	-	-	-	-	1	1	2	2	5	5	3	2	-
			FW	11	-	-	-	-	-	-	-	-	2	2	2	4	1	-
			MNW	12	1	-	-	1	-	-	1	-	1	2	4	1	1	-
			FNW	9	2	-	-	-	-	-	-	1	1	3	-	2	-	-
V. Mental disorders - (290-319)	180	4.2			1	2	1	1	1	3	8	15	20	27	25	48	28	-
			MW	68	-	2	-	-	1	-	3	7	8	11	12	17	7	-
			FW	53	-	-	-	1	-	2	1	1	3	4	8	19	14	-
			MNW	40	-	-	-	-	-	1	4	7	7	8	5	6	2	-
			FNW	19	1	-	1	-	-	-	-	-	2	4	-	6	5	-
A. Senile and presenile organic psychotic conditions - (290)	12	0.3			-	-	-	-	-	-	-	-	-	1	-	5	6	-
			MW	5	-	-	-	-	-	-	-	-	-	1	-	1	3	-
			FW	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			FNW	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
B. Alcoholic psychoses - (291)	10	0.2			-	-	-	-	-	-	-	1	2	4	2	1	-	-
			MW	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Cause, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
C. All other psychoses - (292-299) . . .	3	0.1			-	-	-	-	-	-	-	-	-	-	2	-	1	-
			MW	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
D. Alcohol dependence syndrome - (303)	42	1.0			-	-	-	-	-	-	1	6	10	15	7	3	-	-
			MW	16	-	-	-	-	-	-	-	2	4	5	4	1	-	-
			FW	7	-	-	-	-	-	-	1	-	2	2	2	-	-	-
			MNW	15	-	-	-	-	-	-	-	4	3	5	1	2	-	-
			FNW	4	-	-	-	-	-	-	-	-	1	3	-	-	-	-
E. Drug dependence - (304)	7	0.2			-	-	-	-	-	1	4	-	2	-	-	-	-	-
			MW	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	5	-	-	-	-	-	1	2	-	2	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F. Other neurotic, personality, and non-psychotic mental disorders - (300-302, 305-316)	97	2.3			1	1	-	-	-	1	3	7	5	5	14	39	21	-
			MW	37	-	1	-	-		-	1	5	2	4	7	14	3	-
			FW	37	-	-	-	-	-	1	-	1	1	-	4	17	13	-
			MNW	13	-	-	-	-	-	-	2	1	1	1	3	4	1	-
			FNW	10	1	-	-	-	-	-	-	-	1	-	-	4	4	-
G. Mental retardation - (317-319)	9	0.2			-	1	1	1	1	1	-	1	1	2	-	-	-	-
			MW	3	-	1	-	-	1	-	-	-	1	-	-	-	-	-
			FW	4	-	-	-	1	-	1	-	-	-	2	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			FNW	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
VI. Diseases of the nervous system and sense organs - (320-389)	369	8.6			26	12	9	5	7	19	30	22	40	58	83	49	9	-
			MW	123	9	4	4	1	5	5	5	6	17	24	25	17	1	-
			FW	122	2	4	2	2	-	4	9	6	11	22	34	20	6	-
			MNW	68	9	2	1	1	1	4	7	6	10	3	15	8	1	-
			FNW	56	6	2	2	1	1	6	9	4	2	9	9	4	1	-
A. Diseases of the nervous system - (320-359)	366	8.5			26	12	9	5	7	19	30	22	39	58	81	49	9	-
			MW	121	9	4	4	1	5	5	5	6	16	24	24	17	1	-
			FW	121	2	4	2	2	-	4	9	6	11	22	33	20	6	-
			MNW	68	9	2	1	1	1	4	7	6	10	3	15	8	1	-
			FNW	56	6	2	2	1	1	6	9	4	2	9	9	4	1	-
1. Meningitis - (320-322)	35	0.8			12	1	1	1	-	-	4	2	4	4	3	3	-	-
			MW	11	5	-	-	-	-	-	2	-	2	1	-	1	-	-
			FW	7	1	1	-	-	-	-	-	1	1	1	2	-	-	-
			MNW	10	3	-	-	1	-	-	2	1	-	-	1	2	-	-
			FNW	7	3	-	1	-	-	-	-	-	1	2	-	-	-	-
2. Parkinson's disease - (332)	37	0.9			-	-	-	-	-	-	-	-	-	1	14	19	3	-
			MW	14	-	-	-	-	-	-	-	-	-	1	4	9	-	-
			FW	18	-	-	-	-	-	-	-	-	-	-	7	8	3	-
			MNW	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3. Other hereditary and degenerative diseases of the central nervous system - (330-331, 333-337)	106	2.5			5	2	2	-	2	2	4	2	10	32	29	13	3	-
			MW	38	2	1	-	-	1	-	-	1	4	15	8	5	1	-
			FW	43	1	1	1	-	-	-	1	-	4	12	17	5	1	-
			MNW	15	2	-	1	-	1	2	1	1	2	-	3	2	-	-
			FNW	10	-	-	-	-	-	-	2	-	-	5	1	1	1	-
4. Multiple sclerosis - (340)	9	0.2			-	-	-	-	-	-	2	1	3	2	1	-	-	-
			MW	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
			FW	5	-	-	-	-	-	-	1	-	2	1	1	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
5. Infantile cerebral palsy - (343)	22	0.5			6	3	4	-	-	4	5	-	-	-	-	-	-	-
			MW	7	1	-	3	-	-	1	2	-	-	-	-	-	-	-
			FW	5	-	-	1	-	-	2	2	-	-	-	-	-	-	-
			MNW	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	6	2	2	-	-	-	1	1	-	-	-	-	-	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbrths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
6. Epilepsy - (345)	45	1.0			-	-	1	1	1	10	11	5	9	3	4	-	-	-
			MW	10	-	-	-	-	-	2	1	2	3	1	1	-	-	-
			FW	10	-	-	-	1	-	2	3	1	1	1	1	-	-	-
			MNW	13	-	-	-	-	-	2	3	-	5	1	2	-	-	-
			FNW	12	-	-	1	-	1	4	4	2	-	-	-	-	-	-
7. Other diseases of the nervous system - (323-326, 341-342, 344, 346-359)	112	2.6			3	6	1	3	4	3	4	12	13	16	30	14	3	
			MW	39	1	3	1	1	4	2	-	2	7	5	11	2	-	-
			FW	33	-	2	-	1	-	-	2	4	3	7	5	7	2	-
			MNW	21	1	1	-	-	-	-	1	4	2	2	7	2	1	-
			FNW	19	1	-	-	1	-	1	1	2	1	2	7	3	-	-
B. Disorders of the eye and adnexa - (360-379)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. Diseases of the ear and mastoid process - (380-389)	3	0.1			-	-	-	-	-	-	-	-	1	-	2	-	-	-
			MW	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII. Diseases of the circulatory system - (390-459)	17426	404.7			24	13	3	5	14	36	135	379	1158	2554	4519	5118	3461	7
			MW	6207	6	1	-	1	3	11	46	157	498	1155	1896	1670	760	3
			FW	5894	4	4	2	1	4	7	25	57	202	527	1189	2050	1821	1
			MNW	2671	9	2	1	2	2	10	39	106	289	479	769	637	324	2
			FNW	2654	5	6	-	1	5	8	25	59	169	393	665	761	556	1
A. Rheumatic fever and rheumatic heart disease - (390-398)	59	1.4			-	-	1	-	-	1	1	5	11	14	11	11	4	-
			MW	12	-	-	-	-	-	-	1	-	2	2	4	3	-	-
			FW	28	-	-	-	-	-	-	-	3	6	7	4	6	2	-
			MNW	14	-	-	1	-	-	1	-	1	1	4	3	1	2	-
			FNW	5	-	-	-	-	-	-	-	1	2	1	-	1	-	-
1. Acute Rheumatic fever -(390-392)	4	0.1			-	-	1	-	-	-	-	-	-	2	1	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	4	-	-	1	-	-	-	-	-	-	2	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Chronic rheumatic heart disease - (393-398)	55	1.3			-	-	-	-	-	1	1	5	11	12	10	11	4	-
			MW	12	-	-	-	-	-	-	1	-	2	2	4	3	-	-
			FW	28	-	-	-	-	-	-	-	3	6	7	4	6	2	-
			MNW	10	-	-	-	-	-	1	-	1	1	2	2	1	2	-
			FNW	5	-	-	-	-	-	-	-	1	2	1	-	1	-	-
a. Diseases of mitral valve - (394)	27	0.6			-	-	-	-	-	1	-	3	5	5	4	6	3	-
			MW	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-
			FW	14	-	-	-	-	-	-	-	2	3	2	1	4	2	-
			MNW	7	-	-	-	-	-	1	-	-	1	2	2	-	1	-
			FNW	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
b. Diseases of aortic valve - (395)	1	0.0			-	-	-	-	-	-	-	-	-	1	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Diseases of mitral and aortic valves - (396)	5	0.1			-	-	-	-	-	-	-	-	-	2	1	2	-	-
			MW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
d. All other chronic rheumatic heart disease - (393, 397-398)	22	0.5			-	-	-	-	-	-	1	2	6	4	5	3	1	-
			MW	6	-	-	-	-	-	-	1	-	2	1	2	-	-	-
			FW	12	-	-	-	-	-	-	-	1	3	3	3	2	-	-
			MNW	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
B. Hypertensive disease - (401-404) . . .	775	18.0			-	-	-	-	-	-	5	11	62	121	230	229	117	-
			MW	173	-	-	-	-	-	-	-	2	12	29	52	62	16	-
			FW	200	-	-	-	-	-	-	-	2	4	16	52	70	56	-
			MNW	168	-	-	-	-	-	-	2	5	24	31	61	31	14	-
			FNW	234	-	-	-	-	-	-	3	2	22	45	65	66	31	-
1. Essential hypertension - (401). . .	54	1.3			-	-	-	-	-	-	1	2	9	8	15	7	12	-
			MW	13	-	-	-	-	-	-	-	1	-	3	4	2	3	-
			FW	12	-	-	-	-	-	-	-	-	-	-	2	4	6	-
			MNW	15	-	-	-	-	-	-	1	-	6	1	4	1	2	-
			FNW	14	-	-	-	-	-	-	-	1	3	4	5	-	1	-
2. Hypertensive heart disease - (402)	546	12.7			-	-	-	-	-	-	3	8	44	105	166	153	67	-
			MW	111	-	-	-	-	-	-	-	1	10	25	35	34	6	-
			FW	141	-	-	-	-	-	-	-	2	3	14	40	49	33	-
			MNW	121	-	-	-	-	-	-	1	4	14	27	45	23	7	-
			FNW	173	-	-	-	-	-	-	2	1	17	39	46	47	21	-
3. Hypertensive renal disease - (403)	92	2.1			-	-	-	-	-	-	-	-	6	3	21	40	22	-
			MW	26	-	-	-	-	-	-	-	-	1	-	5	16	4	-
			FW	32	-	-	-	-	-	-	-	-	1	2	4	12	13	-
			MNW	12	-	-	-	-	-	-	-	-	3	-	5	2	2	-
			FNW	22	-	-	-	-	-	-	-	-	1	1	7	10	3	-
4. Hypertensive heart and renal disease - (404)	83	1.9			-	-	-	-	-	-	1	1	3	5	28	29	16	-
			MW	23	-	-	-	-	-	-	-	-	1	1	8	10	3	-
			FW	15	-	-	-	-	-	-	-	-	-	-	6	5	4	-
			MNW	20	-	-	-	-	-	-	-	1	1	3	7	5	3	-
			FNW	25	-	-	-	-	-	-	1	-	1	1	7	9	6	-
C. Ischemic heart disease - (410-414) . .	8943	207.7			-	-	-	-	-	3	39	203	695	1522	2466	2545	1465	5
			MW	3685	-	-	-	-	-	2	19	114	363	794	1197	859	334	3
			FW	2902	-	-	-	-	-	-	8	24	110	305	620	1067	768	-
			MNW	1256	-	-	-	-	-	1	9	53	159	259	365	289	120	1
			FNW	1100	-	-	-	-	-	-	3	12	63	164	284	330	243	1
1. Acute myocardial infarction - (410)	4801	111.5			-	-	-	-	-	3	28	147	478	991	1481	1206	466	1
			MW	2263	-	-	-	-	-	2	15	87	262	549	780	451	117	-
			FW	1443	-	-	-	-	-	-	5	19	72	202	379	515	251	-
			MNW	633	-	-	-	-	-	1	6	34	105	153	179	121	34	-
			FNW	462	-	-	-	-	-	-	2	7	39	87	143	119	64	1
2. Other acute and subacute forms of ischemic heart disease - (411) . .	13	0.3			-	-	-	-	-	-	-	-	2	2	-	6	3	-
			MW	6	-	-	-	-	-	-	-	-	1	-	-	3	2	-
			FW	4	-	-	-	-	-	-	-	-	-	-	-	3	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
3. Angina pectoris - (413)	16	0.4			-	-	-	-	-	-	-	-	2	4	5	4	1	-
			MW	8	-	-	-	-	-	-	-	-	-	3	3	2	-	-
			FW	5	-	-	-	-	-	-	-	-	1	1	1	1	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-
4. Old myocardial infarction and other forms of chronic ischemic heart disease - (412, 414)	4113	95.5			-	-	-	-	-	-	11	56	213	525	980	1329	995	4
			MW	1408	-	-	-	-	-	-	4	27	100	242	414	403	215	3
			FW	1450	-	-	-	-	-	-	3	5	37	102	240	548	515	-
			MNW	621	-	-	-	-	-	-	3	19	54	105	185	168	86	1
			FNW	634	-	-	-	-	-	-	1	5	22	76	141	210	179	-
D. Diseases of pulmonary circulation - (415-417)	283	6.6			1	1	-	-	2	5	9	12	31	56	72	63	31	-
			MW	81	-	-	-	-	-	1	1	2	9	20	23	22	3	-
			FW	96	-	1	-	-	2	1	4	3	11	12	20	26	16	-
			MNW	45	1	-	-	-	-	1	2	4	6	11	8	8	4	-
			FNW	61	-	-	-	-	-	2	2	3	5	13	21	7	8	-
E. Other forms of heart disease - (420-429)	3159	73.4			21	10	1	4	8	16	45	78	175	386	741	920	753	1
			MW	1017	4	1	-	1	3	4	16	23	65	153	283	305	159	-
			FW	1073	4	2	1	-	-	3	3	7	29	88	192	354	389	1
			MNW	511	8	2	-	2	2	6	19	26	40	75	134	113	84	-
			FNW	558	5	5	-	1	3	3	7	22	41	70	132	148	121	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
1. Acute and subacute endocarditis - (421)	10	0.2			-	-	-	-	-	1	1	-	3	2	2	-	1	-
			MW	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
			FW	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-
2. Acute pericarditis, acute myocarditis, and other diseases of pericardium - (420, 422-423)	8	0.2			1	-	-	-	-	-	-	-	2	-	4	1	-	-
			MW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FW	5	1	-	-	-	-	-	-	-	1	-	2	1	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
3. Other diseases of endocardium - (424)	101	2.3			1	-	-	-	1	-	2	2	5	17	31	28	14	-
			MW	39	1	-	-	-	1	-	-	1	1	7	14	10	4	-
			FW	31	-	-	-	-	-	-	-	-	2	2	10	11	6	-
			MNW	22	-	-	-	-	-	-	2	1	2	4	5	5	3	-
			FNW	9	-	-	-	-	-	-	-	-	-	4	2	2	1	-
a. Mitral valve disorders - (424.0)	12	0.3			-	-	-	-	-	-	-	-	1	2	4	4	1	-
			MW	7	-	-	-	-	-	-	-	-	1	1	3	2	-	-
			FW	4	-	-	-	-	-	-	-	-	-	-	1	2	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
b. Aortic valve disorders - (424.1)	65	1.5			-	-	-	-	1	-	2	1	1	9	19	22	10	-
			MW	27	-	-	-	-	1	-	-	-	-	5	9	8	4	-
			FW	16	-	-	-	-	-	-	-	-	-	-	6	8	2	-
			MNW	17	-	-	-	-	-	-	2	1	1	3	3	4	3	-
			FNW	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-
c. All other diseses of endocardium - (424.2-424.9)	24	0.6			1	-	-	-	-	-	-	1	3	6	8	2	3	-
			MW	5	1	-	-	-	-	-	-	1	-	1	2	-	-	-
			FW	11	-	-	-	-	-	-	-	-	2	2	3	1	3	-
			MNW	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-
			FNW	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-
4. Heart failure - (428)	690	16.0			-	-	1	2	-	2	4	13	27	69	181	213	177	1
			MW	193	-	-	-	1	-	-	3	3	10	23	57	63	33	-
			FW	256	-	-	1	-	-	1	-	2	4	19	53	86	89	1
			MNW	109	-	-	-	1	-	1	1	5	6	10	37	28	20	-
			FNW	132	-	-	-	-	-	-	-	3	7	17	34	36	35	-
5. Mycarditis, unspecified and myocardial degeneration - (429.0-429.1)	55	1.3			1	-	-	-	1	1	1	3	2	5	7	19	15	-
			MW	13	-	-	-	-	-	1	-	1	-	2	1	5	3	-
			FW	15	-	-	-	-	-	-	-	-	1	1	1	6	5	-
			MNW	14	-	-	-	-	-	-	1	2	-	-	4	5	2	-
			FNW	13	1	-	-	-	1	-	-	-	1	2	1	3	4	-
6. All other and ill-defined forms of heart disease - (425-427, 429.2-429.9)	2295	53.3			18	10	-	2	6	12	37	60	136	293	516	659	546	-
			MW	767	3	1	-	-	2	3	13	18	51	119	211	227	119	-
			FW	763	3	2	-	-	-	1	3	5	20	66	125	250	288	-
			MNW	365	8	2	-	1	2	5	15	18	32	61	87	75	59	-
			FNW	400	4	5	-	1	2	3	6	19	33	47	93	107	80	-
F. Cerebrovascular diseases - (430-438)	3129	72.7			2	2	1	1	3	7	25	55	143	327	716	1059	788	-
			MW	828	2	-	-	-	-	3	6	12	32	87	205	310	171	-
			FW	1221	-	1	1	1	2	2	5	16	35	79	227	426	426	-
			MNW	525	-	-	-	-	-	-	5	13	48	81	154	154	70	-
			FNW	555	-	1	-	-	1	2	9	14	28	80	130	169	121	-
1. Subarachnoid hemorrhage - (430)	100	2.3			-	-	-	-	1	4	5	19	23	19	15	12	2	-
			MW	22	-	-	-	-	-	3	1	4	2	2	4	5	-	-
			FW	52	-	-	-	-	1	1	1	9	13	12	8	5	2	-
			MNW	10	-	-	-	-	-	-	1	4	2	1	1	1	-	-
			FNW	16	-	-	-	-	-	-	2	2	6	3	2	1	-	-
2. Intracerebral and other intracranial hemorrhage - (431-432)	299	6.9			1	-	-	-	2	2	12	15	40	59	64	71	33	-
			MW	77	1	-	-	-	-	-	4	2	10	12	21	22	5	-
			FW	116	-	-	-	-	1	1	3	4	13	16	24	34	20	-
			MNW	53	-	-	-	-	-	-	1	6	9	17	10	8	2	-
			FNW	53	-	-	-	-	1	1	4	3	8	14	9	7	6	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
3. Occlusion and stenosis of precerebral arteries - (433) . . .	27	0.6			-	-	-	-	-	-	-	2	3	6	10	2	4	-
			MW	11	-	-	-	-	-	-	-	-	1	3	5	-	2	-
			FW	12	-	-	-	-	-	-	-	1	1	2	4	2	2	-
			MNW	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Cerebral thrombosis and unspecified occlusion of cerebral arteries - (434.0, 434.9)	504	11.7			1	-	-	1	-	-	3	6	14	37	109	175	158	-
			MW	143	1	-	-	-	-	-	-	3	4	10	32	53	40	-
			FW	206	-	-	-	1	-	-	1	-	3	9	30	75	87	-
			MNW	79	-	-	-	-	-	-	1	1	6	8	29	21	13	-
			FNW	76	-	-	-	-	-	-	1	2	1	10	18	26	18	-
5. Cerebral embolism - (434.1)	6	0.1			-	-	-	-	-	-	-	-	-	1	1	3	1	-
			MW	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
			FW	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Acute but ill-defined cerebrovascular disease - (436)	1809	42.0			-	1	1	-	-	-	5	7	53	185	455	642	460	-
			MW	456	-	-	-	-	-	-	1	1	13	51	125	171	94	-
			FW	659	-	-	1	-	-	-	-	1	5	33	138	239	242	-
			MNW	345	-	-	-	-	-	-	2	1	26	51	104	115	46	-
			FNW	349	-	1	-	-	-	-	2	4	9	50	88	117	78	-
7. Other and late effects of cerebrovascular diseases - (435,437-438)	384	8.9			-	1	-	-	-	1	-	6	10	20	62	154	130	-
			MW	117	-	-	-	-	-	-	-	2	2	8	17	59	29	-
			FW	173	-	1	-	-	-	-	-	1	-	6	23	69	73	-
			MNW	33	-	-	-	-	-	-	-	-	4	3	9	8	9	-
			FNW	61	-	-	-	-	-	1	-	3	4	3	13	18	19	-
G. Diseases of arteries, arterioles, and capillaries - (440-448)	1014	23.6			-	-	-	-	1	4	8	12	34	111	269	280	294	1
			MW	390	-	-	-	-	-	1	3	3	13	63	128	106	73	-
			FW	359	-	-	-	-	-	1	4	2	6	18	68	99	161	-
			MNW	136	-	-	-	-	-	1	-	3	9	15	40	38	29	1
			FNW	129	-	-	-	-	1	1	1	4	6	15	33	37	31	-
1. Atherosclerosis - (440)	713	16.6			-	-	-	-	-	1	1	5	19	60	156	205	265	1
			MW	234	-	-	-	-	-	-	1	2	9	28	60	74	60	-
			FW	281	-	-	-	-	-	1	-	-	2	9	48	74	147	-
			MNW	98	-	-	-	-	-	-	-	-	4	13	28	25	27	1
			FNW	100	-	-	-	-	-	-	-	3	4	10	20	32	31	-
2. Aortic aneurysm - (441)	185	4.3			-	-	-	-	-	2	1	-	6	30	79	51	16	-
			MW	112	-	-	-	-	-	1	1	-	3	22	54	22	9	-
			FW	37	-	-	-	-	-	-	-	-	1	4	9	17	6	-
			MNW	23	-	-	-	-	-	1	-	-	1	2	9	9	1	-
			FNW	13	-	-	-	-	-	-	-	-	1	2	7	3	-	-
3. All other diseases of arteries, arterioles, and capillaries - (442-448)	116	2.7			-	-	-	-	1	1	6	7	9	21	34	24	13	-
			MW	44	-	-	-	-	-	-	1	1	1	13	14	10	4	-
			FW	41	-	-	-	-	-	-	4	2	3	5	11	8	8	-
			MNW	15	-	-	-	-	-	-	-	3	4	-	3	4	1	-
			FNW	16	-	-	-	-	1	1	1	1	1	3	6	2	-	-
H. Diseases of veins and lymphatics, and other diseases of circulatory system - (451-459)	64	1.5			-	-	-	-	-	-	3	3	7	17	14	11	9	-
			MW	21	-	-	-	-	-	-	-	1	2	7	4	3	4	-
			FW	15	-	-	-	-	-	-	1	-	1	2	6	2	3	-
			MNW	16	-	-	-	-	-	-	2	1	2	3	4	3	1	-
			FNW	12	-	-	-	-	-	-	-	1	2	5	-	3	1	-
1. Phlebitis, thrombophlebitis, and venous embolism and thrombosis - (451-453)	30	0.7			-	-	-	-	-	-	1	-	3	8	12	5	1	-
			MW	11	-	-	-	-	-	-	-	-	1	5	4	1	-	-
			FW	10	-	-	-	-	-	-	1	-	-	1	5	2	1	-
			MNW	5	-	-	-	-	-	-	-	-	-	-	3	2	-	-
			FNW	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-
2. Other diseases of veins and lymphatics and all other diseases of circulatory system - (454-459)	34	0.8			-	-	-	-	-	-	2	3	4	9	2	6	8	-
			MW	10	-	-	-	-	-	-	-	1	1	2	-	2	4	-
			FW	5	-	-	-	-	-	-	-	-	1	1	1	-	2	-
			MNW	11	-	-	-	-	-	-	2	1	2	3	1	1	1	-
			FNW	8	-	-	-	-	-	-	-	1	-	3	-	3	1	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
VIII. Diseases of the respiratory system - (460-519)	1949	45.3			69	8	3	2	12	7	32	57	123	286	522	540	287	1
			MW	853	13	1	1	1	5	4	6	16	41	128	269	273	95	-
			FW	572	11	1	-	-	2	1	6	12	30	75	140	164	130	-
			MNW	329	22	6	2	-	2	1	13	18	34	55	77	63	36	-
			FNW	195	23	-	-	1	3	1	7	11	18	28	36	40	26	1
A. Diseases of the upper respiratory tract - (460-465, 470-478)	7	0.2			-	-	-	-	-	-	1	-	1	-	3	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			MNW	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1. Acute upper respiratory infections - (460-465).	3	0.1			-	-	-	-	-	-	1	-	-	-	-	2	-	-
			MW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Other diseases of upper respiratory tract - (470-478)	4	0.1			-	-	-	-	-	-	-	-	1	-	3	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
B. Other diseases of the respiratory system - (466, 480-519)	1942	45.1			69	8	3	2	12	7	31	57	122	286	519	538	287	1
			MW	852	13	1	1	1	5	4	6	16	41	128	269	272	95	-
			FW	569	11	1	-	-	2	1	6	12	30	75	138	163	130	-
			MNW	327	22	6	2	-	2	1	12	18	34	55	76	63	36	-
			FNW	194	23	-	-	1	3	1	7	11	17	28	36	40	26	1
1. Acute bronchitis and bronchiolitis - (466)	13	0.3			-	1	-	-	1	-	-	2	1	-	1	4	3	-
			MW	4	-	1	-	-	-	-	-	1	-	-	-	2	-	-
			FW	7	-	-	-	-	1	-	-	1	-	-	1	2	2	-
			MNW	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Pneumonia - (480-486)	684	15.9			35	6	1	-	4	2	13	21	34	71	122	213	162	-
			MW	231	4	-	1	-	3	2	2	7	11	22	46	91	42	-
			FW	230	8	1	-	-	-	-	3	6	6	20	32	75	79	-
			MNW	129	12	5	-	-	-	-	4	5	10	17	28	24	24	-
			FNW	94	11	-	-	-	1	-	4	3	7	12	16	23	17	-
a. Viral pneumonia - (480)	12	0.3			3	1	-	-	1	-	-	1	1	1	1	2	1	-
			MW	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
			FW	5	-	-	-	-	-	-	-	1	-	1	1	2	-	-
			MNW	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	4	2	-	-	-	1	-	-	-	-	-	-	-	1	-
b. Pneumococcal and other bacterial pneumonia - (481-482)	57	1.3			2	2	-	-	1	-	1	2	6	4	12	18	9	-
			MW	21	-	-	-	-	1	-	-	-	1	3	4	10	2	-
			FW	19	1	1	-	-	-	-	-	1	3	-	6	2	5	-
			MNW	15	1	1	-	-	-	-	1	1	2	1	1	6	1	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
c. Bronchopneumonia, organism unspecified - (485)	103	2.4			5	2	-	-	1	1	6	6	8	9	13	28	24	-
			MW	34	1	-	-	-	1	1	1	2	4	2	3	12	7	-
			FW	37	2	-	-	-	-	-	2	1	-	4	3	12	13	-
			MNW	18	-	2	-	-	-	-	2	2	2	3	4	1	2	-
			FNW	14	2	-	-	-	-	-	1	1	2	-	3	3	2	-
d. Pneumonia due to other and unspecified organism - (483,486)	512	11.9			25	1	1	-	1	1	6	12	19	57	96	165	128	-
			MW	174	2	-	1	-	1	1	1	5	5	17	39	69	33	-
			FW	169	5	-	-	-	-	-	1	3	3	15	22	59	61	-
			MNW	95	11	1	-	-	-	-	1	2	6	13	23	17	21	-
			FNW	74	7	-	-	-	-	-	3	2	5	12	12	20	13	-
3. Influenza - (487)	43	1.0			-	-	-	-	-	-	-	-	4	4	9	9	17	-
			MW	15	-	-	-	-	-	-	-	-	1	3	1	4	6	-
			FW	22	-	-	-	-	-	-	-	-	3	1	5	4	9	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	5	-	-	-	-	-	-	-	-	-	-	2	1	2	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
4. Chronic obstructive pulmonary diseases and allied conditions - (490-496)	860	20.0			1	1	-	-	2	-	7	12	53	164	317	238	65	-
			MW	468	-	-	-	-	-	-	1	3	18	81	186	142	37	-
			FW	225	-	-	-	-	-	-	1	1	13	49	81	58	22	-
			MNW	128	1	1	-	-	1	-	4	5	15	26	39	32	4	-
			FNW	39	-	-	-	-	1	-	1	3	7	8	11	6	2	-
a. Bronchitis, chronic and unspecified, emphysema and asthma - (490-493)	300	7.0			1	1	-	-	2	-	5	8	25	59	108	77	14	-
			MW	144	-	-	-	-	-	-	-	-	7	28	60	44	5	-
			FW	85	-	-	-	-	-	-	1	1	7	17	29	23	7	-
			MNW	51	1	1	-	-	1	-	3	4	6	10	15	9	1	-
			FNW	20	-	-	-	-	1	-	1	3	5	4	4	1	1	-
1) Bronchitis, not specified as acute or chronic - (490)	10	0.2			-	-	-	-	-	-	1	-	1	1	2	4	1	-
			MW	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-
			FW	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
			MNW	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2) Chronic bronchitis - (491) .	38	0.9			1	-	-	-	1	-	-	-	2	7	16	8	3	-
			MW	16	-	-	-	-	-	-	-	-	-	4	11	-	1	-
			FW	15	-	-	-	-	-	-	-	-	2	1	4	6	2	-
			MNW	6	1	-	-	-	1	-	-	-	-	2	1	1	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3) Emphysema - (492)	194	4.5			-	-	-	-	-	-	1	4	8	37	78	58	8	-
			MW	115	-	-	-	-	-	-	-	-	5	19	48	39	4	-
			FW	49	-	-	-	-	-	-	-	1	1	12	20	12	3	-
			MNW	28	-	-	-	-	-	-	1	2	1	6	10	7	1	-
			FNW	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
4) Asthma - (493)	58	1.3			-	1	-	-	1	-	3	4	14	14	12	7	2	-
			MW	9	-	-	-	-	-	-	-	-	2	4	1	2	-	-
			FW	18	-	-	-	-	-	-	1	-	4	4	4	4	1	-
			MNW	14	-	1	-	-	-	-	1	2	4	2	3	1	-	-
			FNW	17	-	-	-	-	1	-	1	2	4	4	4	-	1	-
b. Bronchiectasis and extrinsic allergic alveolitis - (494-495)	4	0.1			-	-	-	-	-	-	1	1	-	-	-	2	-	-
			MW	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Chronic airways obstruction, not elsewhere classified - (496)	556	12.9			-	-	-	-	-	-	1	3	28	105	209	159	51	-
			MW	321	-	-	-	-	-	-	-	2	11	53	126	97	32	-
			FW	139	-	-	-	-	-	-	-	-	6	32	52	34	15	-
			MNW	77	-	-	-	-	-	-	1	1	9	16	24	23	3	-
			FNW	19	-	-	-	-	-	-	-	-	2	4	7	5	1	-
5. Pneumoconioses and other lung diseases due to external agents - (500-508)	65	1.5			2	-	1	-	-	-	-	1	5	8	11	23	14	-
			MW	26	1	-	-	-	-	-	-	1	-	3	4	14	3	-
			FW	16	-	-	-	-	-	-	-	-	2	1	2	4	7	-
			MNW	13	1	-	1	-	-	-	-	-	2	3	2	3	1	-
			FNW	10	-	-	-	-	-	-	-	-	1	1	3	2	3	-
6. Empyema and abscess of lung and mediastinum - (510-513)	20	0.5			-	-	-	-	1	-	-	5	5	3	2	3	1	-
			MW	7	-	-	-	-	-	-	-	2	1	2	1	1	-	-
			FW	4	-	-	-	-	-	-	-	1	1	-	1	-	1	-
			MNW	7	-	-	-	-	1	-	-	1	2	1	-	2	-	-
			FNW	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
7. Pleurisy - (511)	10	0.2			-	-	-	-	-	-	1	-	-	1	4	2	1	1
			MW	5	-	-	-	-	-	-	1	-	-	1	1	1	1	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
8. All other diseases of respiratory system - (512, 514-519)	247	5.7			31	-	1	2	4	5	10	16	20	35	53	46	24	-
			MW	96	8	-	-	1	2	2	2	2	10	16	30	17	6	-
			FW	64	3	-	-	-	1	1	2	3	5	4	16	19	10	-
			MNW	45	8	-	1	-	-	1	4	7	4	8	4	2	6	-
			FNW	42	12	-	-	1	1	1	2	4	1	7	3	8	2	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE: Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
IX. Diseases of the digestive system - (520-579)	1224	28.4			22	1	2	2	7	4	36	82	177	235	278	248	130	-
			MW	454	7	-	-	-	-	3	12	32	71	107	114	82	26	-
			FW	413	3	1	-	-	3	-	4	13	47	60	90	121	71	-
			MNW	202	6	-	-	-	4	-	14	28	36	42	31	26	15	-
			FNW	155	6	-	2	2	-	1	6	9	23	26	43	19	18	-
A. Diseases of oral cavity, salivary glands, and jaws - (520-529)	2	0.0			1	-	-	-	-	-	-	-	1	-	-	-	-	-
			MW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. Diseases of other parts of the digestive system - (530-579)	1222	28.4			21	1	2	2	7	4	36	82	176	235	278	248	130	-
			MW	453	7	-	-	-	-	3	12	32	70	107	114	82	26	-
			FW	413	3	1	-	-	3	-	4	13	47	60	90	121	71	-
			MNW	201	5	-	-	-	4	-	14	28	36	42	31	26	15	-
			FNW	155	6	-	2	2	-	1	6	9	23	26	43	19	18	-
1. Ulcer of stomach and duodenum - (531-533)	73	1.7			-	-	-	-	1	-	1	4	7	12	15	21	12	-
			MW	29	-	-	-	-	-	-	-	1	4	6	7	7	4	-
			FW	24	-	-	-	-	-	-	-	1	2	-	6	8	7	-
			MNW	13	-	-	-	-	1	-	-	2	1	3	1	4	1	-
			FNW	7	-	-	-	-	-	-	1	-	-	3	1	2	-	-
a. Gastric ulcer - (531)	21	0.5			-	-	-	-	-	-	1	1	-	4	6	6	3	-
			MW	5	-	-	-	-	-	-	-	1	-	1	2	-	1	-
			FW	7	-	-	-	-	-	-	-	-	-	-	3	3	1	-
			MNW	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-
			FNW	4	-	-	-	-	-	-	1	-	-	2	-	1	-	-
b. Duodenal ulcer - (532)	25	0.6			-	-	-	-	1	-	-	-	4	4	2	11	3	-
			MW	11	-	-	-	-	-	-	-	-	2	3	-	5	1	-
			FW	10	-	-	-	-	-	-	-	-	1	-	2	5	2	-
			MNW	4	-	-	-	-	1	-	-	-	1	1	-	1	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Peptic ulcer, site unspecified - (533)	27	0.6			-	-	-	-	-	-	-	3	3	4	7	4	6	-
			MW	13	-	-	-	-	-	-	-	-	2	2	5	2	2	-
			FW	7	-	-	-	-	-	-	-	1	1	-	1	-	4	-
			MNW	4	-	-	-	-	-	-	-	2	-	1	-	1	-	-
			FNW	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
2. Gastritis and duodenitis - (535)	5	0.1			-	-	-	-	-	-	1	1	-	1	-	1	1	-
			MW	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
3. Appendicitis - (540-543)	19	0.4			-	-	-	1	1	-	1	-	1	3	6	6	-	-
			MW	3	-	-	-	-	-	-	1	-	1	-	-	1	-	-
			FW	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-
			MNW	9	-	-	-	-	1	-	-	-	-	2	3	3	-	-
			FNW	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4. Hernia of abdominal cavity and intestinal obstruction without mention of hernia - (550-553, 560)	103	2.4			4	1	-	-	1	-	-	4	7	-	15	43	28	-
			MW	20	1	-	-	-	-	-	-	-	3	-	2	10	4	-
			FW	44	-	1	-	-	-	-	-	1	2	-	4	24	12	-
			MNW	17	1	-	-	-	1	-	-	2	-	-	1	7	5	-
			FNW	22	2	-	-	-	-	-	-	1	2	-	8	2	7	-
5. Regional enteritis and idiopathic proctocolitis - (555-556)	10	0.2			-	-	-	-	-	-	-	-	2	3	-	4	1	-
			MW	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-
			FW	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
6. All other noninfective gastroenteritis and colitis - (557-558) .	90	2.1			8	-	1	-	-	-	-	2	-	11	31	21	16	-
			MW	26	3	-	-	-	-	-	-	1	-	4	8	7	3	-
			FW	37	-	-	-	-	-	-	-	-	-	5	11	23	8	-
			MNW	13	4	-	-	-	-	-	-	1	-	-	7	-	1	-
			FNW	14	1	-	1	-	-	-	-	-	-	2	5	1	4	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
7. Diverticula of intestine - (562). .	45	1.0			-	-	-	-	-	-	-	-	1	5	8	19	12	-
			MW	12	-	-	-	-	-	-	-	-	-	1	2	6	3	-
			FW	23	-	-	-	-	-	-	-	-	1	2	4	10	6	-
			MNW	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-
			FNW	7	-	-	-	-	-	-	-	-	-	2	1	3	1	-
8. Chronic liver disease and cirrhosis - (571)	443	10.3			2	-	1	1	-	2	17	42	105	128	94	43	8	-
			MW	202	-	-	-	-	-	2	6	22	44	62	45	18	3	-
			FW	122	-	-	-	-	-	-	2	5	25	33	35	19	3	-
			MNW	74	-	-	-	-	-	-	5	13	24	21	7	3	1	-
			FNW	45	2	-	1	1	-	-	4	2	12	12	7	3	1	
a. Chronic liver disease and cirrhosis, specified as alcoholic - (571.0-571.3) . . .	116	2.7			-	-	-	-	-	-	6	19	34	35	17	5	-	-
			MW	48	-	-	-	-	-	-	1	7	15	12	10	3	-	-
			FW	25	-	-	-	-	-	-	-	2	6	11	4	2	-	-
			MNW	30	-	-	-	-	-	-	3	9	8	9	1	-	-	-
			FNW	13	-	-	-	-	-	-	2	1	5	3	2	-	-	-
b. Chronic hepatitis and biliary cirrhosis - (571.4-571.6) . . .	21	0.5			-	-	-	-	-	-	1	1	2	2	8	7	-	-
			MW	6	-	-	-	-	-	-	-	-	-	2	1	3	-	-
			FW	12	-	-	-	-	-	-	-	1	2	-	5	4	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
c. Cirrhosis of liver and other unspecified chronic liver disease without mention of alcohol - (571.5, 571.8-571.9)	306	7.1			2	-	1	1	-	2	10	22	69	91	69	31	8	-
			MW	148	-	-	-	-	-	2	5	15	29	48	34	12	3	-
			FW	85	-	-	-	-	-	-	2	2	17	22	16	13	3	-
			MNW	43	-	-	-	-	-	-	2	4	16	12	5	3	1	-
			FNW	30	2	-	1	1	-	-	1	1	7	9	4	3	1	-
9. Cholelithiasis and other disorders of gallbladder - (574-575)	52	1.2			-	-	-	-	-	-	-	1	-	3	22	20	6	-
			MW	14	-	-	-	-	-	-	-	-	-	-	9	5	-	-
			FW	23	-	-	-	-	-	-	-	-	-	2	5	11	5	-
			MNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
			FNW	13	-	-	-	-	-	-	-	1	-	1	7	3	1	-
10. All other diseases of digestive system - (530, 534, 536-537, 564-570, 572-573, 576-579)	382	8.9			7	-	-	-	4	2	16	28	53	69	87	70	46	-
			MW	140	3	-	-	-	-	1	4	7	18	32	41	26	8	-
			FW	131	3	-	-	-	3	-	2	6	16	17	22	32	30	-
			MNW	67	-	-	-	-	1	-	9	10	11	14	10	7	5	-
			FNW	44	1	-	-	-	-	1	1	5	8	6	14	5	3	-
X. Diseases of the genito-urinary system - (580-629)	755	17.5			10	1	-	-	-	2	12	18	38	79	184	250	161	-
			MW	199	2	-	-	-	-	1	1	3	6	19	52	73	42	-
			FW	244	3	-	-	-	-	1	3	2	10	19	43	92	71	-
			MNW	152	2	-	-	-	-	-	7	7	10	19	47	41	19	-
			FNW	160	3	1	-	-	-	-	1	6	12	22	42	44	29	-
A. Diseases of urinary system - (580-599)	733	17.0			10	1	-	-	-	2	12	16	38	78	178	241	157	-
			MW	188	2	-	-	-	-	1	1	3	6	19	49	68	39	-
			FW	242	3	-	-	-	-	1	3	2	10	19	42	92	70	-
			MNW	145	2	-	-	-	-	-	7	7	10	18	45	37	19	-
			FNW	158	3	1	-	-	-	-	1	4	12	22	42	44	29	-
1. Nephritis, nephrotic syndrome, and nephrosis - (580-589)	465	10.8			10	1	-	-	-	1	6	12	29	58	128	139	81	-
			MW	122	2	-	-	-	-	-	-	3	5	13	37	39	23	-
			FW	125	3	-	-	-	-	1	1	1	7	12	27	49	24	-
			MNW	104	2	-	-	-	-	-	5	6	8	15	31	23	14	-
			FNW	114	3	1	-	-	-	-	-	2	9	18	33	26	20	-
a. Acute glomerulonephritis - (580)	1	0.0			-	1	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
b. Nephrotic syndrome - (581) . . .	2	0.0			1	-	-	-	-	-	-	-	-	-	-	-	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
c. Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified (582-583, 587)	57	1.3			-	-	-	-	-	-	1	3	2	3	15	18	15	-
			MW	14	-	-	-	-	-	-	-	1	-	-	6	2	5	-
			FW	18	-	-	-	-	-	-	-	-	-	1	3	11	3	-
			MNW	13	-	-	-	-	-	-	1	1	1	1	4	2	3	-
			FNW	12	-	-	-	-	-	-	-	1	1	1	2	3	4	-
d. Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause - (584-586, 588-589)	405	9.4			9	-	-	-	-	1	5	9	27	55	113	121	65	-
			MW	108	2	-	-	-	-	-	-	2	5	13	31	37	18	-
			FW	105	2	-	-	-	-	1	1	1	7	11	24	38	20	-
			MNW	91	2	-	-	-	-	-	4	5	7	14	27	21	11	-
			FNW	101	3	-	-	-	-	-	-	1	8	17	31	25	16	-
2. Infections of kidney - (590) . . .	55	1.3			-	-	-	-	-	-	1	-	-	6	8	18	22	-
			MW	11	-	-	-	-	-	-	-	-	-	2	-	4	5	-
			FW	32	-	-	-	-	-	-	-	-	-	3	4	10	15	-
			MNW	6	-	-	-	-	-	-	1	-	-	-	2	2	1	-
			FNW	6	-	-	-	-	-	-	-	-	-	1	2	2	1	-
3. Urinary calculus - (592, 594) . . .	11	0.3			-	-	-	-	-	-	-	1	-	-	4	5	1	-
			MW	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
			FW	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-
			MNW	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-
			FNW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
4. All other diseases of urinary system - (591, 593, 595-599) . . .	202	4.7			-	-	-	-	-	1	5	3	9	14	38	79	53	-
			MW	52	-	-	-	-	-	1	1	-	1	4	12	23	10	-
			FW	82	-	-	-	-	-	-	2	1	3	4	9	32	31	-
			MNW	32	-	-	-	-	-	-	1	-	2	3	11	11	4	-
			FNW	36	-	-	-	-	-	-	1	2	3	3	6	13	8	-
B. Diseases of male genital organs - (600-608)	18	0.4			-	-	-	-	-	-	-	-	-	1	5	9	3	-
			MW	11	-	-	-	-	-	-	-	-	-	-	3	5	3	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	7	-	-	-	-	-	-	-	-	-	1	2	4	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Hyperplasia of prostate - (600) . .	9	0.2			-	-	-	-	-	-	-	-	-	-	3	6	-	-
			MW	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	6	-	-	-	-	-	-	-	-	-	-	2	4	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Other diseases of male genital organs - (601-608)	9	0.2			-	-	-	-	-	-	-	-	-	1	2	3	3	-
			MW	8	-	-	-	-	-	-	-	-	-	-	2	3	3	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C. Diseases of breast and other diseases of female genital organs - (610-629)	4	0.1			-	-	-	-	-	-	-	2	-	-	1	-	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
1. Disorders of breast - (610-611) . .	1	0.0			-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Other diseases of female genital organs - (614-629)	3	0.1			-	-	-	-	-	-	-	2	-	-	-	-	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-
XI. Complications of pregnancy, childbirth, and the puerperium - (630-676) . .	13	0.3			-	-	-	-	3	4	4	2	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	5	-	-	-	-	1	1	1	2	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	8	-	-	-	-	2	3	3	-	-	-	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
A. Pregnancy with abortive outcome - (630-638)	3	0.1		-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
1. Ectopic pregnancy - (633)	2	0.0			-	-	-	-	1	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-
2. Spontaneous abortion - (634)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Legally induced abortion - (635)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Illegally induced abortion - (636)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5. Other pregnancy with abortive outcome - (630-632, 637-638)	1	0.0			-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. Direct obstetric causes - (640-646, 651-676)	8	0.2			-	-	-	-	2	3	3	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	5	-	-	-	-	1	2	2	-	-	-	-	-	-	-
1. Hemorrhage of pregnancy and childbirth - (640-641, 666)	2	0.0			-	-	-	-	1	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2. Toxemia of pregnancy - (642.4 - 642.9, 643)	1	0.0			-	-	-	-	-	-	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
3. Obstructed labor - (660)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Complications of the puerperium - (670-676)	4	0.1			-	-	-	-	1	2	1	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
5. Other direct obstetric causes - (642.0-642.3, 644-645, 651-659, 661-665, 667-669)	1	0.0			-	-	-	-	-	1	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
C. Indirect obstetric causes - (647-648)	2	0.0			-	-	-	-	-	1	-	1	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
D. Delivery in a completely normal case - (650)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. Diseases of the skin and subcutaneous tissue - (680-709)	64	1.5			-	1	-	-	-	-	3	-	2	10	13	25	10	-
			MW	12	-	1	-	-	-	-	1	-	-	4	2	4	-	-
			FW	19	-	-	-	-	-	-	-	-	-	2	1	12	4	-
			MNW	12	-	-	-	-	-	-	1	-	-	1	5	3	2	-
			FNW	21	-	-	-	-	-	-	1	-	2	3	5	6	4	-
A. Infections of skin and subcutaneous tissue - (680-686)	12	0.3			-	-	-	-	-	-	3	-	-	1	3	4	1	-
			MW	4	-	-	-	-	-	-	1	-	-	-	1	2	-	-
			FW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-
			FNW	5	-	-	-	-	-	-	1	-	-	1	1	1	1	-
B. All other diseases of skin and subcutaneous tissue - (690-709) . . .	52	1.2			-	1	-	-	-	-	-	-	2	9	10	21	9	-
			MW	8	-	1	-	-	-	-	-	-	-	4	1	2	-	-
			FW	18	-	-	-	-	-	-	-	-	-	2	1	11	4	-
			MNW	10	-	-	-	-	-	-	-	-	-	1	4	3	2	-
			FNW	16	-	-	-	-	-	-	-	-	2	2	4	5	3	-
XIII. Diseases of the musculoskeletal system and connective tissue - (710-739)	84	2.0			-	-	-	1	2	2	7	10	13	11	22	12	4	-
			MW	19	-	-	-	-	-	-	1	1	1	4	7	4	1	-
			FW	38	-	-	-	-	1	-	-	3	8	6	11	6	3	-
			MNW	5	-	-	-	-	1	-	-	1	1	-	1	1	-	-
			FNW	22	-	-	-	1	-	2	6	5	3	1	3	1	-	-
a. Rheumatoid arthritis and other inflammatory polyarthropathies - (714)	15	0.3			-	-	-	-	-	-	-	1	3	3	6	1	1	-
			MW	5	-	-	-	-	-	-	-	-	-	1	3	1	-	-
			FW	8	-	-	-	-	-	-	-	1	1	2	3	-	1	-
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
B. Other arthropathies and related disorders - (710-712, 715-719)	48	1.1			-	-	-	1	1	2	6	8	7	8	10	4	1	-
			MW	7	-	-	-	-	-	-	-	1	-	3	1	2	-	-
			FW	21	-	-	-	-	1	-	-	2	5	4	6	2	1	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	19	-	-	-	1	-	2	6	5	2	1	2	-	-	-
C. Dorsopathies - (720-724)	6	0.1			-	-	-	-	-	-	-	-	-	-	2	4	-	-
			MW	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
			FW	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
D. Rheumatism, excluding the back - (725-729)	5	0.1			-	-	-	-	-	-	1	1	1	-	1	1	-	-
			MW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-
			MNW	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E. Ostepathies, chondropathies, and acquired musculoskeletal deformaties - (730-739)	10	0.2			-	-	-	-	1	-	-	-	2	-	3	2	2	-
			MW	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-
			FW	4	-	-	-	-	-	-	-	-	1	-	1	1	1	-
			MNW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
XIV. Congenital anomalies - (740-759)	314	7.3			224	28	6	7	6	3	6	14	6	5	4	3	2	-
			MW	94	70	4	4	2	1	-	2	7	1	-	1	1	1	-
			FW	104	67	12	1	3	1	1	1	5	4	4	2	2	1	-
			MNW	60	46	5	-	1	2	2	2	1	-	1	-	-	-	-
			FNW	56	41	7	1	1	2	-	1	1	1	-	1	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
A. Spina bifida - (741)	4	0.1			3	-	-	-	-	-	-	-	1	-	-	-	-	-
			MW	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B. All other congenital anomalies of nervous system - (740, 742).	58	1.3			43	6	2	2	1	-	3	1	-	-	-	-	-	-
			MW	21	17	2	1	-	-	-	1	-	-	-	-	-	-	-
			FW	17	14	2	-	1	-	-	-	-	-	-	-	-	-	-
			MNW	7	3	1	-	-	1	-	1	1	-	-	-	-	-	-
			FNW	13	9	1	1	1	-	-	1	-	-	-	-	-	-	-
C. Congenital anomalies of heart - (745-746)	110	2.6			62	18	2	1	3	3	2	10	2	4	1	2	-	-
			MW	29	18	2	1	1	1	-	-	5	1	-	-	-	-	-
			FW	39	18	7	1	-	-	1	1	4	1	3	1	2	-	-
			MNW	23	14	4	-	-	1	2	1	-	-	1	-	-	-	-
			FNW	19	12	5	-	-	1	-	-	1	-	-	-	-	-	-
D. Other congenital anomalies of circulatory system - (747)	36	0.8			29	1	2	-	-	-	1	1	-	-	2	-	-	-
			MW	16	11	-	2	-	-	-	1	1	-	-	1	-	-	-
			FW	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	6	5	-	-	-	-	-	-	-	-	-	1	-	-	-
E. All other congenital anomalies - (743-744, 748-759)	106	2.5			87	3	-	4	2	-	-	2	3	1	1	1	2	-
			MW	27	23	-	-	1	-	-	-	1	-	-	-	1	1	-
			FW	38	27	2	-	2	1	-	-	1	2	1	1	-	1	-
			MNW	23	22	-	-	1	-	-	-	-	-	-	-	-	-	-
			FNW	18	15	1	-	-	1	-	-	-	1	-	-	-	-	-
XV. Certain conditions originating in perinatal period - (760-779)	585	13.6			582	3	-	-	-	-	-	-	-	-	-	-	-	-
			MW	139	136	3	-	-	-	-	-	-	-	-	-	-	-	-
			FW	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-
A. Birth trauma - (767)	39	0.9			39	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-
B. Intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome - (768-769)	110	2.6			110	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-
C. Other conditions originating in the perinatal period - 760-766, 770-779) .	436	10.2			433	3	-	-	-	-	-	-	-	-	-	-	-	-
			MW	92	89	3	-	-	-	-	-	-	-	-	-	-	-	-
			FW	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI. Symptoms, signs, and ill-defined conditions - (780-799)	349	8.1			93	4	1	-	1	5	9	6	14	50	53	66	44	3
			MW	116	17	1	-	-	1	2	3	4	6	23	21	27	11	-
			FW	86	20	-	-	-	-	2	2	-	3	14	15	12	18	-
			MNW	84	35	3	1	-	-	-	3	1	3	4	10	14	7	3
			FNW	63	21	-	-	-	-	1	1	1	2	9	7	13	8	-
A. Senility without mention of psychosis - (797)	10	0.2			-	-	-	-	-	-	-	-	-	-	-	4	6	-
			MW	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
			FNW	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
B. Symptoms, signs, and other ill-defined conditions - (780-796, 798-799)	339	7.9			93	4	1	-	1	5	9	6	14	50	53	62	38	3
			MW	111	17	1	-	-	1	2	3	4	6	23	21	25	8	-
			FW	86	20	-	-	-	-	2	2	-	3	14	15	12	18	-
			MNW	82	35	3	1	-	-	-	3	1	3	4	10	13	6	3
			FNW	60	21	-	-	-	-	1	1	1	2	9	7	12	6	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	[illegible]	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
XVII. Supplementary classification of external causes of injury and poisoning - (E800-E999)	3685	85.6			32	116	79	75	404	57[illegible]	815	414	343	289	248	193	89	9
			MW	1756	7	26	31	39	224	312	405	187	153	147	114	75	30	6
			FW	617	7	27	10	8	54	63	86	67	64	55	71	63	42	-
			MNW	1033	11	33	24	22	112	170	272	140	105	62	38	33	8	3
			FNW	279	7	30	14	6	14	34	52	20	21	25	25	22	9	-
A. Accidents and adverse effects - (E800-E949)	2454	57.0			29	107	78	70	310	352	464	221	197	198	188	157	81	2
			MW	1262	6	26	30	38	191	222	278	120	87	105	82	50	26	1
			FW	423	6	24	10	6	42	46	45	32	32	30	52	58	40	
			MNW	582	10	28	24	21	70	73	117	63	64	42	34	29	6	1
			FNW	187	7	29	14	5	7	11	24	6	14	21	20	20	9	-
1. Transport accidents - (E800-E848)	1357	31.5			1	39	37	41	226	250	305	126	100	101	82	37	12	-
			MW	799	-	11	15	22	144	156	202	75	53	59	39	19	4	-
			FW	216	1	11	4	5	37	35	34	20	22	18	20	4	5	-
			MNW	276	-	9	13	10	40	50	62	28	19	15	20	9	1	-
			FNW	66	-	8	5	4	5	9	7	3	6	9	3	5	2	-
a. Railway accidents - (E800-E807)	11	0.3			-	-	-	-	2	-	3	3	1	2	-	-	-	-
			MW	8	-	-	-	-	2	-	2	2	-	2	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
b. Motor vehicle accidents - (E810-E825)	1236	28.7			1	37	33	38	211	233	274	105	84	92	80	36	12	-
			MW	714	-	10	12	20	130	147	180	59	43	53	37	19	4	-
			FW	207	1	11	3	5	37	35	32	19	18	17	20	4	5	-
			MNW	251	-	8	13	9	39	42	55	24	18	13	20	9	1	-
			FNW	64	-	8	5	4	5	9	7	3	5	9	3	4	2	-
1) Motor vehicle traffic accidents - (E810-E819) . . .	1215	28.2			1	32	33	36	206	230	272	105	83	91	78	36	12	-
			MW	702	-	9	12	19	125	145	178	59	43	52	37	19	4	-
			FW	201	1	8	3	4	37	34	32	19	18	17	19	4	5	-
			MNW	248	-	7	13	9	39	42	55	24	17	13	19	9	1	-
			FNW	64	-	8	5	4	5	9	7	3	5	9	3	4	2	-
a) Involving collision with train - (E810) . . .	28	0.7			-	-	-	1	6	5	5	2	2	4	3	-	-	-
			MW	15	-	-	-	1	3	3	3	1	-	2	2	-	-	-
			FW	4	-	-	-	-	1	-	-	1	1	1	-	-	-	-
			MNW	6	-	-	-	-	2	1	1	-	1	1	-	-	-	-
			FNW	3	-	-	-	-	-	1	1	-	-	-	1	-	-	-
b) Involving collision with another motor vehicle - E811-E812) . . .	350	8.1			-	5	4	8	52	70	70	33	26	34	30	15	3	-
			MW	210	-	3	4	5	33	46	47	17	15	16	15	8	1	-
			FW	68	-	1	-	1	8	10	10	8	7	13	8	1	1	-
			MNW	55	-	1	-	-	9	11	13	7	2	3	5	4	-	-
			FNW	17	-	-	-	2	2	3	-	1	2	2	2	2	1	-
c) Involving collision with pedestrian - (E814)	163	3.8			-	14	14	6	13	21	29	17	9	10	15	9	6	-
			MW	76	-	4	5	3	9	10	14	7	5	8	4	5	2	-
			FW	22	-	2	2	1	-	3	3	3	-	1	4	1	2	-
			MNW	51	-	5	5	1	3	6	10	6	4	-	7	3	1	-
			FNW	14	-	3	2	1	1	2	2	1	-	1	-	-	1	-
d) Involving collision with other vehicle or object - (E813, E815) . .	103	2.4			-	-	4	12	24	21	21	9	7	3	1	1	-	-
			MW	61	-	-	1	7	15	13	14	5	2	2	1	1	-	-
			FW	13	-	-	-	1	3	3	3	-	2	1	-	-	-	-
			MNW	27	-	-	3	4	5	4	4	4	3	-	-	-	-	-
			FNW	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
e) Not involving collision on highway - (E816-E818 . .	193	4.5			1	4	-	2	40	42	59	16	11	12	6	-	-	-
			MW	123	-	1	-	-	21	30	43	11	7	6	4	-	-	-
			FW	30	1	2	-	-	12	6	5	2	1	1	-	-	-	-
			MNW	37	-	-	-	2	6	6	10	3	3	5	2	-	-	-
			FNW	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-
f) Motor vehicle traffic of unspecified nature - (E819)	378	8.8			-	9	11	7	71	71	88	28	28	28	23	11	3	-
			MW	217	-	1	2	3	44	43	57	18	14	18	11	5	1	-
			FW	64	-	3	1	1	13	12	11	5	7	-	7	2	2	-
			MNW	72	-	1	5	2	14	14	17	4	4	4	5	2	-	-
			FNW	25	-	4	3	1	-	2	3	1	3	6	-	2	-	-

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2) Motor vehicle nontraffic accidents - (E820-E825) . . .	21	0.5			-	5	-	2	5	3	2	-	1	1	2	-	-	-
			MW	12	-	1	-	1	5	2	2	-	-	1	-	-	-	-
			FW	6	-	3	-	1	-	1	-	-	-	-	1	-	-	-
			MNW	3	-	1	-	-	-	-	-	-	1	-	1	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Other road vehicle accidents - (E826-E829)	4	0.1			-	1	1	-	-	-	1	-	-	-	-	1	-	-
			MW	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
			FW	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
d. Water transport accidents - (E830-E838)	* 72	1.7			-	1	2	2	12	13	19	12	5	4	2	-	-	-
			MW	50	-	-	2	1	11	6	13	9	4	2	2	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	22	-	1	-	1	1	7	6	3	1	2	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Air and space transport accidents - (E840-E845)	34	0.9			-	-	1	1	1	4	8	6	10	3	-	-	-	-
			MW	26	-	-	1	1	1	3	7	5	6	2	-	-	-	-
			FW	7	-	-	-	-	-	-	1	1	4	1	-	-	-	-
			MNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f. Vehicle accidents not elsewhere classifiable - (E846-E848)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Accidental poisoning - (E850-E869)	63	1.5			-	6	2	2	3	8	16	8	6	4	3	4	1	-
			MW	24	-	-	-	1	2	6	7	2	1	3	1	1	-	-
			FW	13	-	-	-	-	1	1	1	4	1	1	1	2	1	-
			MNW	14	-	2	1	-	-	1	5	1	2	-	1	1	-	-
			FNW	12	-	4	1	1	-	-	3	1	2	-	-	-	-	-
a. Accidental poisoning by drugs, medicaments, and biologicals - (E850-E858)	26	0.6			-	-	-	1	1	4	7	5	3	2	-	2	1	-
			MW	14	-	-	-	-	1	3	5	2	1	1	-	1	-	-
			FW	7	-	-	-	-	-	1	1	2	1	1	-	-	1	-
			MNW	4	-	-	-	-	-	-	1	1	1	-	-	1	-	-
			FNW	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
b. Accidental poisoning by other solid or liquid substances - (E860-E866)	9	0.2			-	1	-	-	-	1	1	1	-	1	3	1	-	-
			MW	4	-	-	-	-	-	1	1	-	-	1	1	-	-	-
			FW	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-
			MNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
			FNW	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
c. Accidental poisoning by gases and vapors - (E867-E869)	28	0.7			-	5	2	1	2	3	8	2	3	1	-	1	-	-
			MW	6	-	-	-	1	1	2	1	-	-	1	-	-	-	-
			FW	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-
			MNW	9	-	2	1	-	-	1	4	-	1	-	-	-	-	-
			FNW	10	-	3	1	-	-	-	3	1	2	-	-	-	-	-
3. Misadventures during medical care, abnormal reactions, and late complications - (E870-E879)	43	1.0			-	1	-	-	-	-	2	2	4	10	13	6	5	-
			MW	14	-	-	-	-	-	-	1	-	1	4	5	2	1	-
			FW	15	-	-	-	-	-	-	-	2	1	-	6	4	2	-
			MNW	9	-	1	-	-	-	-	-	-	2	4	-	-	2	-
			FNW	5	-	-	-	-	-	-	1	-	-	2	2	-	-	-
4. Accidental falls - (E880-E888) . .	212	4.9			2	6	-	-	1	11	14	12	15	23	25	58	45	-
			MW	81	-	-	-	-	1	9	11	4	6	9	11	14	16	-
			FW	81	-	1	-	-	-	2	1	2	1	3	9	36	26	-
			MNW	29	1	1	-	-	-	-	2	6	8	6	3	1	1	-
			FNW	21	1	4	-	-	-	-	-	-	-	5	2	7	2	-
a. Fall from one level to another - (E880-E884)	44	1.0			-	3	-	-	1	10	7	3	5	7	4	2	2	-
			MW	30	-	-	-	-	1	8	7	1	4	4	3	2	-	-
			FW	7	-	1	-	-	-	2	-	1	-	1	-	-	2	-
			MNW	5	-	-	-	-	-	-	-	1	1	2	1	-	-	-
			FNW	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-

* This includes 67 deaths due to accidental drowning in water transport accidents (Codes (E830 and E832).

Table XXIII (continued)

Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age

Louisiana, 1981

(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
b. Fall on same level - (E885-E886)	3	0.1			-	-	-	-	-	-	-	-	-	-	1	1	1	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Fracture, cause unspecified and other and unspecified falls - (E887-E888)	165	3.8			2	3	-	-	-	1	7	9	10	16	20	55	42	-
			MW	51	-	-	-	-	-	1	4	3	2	5	8	12	16	-
			FW	71	-	-	-	-	-	-	1	1	1	2	8	35	23	-
			MNW	24	1	1	-	-	-	-	2	5	7	4	2	1	1	-
			FNW	19	1	2	-	-	-	-	-	-	-	5	2	7	2	-
5. Accidents caused by fires and flames - (E890-E899)	174	4.0			7	27	13	2	6	12	24	8	16	16	17	17	9	-
			MW	48	1	4	1	1	3	6	10	3	4	5	5	3	2	-
			FW	36	1	7	4	-	3	1	4	1	2	2	3	6	2	-
			MNW	52	3	9	3	1	-	4	6	4	8	6	3	4	1	-
			FNW	38	2	7	5	-	-	1	4	-	2	3	6	4	4	-
6. Other accidents, including late effects - (E900-E929)	600	13.9			19	28	26	25	74	71	102	65	55	42	48	34	9	2
			MW	295	5	11	14	14	41	45	47	36	22	24	21	11	3	1
			FW	60	4	5	2	1	1	7	5	3	5	5	13	5	4	-
			MNW	202	6	6	7	10	30	18	42	24	25	11	7	14	1	1
			FNW	43	4	6	3	-	2	1	8	2	3	2	7	4	1	-
a. Lightning - (E907)	5	0.1			-	-	-	1	2	-	-	1	1	-	-	-	-	-
			MW	5	-	-	-	1	2	-	-	1	1	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Accidental drowning and submersion (excluding in transport) - (E910)	192	4.5			2	13	15	13	37	30	35	17	11	6	7	2	3	1
			MW	79	2	6	6	5	14	16	8	9	3	3	5	-	1	1
			FW	19	-	4	2	-	1	2	3	1	1	-	2	1	2	-
			MNW	84	-	2	5	8	21	11	21	7	6	3	-	-	-	-
			FNW	10	-	1	2	-	1	1	3	-	1	-	-	1	-	-
c. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation - (E911-E912)	97	2.3			7	6	2	-	2	2	7	7	11	7	20	20	6	-
			MW	36	2	1	-	-	1	-	2	4	5	4	8	7	2	-
			FW	18	1	1	-	-	-	1	-	-	2	2	6	3	2	-
			MNW	29	3	-	2	-	1	1	4	3	3	1	2	8	1	-
			FNW	14	1	4	-	-	-	-	1	-	1	-	4	2	1	-
d. Accident caused by handgun - (E922.0)	9	0.2			-	-	1	1	1	2	2	-	1	1	-	-	-	-
			MW	5	-	-	1	1	1	2	-	-	-	-	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
			MNW	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Accidents caused by all other and unspecified firearms - (E922.1-922.9)	62	1.4			-	4	3	5	13	11	12	5	5	4	-	-	-	-
			MW	38	-	1	3	4	9	6	7	2	3	3	-	-	-	-
			FW	6	-	-	-	-	-	4	2	-	-	-	-	-	-	-
			MNW	15	-	2	-	1	4	1	2	2	2	1	-	-	-	-
			FNW	3	-	1	-	-	-	-	1	1	-	-	-	-	-	-
f. Accidents caused by explosive material - (E923)	5	0.1			-	-	-	-	-	-	2	-	1	-	1	1	-	-
			MW	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
g. Accident caused by hot substance or object, caustic or corrosive material, steam, and exposure to radiation - (E924, E926)	4	0.1			1	-	-	-	-	-	-	-	-	1	1	1	-	-
			MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FW	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
h. Accident caused by electric current - (E925)	40	0.9			1	-	-	-	6	9	14	3	3	3	1	-	-	-
			MW	30	-	-	-	-	4	9	11	1	1	3	1	-	-	-
			FW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
			MNW	8	1	-	-	-	1	-	3	1	2	-	-	-	-	-
			FNW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE (Per 100,000 Population)	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
i. All other accidents and late effects of accidental injury - (E900-E906, E908-E909, E913-E921, E927-E929)	186	4.3			8	5	5	5	13	17	30	32	22	20	18	10	-	1
			MW	98	1	3	4	3	10	12	18	19	8	10	6	4	-	-
			FW	12	2	-	-	1	-	-	-	1	1	2	5	-	-	-
			MNW	62	2	2	-	1	3	5	9	11	12	6	5	5	-	1
			FNW	14	3	-	1	-	-	-	3	1	1	2	2	1	-	-
7. Drugs, medicaments, and biological substances causing adverse effects in therapeutic use - (E930-E949). .	5	0.1			-	-	-	-	-	-	1	-	1	2	-	1	-	-
			MW	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
			FW	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-
B. Suicide - (E950-E959)	502	11.7			-	-	-	1	34	69	122	80	68	50	45	25	6	2
			MW	309	-	-	-	-	23	49	74	41	37	29	28	23	3	2
			FW	132	-	-	-	1	6	12	28	24	27	17	14	1	2	-
			MNW	48	-	-	-	-	4	7	16	10	4	4	1	1	1	-
			FNW	13	-	-	-	-	1	1	4	5	-	-	2	-	-	-
1. Suicide by drugs, medicaments, and biologicals - (E950.0-E950.5)	50	1.2			-	-	-	-	1	7	18	11	7	3	2	1	-	-
			MW	17	-	-	-	-	-	4	9	2	2	-	-	-	-	-
			FW	27	-	-	-	-	-	2	7	8	5	3	1	1	-	-
			MNW	5	-	-	-	-	1	1	1	1	-	-	1	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2. Suicide by other solid or liquid substances - (E950.6-E950.9)	7	0.2			-	-	-	-	-	-	5	-	1	1	-	-	-	-
			MW	4	-	-	-	-	-	-	4	-	-	-	-	-	-	-
			FW	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Suicide by gases and vapors - (E951-E952)	7	0.2			-	-	-	-	-	1	3	1	2	-	-	-	-	-
			MW	4	-	-	-	-	-	1	3	-	-	-	-	-	-	
			FW	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
4. Suicide by hanging, strangulation, and suffocation - (E953)	31	0.7			-	-	-	-	4	5	10	4	2	1	2	1	2	-
			MW	13	-	-	-	-	2	4	4	1	1	-	-	1	-	-
			FW	10	-	-	-	-	1	1	1	1	1	1	2	-	2	-
			MNW	7	-	-	-	-	1	-	4	2	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
5. Suicide by handgun - (E955.0) . . .	49	1.1			-	-	-	-	3	8	4	10	11	7	4	2	-	-
			MW	35	-	-	-	-	3	5	2	6	7	7	3	2	-	-
			FW	9	-	-	-	-	-	2	1	2	3	-	1	-	-	-
			MNW	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6. Suicide by all other an unspecified firearms - (E955.1-E955.4)	337	7.8			-	-	-	1	24	47	76	48	43	37	35	20	4	2
			MW	226	-	-	-	-	16	35	50	28	26	22	25	19	3	2
			FW	72	-	-	-	1	5	6	14	12	14	12	8	-	-	-
			MNW	30	-	-	-	-	2	6	10	4	3	3	-	1	1	-
			FNW	9	-	-	-	-	1	-	2	4	-	-	2	-	-	-
7. Suicide by all other means and late effects of self-inflicted injury - (E954, E955.5-E959)	21	0.5			-	-	-	-	2	1	6	6	2	1	2	1	-	-
			MW	10	-	-	-	-	2	-	2	4	1	-	-	1	-	-
			FW	8	-	-	-	-	-	1	4	-	1	-	2	-	-	-
			MNW	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
			FNW	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
c. Homicide and legal intervention - (E960-E978)	712	16.5			3	9	1	4	58	153	227	112	75	39	13	11	2	5
			MW	176	1	-	1	1	10	37	51	26	28	13	2	2	1	3
			FW	56	1	3	-	1	4	5	13	10	4	6	5	4	-	-
			MNW	402	1	5	-	1	38	90	139	67	36	16	3	3	1	2
			FNW	78	-	1	-	1	6	21	24	9	7	4	3	2	-	-
1. Assault by handgun - (E965.0) . . .	27	0.6			-	-	-	-	4	4	10	4	4	1	-	-	-	-
			MW	5	-	-	-	-	1	1	1	1	1	-	-	-	-	-
			FW	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-
			MNW	16	-	-	-	-	3	2	8	1	2	-	-	-	-	-
			FNW	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-

Table XXIII (continued)
Deaths (Exclusive of Stillbirths) Shown by Selected Causes, Sex, Race, and Age
Louisiana, 1981
(By Place of Residence)

CAUSE OF DEATH AND INTERNATIONAL LIST NUMBER	TOTAL	RATE Per 100,000 Population	SEX RACE	TOTAL (By Sex and Race)	AGE													
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 and Over	Not Stated
2. Assault by all other and unspecified firearms - (E965.1-E965.4)	473	11.0			-	2	-	2	39	102	163	79	51	27	3	3	-	2
			MW	111	-	-	-	1	8	21	35	19	18	8	1	-	-	-
			FW	28	-	-	-	-	3	3	11	4	2	5	-	-	-	-
			MNW	282	-	2	-	1	24	62	103	48	26	11	-	3	-	2
			FNW	52	-	-	-	-	4	16	14	8	5	3	2	-	-	-
3. Assault by cutting and piercing instrument - (E966)	128	3.0			-	-	-	2	11	38	33	20	12	4	3	2	-	3
			MW	31	-	-	-	-	-	12	7	2	5	2	-	-	-	3
			FW	8	-	-	-	1	-	2	1	1	1	-	-	2	-	-
			MNW	77	-	-	-	-	10	22	20	16	5	2	2	-	-	-
			FNW	12	-	-	-	1	1	2	5	1	1	-	1	-	-	-
4. Assault by all other means and late effects of injury purposely inflicted by other person - (E960-E964, E965.5-E965.9, E967-E969)	79	1.8			3	7	1	-	4	7	20	7	8	7	7	6	2	-
			MW	25	1	-	1	-	1	1	8	2	4	3	1	2	1	-
			FW	17	1	3	-	-	1	-	1	3	-	1	5	2	-	-
			MNW	27	1	3	-	-	1	4	8	2	3	3	1	-	1	-
			FNW	10	-	1	-	-	1	2	3	-	1	-	-	2	-	-
5. Legal execution - (E978)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Other legal intervention and late effects of injury due to legal intervention - (E970-E977)	5	0.1			-	-	-	-	-	2	1	2	-	-	-	-	-	-
			MW	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
D. Injury undetermined whether accidentally or purposely inflicted - (E980-E989)	17	0.4			-	-	-	-	2	5	2	1	3	2	2	-	-	-
			MW	9	-	-	-	-	-	4	2	-	1	-	2	-	-	-
			FW	6	-	-	-	-	2	-	-	1	1	2	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1. From poisoning by drugs, medicaments, and biologicals - (E980.0-E980.5)	2	0.0			-	-	-	-	1	-	1	-	-	-	-	-	-	-
			MW	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
			FW	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. From poisoning by other solid or liquid substances - (E980.6-980.9)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. From injury by handgun - (E985.0) .	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. From injury by all other and unspecified firearms - (E985.1-E985.4)	10	0.2			-	-	-	-	1	3	1	1	1	2	1	-	-	-
			MW	4	-	-	-	-	-	2	1	-	-	-	1	-	-	-
	-		FW	5	-	-	-	-	1	-	-	1	1	2	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5. From injury by all other means and late effects of injury, undetermined whether accidentally or purposely inflicted - (E981-E984, E985.5-E989)	5	0.1			-	-	-	-	-	2	-	-	2	-	1	-	-	-
			MW	4	-	-	-	-	-	2	-	-	1	-	1	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
F. Injury resulting from operations of war - (E990-E999)	-	- -			-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXIV
Accidental Deaths by Type of Accident Shown by Geographic Location Where Accident Occurred
Louisiana, 1981

PARISH AND CITIES Over 10,000	TOTAL	MOTOR VEHICLE		HOME	OCCUPATIONAL	OTHER PUBLIC	TYPE ACCIDENT NOT STATED
		TRAFFIC	NON-TRAFFIC				
TOTAL	2452	1239	21	356	173	349	314
ACADIA	40	24	1	6	3	4	2
Crowley*	5	1	1	1	1	-	1
ALLEN	20	13	1	2	1	1	2
ASCENSION	41	23	-	6	3	4	5
ASSUMPTION	14	9	-	1	1	2	1
AVOYELLES	26	14	-	6	-	3	3
BEAUREGARD	15	8	-	2	2	2	1
BIENVILLE	9	5	-	2	-	1	1
BOSSIER	48	27	1	2	2	9	7
Bossier City*	19	7	1	1	2	3	5
CADDO	135	43	1	43	2	18	28
Shreveport*	91	24	1	29	1	11	25
CALCASIEU	99	51	1	12	5	9	21
Lake Charles*	41	13	1	4	1	5	17
Sulphur*	8	5	-	1	-	-	2
CALDWELL	6	2	-	1	-	2	1
CAMERON	21	6	1	1	6	6	1
CATAHOULA	10	6	-	-	1	1	2
CLAIBORNE	15	8	-	3	1	2	1
CONCORDIA	16	8	1	2	2	1	2
DESOTO	17	8	-	3	1	3	2
EAST BATON ROUGE	145	82	1	26	5	8	23
Baton Rouge*	99	50	1	22	4	3	19
EAST CARROLL	9	6	-	1	-	1	1
EAST FELICIANA	8	3	-	2	1	2	-
EVANGELINE	26	16	-	4	-	4	2
FRANKLIN	19	10	1	2	1	4	1
GRANT	15	8	-	3	1	3	-
IBERIA	36	20	-	4	3	6	3
New Iberia*	11	3	-	3	-	3	2
IBERVILLE	21	7	-	4	3	4	3
JACKSON	2	-	-	-	-	1	1
JEFFERSON	151	67	1	32	17	20	14
Kenner*	7	6	-	-	-	1	-
Gretna*	8	3	-	3	-	-	2
Westwego*	7	3	-	2	1	1	-
JEFFERSON DAVIS	20	14	1	-	-	2	3
Jennings*	3	2	-	-	-	-	1
LAFAYETTE	69	46	-	6	3	4	10
Lafayette*	40	23	-	4	-	4	9
LAFOURCHE	68	45	1	5	2	8	7
Thibodaux*	8	5	-	2	-	-	1
LASALLE	10	7	-	2	-	-	1
LINCOLN	15	4	-	4	1	2	4
Ruston*	5	1	-	1	-	-	3
LIVINGSTON	35	19	1	2	1	9	3
MADISON	7	3	-	2	1	-	1
MOREHOUSE	13	1	-	1	3	5	3
Bastrop*	4	-	-	-	2	-	2
NATCHITOCHES	22	12	-	5	1	1	3
Natchitoches*	6	3	-	3	-	-	-
ORLEANS	286	91	-	56	6	55	78
OUACHITA	47	26	-	3	5	3	10
Monroe*	20	10	-	-	2	2	6
West Monroe*	5	-	-	2	2	-	1
PLAQUEMINES	38	18	1	-	9	8	2
POINTE COUPEE	19	11	-	-	3	4	1
RAPIDES	62	35	1	6	4	3	13
Alexandria*	24	16	-	2	1	1	4
RED RIVER	7	3	-	1	-	2	1
RICHLAND	8	7	1	-	-	-	-
SABINE	20	13	1	1	1	3	1
ST. BERNARD	37	17	-	11	4	4	1
ST. CHARLES	43	28	-	4	3	4	4
ST. HELENA	11	8	-	2	-	1	-
ST. JAMES	23	12	-	-	3	6	2
ST. JOHN	33	24	-	3	2	4	-
ST. LANDRY	60	36	-	7	5	7	5
Opelousas*	14	1	-	5	-	3	5
ST. MARTIN	45	23	-	6	4	10	2
ST. MARY	61	30	-	2	17	9	3
Morgan City*	5	1	-	1	-	2	1
ST. TAMMANY	70	43	-	6	5	13	3
Slidell*	11	8	-	-	1	2	-
TANGIPAHOA	62	30	-	14	1	12	5
Hammond*	9	2	-	3	-	1	3
TENSAS	7	4	1	-	1	1	-
TERREBONNE	86	48	-	8	12	17	1
Houma*	13	6	-	1	1	4	1
UNION	14	4	-	3	-	6	1
VERMILION	42	24	-	3	8	4	3
Abbeville*	7	4	-	2	-	-	1
VERNON	28	16	1	7	-	3	1
WASHINGTON	40	24	-	7	-	6	3
Bogalusa*	18	9	-	5	-	1	3
WEBSTER	29	14	-	4	1	6	4
Minden*	7	1	-	2	-	1	3
WEST BATON ROUGE	17	9	2	1	1	3	1
WEST CARROLL	7	5	-	-	1	1	-
WEST FELICIANA	9	3	-	2	1	1	2
WINN	17	8	-	2	3	1	3
UNKNOWN	1	-	-	-	-	-	1
OUT OF STATE**	29	11	1	4	6	2	5

* Cities are included in parish totals.

** Not included in state totals.

Table XXV A

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1146	1129	13.7			407	219	67	41	26	369
				MW	279	108	56	11	10	6	88
				FW	233	79	40	21	13	4	76
				MNW	335	125	61	21	10	7	111
				FNW	282	95	62	14	8	9	94
01-ACADIA	6	18	14.7			4	3	3	1	1	6
				MW	9	1	2	1	1	-	4
				FW	6	1	1	2	-	1	1
				MNW	1	-	-	-	-	-	1
				FNW	2	2	-	-	-	-	-
CROWLEY*	3	5	14.2			2	-	1	1	-	1
				MW	1	-	-	-	1	-	-
				FW	2	1	-	1	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	1	1	-	-	-	-	-
02-ALLEN	1	3	8.0			1	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
03-ASCENSION	4	12	10.5			2	2	1	-	2	5
				MW	1	-	-	-	-	1	-
				FW	3	1	1	-	-	1	-
				MNW	3	-	1	-	-	-	2
				FNW	5	1	-	1	-	-	3
04-ASSUMPTION	3	7	15.2			-	-	1	-	1	5
				MW	4	-	-	-	-	1	3
				FW	1	-	-	1	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
05-AVOYELLES	5	15	20.5			6	2	1	-	-	6
				MW	5	3	1	1	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	5	2	1	-	-	-	2
				FNW	3	-	-	-	-	-	3
06-BEAUREGARD	1	10	19.8			5	3	-	-	-	2
				MW	4	2	2	-	-	-	-
				FW	3	-	1	-	-	-	2
				MNW	1	1	-	-	-	-	-
				FNW	2	2	-	-	-	-	-
07-BIENVILLE	-	1	3.5			-	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
08-BOSSIER	6	14	8.8			5	2	1	1	-	5
				MW	4	-	1	1	1	-	1
				FW	4	2	-	-	-	-	2
				MNW	-	-	-	-	-	-	-
				FNW	6	3	1	-	-	-	2
BOSSIER CITY*	6	10	9.3			4	1	1	1	-	3
				MW	3	-	1	1	1	-	-
				FW	4	2	-	-	-	-	2
				MNW	-	-	-	-	-	-	-
				FNW	3	2	-	-	-	-	1
09-CADDO	153	67	13.7			24	12	6	1	-	24
				MW	16	5	4	1	-	-	6
				FW	9	6	-	-	-	-	3
				MNW	26	7	5	4	1	-	9
				FNW	16	6	3	1	-	-	6

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
SHREVEPORT*	149	61	14.7			23	11	6	1	-	20
				MW	15	5	3	1	-	-	6
				FW	6	5	-	-	-	-	1
				MNW	25	7	5	4	1	-	8
				FNW	15	6	3	1	-	-	5
10-CALCASIEU	33	26	7.5			13	2	3	3	1	4
				MW	5	3	-	-	2	-	-
				FW	12	6	1	2	-	-	3
				MNW	3	2	-	-	1	-	-
				FNW	6	2	1	1	-	1	1
LAKE CHARLES*	25	12	8.3			6	1	2	1	-	2
				MW	1	1	-	-	-	-	-
				FW	5	3	-	1	-	-	1
				MNW	2	1	-	-	1	-	-
				FNW	4	1	1	1	-	-	1
SULPHUR*	5	2	4.5			1	-	-	1	-	-
				MW	2	1	-	-	1	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
11-CALDWELL	-	3	18.2			1	1	-	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	2	1	1	-	-	-	-
12-CAMERON	1	3	16.0			1	1	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
13-CATAHOULA	1	2	8.7			-	-	-	-	-	2
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
14-CLAIBORNE	2	6	21.2			4	-	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	4	3	-	-	-	-	1
15-CONCORDIA	6	14	32.0			5	5	-	1	-	3
				MW	5	2	2	-	-	-	1
				FW	2	-	2	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	6	2	1	-	1	-	2
16-DESOTO	-	6	12.9			5	1	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	3	3	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
17-E BATON ROUGE	141	108	15.4			48	24	8	3	1	24
				MW	16	12	1	-	1	-	2
				FW	21	7	1	4	2	-	7
				MNW	40	21	11	2	-	1	5
				FNW	31	8	11	2	-	-	10
BATON ROUGE*	139	88	17.4			38	23	4	2	1	20
				MW	11	8	1	-	-	-	2
				FW	11	3	-	1	2	-	5
				MNW	36	19	11	1	-	1	4
				FNW	30	8	11	2	-	-	9

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
18-EAST CARROLL	3	6	23.6			1	1	-	1	-	3
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	4	1	1	-	-	-	2
				FNW	2	-	-	-	1	-	1
19-E FELICIANA	2	3	7.5			-	1	-	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	3	-	1	-	-	1	1
20-EVANGELINE	5	6	8.7			1	1	-	-	-	4
				MW	2	-	-	-	-	-	2
				FW	1	1	-	-	-	-	-
				MNW	2	-	-	-	-	-	2
				FNW	1	-	1	-	-	-	-
21-FRANKLIN	2	9	20.4			4	1	-	-	-	4
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	-	-	-	-	-	3
				FNW	5	3	1	-	-	-	1
22-GRANT	-	1	3.7			-	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
23 IBERIA	10	27	17.4			11	4	1	1	-	10
				MW	8	4	2	-	-	-	2
				FW	6	2	1	-	-	-	3
				MNW	6	4	-	-	-	-	2
				FNW	7	1	1	1	1	-	3
NEW IBERIA*	9	14	16.8			4	3	-	1	-	6
				MW	4	1	2	-	-	-	1
				FW	3	1	-	-	-	-	2
				MNW	4	2	-	-	-	-	2
				FNW	3	-	1	-	1	-	1
24-IBERVILLE	3	7	10.2			2	1	-	-	-	4
				MW	2	-	-	-	-	-	2
				FW	2	1	1	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
25-JACKSON	-	5	18.1			1	1	-	-	-	3
				MW	4	1	-	-	-	-	3
				FW	-	-	-	-	-	-	-
				MNW	1	-	1	-	-	-	-
				FNW	-	-	-	-	-	-	-
26-JEFFERSON	157	107	13.0			45	16	5	3	3	35
				MW	38	15	6	3	-	-	14
				FW	21	9	5	1	2	1	3
				MNW	23	10	2	-	1	1	9
				FNW	25	11	3	1	-	1	9
KENNER*	-	14	10.8			6	4	1	2	-	1
				MW	1	1	-	-	-	-	-
				FW	7	1	3	-	2	-	1
				MNW	2	2	-	-	-	-	-
				FNW	4	2	1	1	-	-	-
GRETNA*	-	13	15.9			4	-	1	-	-	8
				MW	6	1	-	1	-	-	4
				FW	1	1	-	-	-	-	-
				MNW	4	2	-	-	-	-	2
				FNW	2	-	-	-	-	-	2

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
HARAHAN*	-	2	22.2			1	-	-	-	1	-
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	1	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
WESTWEGO*	-	10	27.8			4	2	-	-	1	3
				MW	3	2	-	-	-	-	1
				FW	1	1	-	-	-	-	-
				MNW	2	-	1	-	-	-	1
				FNW	4	1	1	-	-	1	1
27-JEFF DAVIS	2	5	8.0			2	3	-	-	-	-
				MW	2	1	1	-	-	-	-
				FW	2	1	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
JENNINGS*	2	1	3.8			1	-	-	-	-	-
				MW	1	1	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
28-LAFAYETTE	75	42	12.8			18	9	1	2	1	11
				MW	15	5	4	-	1	-	5
				FW	17	8	2	1	1	-	5
				MNW	7	4	2	-	-	1	-
				FNW	3	1	1	-	-	-	1
LAFAYETTE*	73	23	13.6			10	6	-	1	1	5
				MW	7	3	2	-	1	-	1
				FW	7	3	1	-	-	-	3
				MNW	6	3	2	-	-	1	-
				FNW	3	1	1	-	-	-	1
29-LAFOURCHE	9	18	10.6			6	4	2	1	-	5
				MW	7	-	2	1	-	-	4
				FW	5	3	1	1	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	5	3	1	-	1	-	-
THIBODAUX*	3	6	17.8			4	1	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	1	1	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	3	3	-	-	-	-	-
30-LASALLE	1	2	8.0			1	-	-	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
31-LINCOLN	2	7	11.2			4	-	1	-	-	2
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	3	3	-	-	-	-	-
				FNW	2	1	-	1	-	-	-
RUSTON*	2	4	13.9			2	-	1	-	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	1	-	-	1	-	-	-
32-LIVINGSTON	1	18	15.2			8	4	3	-	-	3
				MW	12	8	3	-	-	-	1
				FW	4	-	1	1	-	-	2
				MNW	1	-	-	1	-	-	-
				FNW	1	-	-	1	-	-	-

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
33-MADISON	2	4	11.9			2	-	-	1	-	1
				MW	3	2	-	-	1	-	-
				FW	-	-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-
34-MOREHOUSE	1	5	7.5			2	1	-	1	-	1
				MW	1	-	-	-	-	-	1
				FW	-	-	-	-	-	-	-
				MNW	4	2	1	-	1	-	-
				FNW	-	-	-	-	-	-	-
BASTROP*	1	3	9.3			2	-	-	1	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	3	2	-	-	1	-	-
				FNW	-	-	-	-	-	-	-
35-NATCHITOCHES	3	5	7.4			2	2	-	-	-	1
				MW	1	-	1	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	3	1	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
NATCHITOCHES*	1	2	6.4			2	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	1	1	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
36-ORLEANS	297	179	17.2			60	41	6	4	6	62
				MW	18	4	6	-	1	2	5
				FW	15	6	3	1	-	-	5
				MNW	81	30	17	3	1	-	30
				FNW	65	20	15	2	2	4	22
37-OUACHITA	45	35	14.4			7	8	6	-	2	12
				MW	5	1	-	-	-	1	3
				FW	7	2	2	2	-	-	1
				MNW	14	3	3	3	-	-	5
				FNW	9	1	3	1	-	1	3
MONROE*	42	23	20.6			4	6	3	-	1	9
				MW	3	-	-	-	-	-	3
				FW	1	1	-	-	-	-	-
				MNW	11	3	3	2	-	-	3
				FNW	8	-	3	1	-	1	3
WEST MONROE*	1	2	7.1			-	1	1	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	1	-	-	1	-	-	-
				FNW	-	-	-	-	-	-	-
38-PLAQUEMINES	2	10	17.8			2	3	1	1	-	3
				MW	6	1	2	-	1	-	2
				FW	-	-	-	-	-	-	-
				MNW	4	1	1	1	-	-	1
				FNW	-	-	-	-	-	-	-
39-POINTE COUPEE	2	8	16.1			2	1	-	-	1	4
				MW	-	-	-	-	-	-	-
				FW	2	1	-	-	-	-	1
				MNW	2	-	-	-	-	-	2
				FNW	4	1	1	-	-	1	1
40-RAPIDES	48	37	15.1			11	7	4	4	1	10
				MW	10	4	2	-	-	1	3
				FW	10	3	-	2	-	-	5
				MNW	14	3	4	2	4	-	1
				FNW	3	1	1	-	-	-	1

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
ALEXANDRIA*	23	21	19.0			7	5	3	3	1	2
				MW	5	2	1	-	-	1	1
				FW	3	2	-	1	-	-	-
				MNW	10	2	3	2	3	-	-
				FNW	3	1	1	-	-	-	1
41-RED RIVER	2	6	29.9			2	1	-	-	-	3
				MW	2	1	-	-	-	-	1
				FW	1	-	1	-	-	-	-
				MNW	3	1	-	-	-	-	2
				FNW	-	-	-	-	-	-	-
42-RICHLAND	1	3	6.5			-	1	1	-	-	1
				MW	-	-	-	-	-	-	-
				FW	2	-	-	1	-	-	1
				MNW	-	-	-	-	-	-	-
				FNW	1	-	1	-	-	-	-
43-SABINE	-	4	10.0			-	1	1	-	-	2
				MW	1	-	-	-	-	-	1
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	1	-	-	-
				FNW	1	-	1	-	-	-	-
44-ST BERNARD	-	11	9.9			6	1	-	-	-	4
				MW	5	3	-	-	-	-	2
				FW	6	3	1	-	-	-	2
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
45-ST CHARLES	1	15	19.3			7	3	-	1	1	3
				MW	6	4	-	-	-	-	2
				FW	1	1	-	-	-	-	-
				MNW	6	2	2	-	-	1	1
				FNW	2	-	1	-	1	-	-
46-ST HELENA	-	-	-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
47-ST JAMES	3	11	23.7			2	2	1	-	-	6
				MW	4	1	-	1	-	-	2
				FW	1	-	1	-	-	-	-
				MNW	4	1	1	-	-	-	2
				FNW	2	-	-	-	-	-	2
48-ST JOHN	2	13	16.3			6	1	1	-	1	4
				MW	3	3	-	-	-	-	-
				FW	5	2	-	1	-	-	2
				MNW	3	-	1	-	-	1	1
				FNW	2	1	-	-	-	-	1
49-ST LANDRY	7	24	13.6			9	6	1	-	1	7
				MW	5	4	1	-	-	-	-
				FW	3	-	1	-	-	-	2
				MNW	11	4	2	-	-	1	4
				FNW	5	1	2	1	-	-	1
OPELOUSAS*	5	4	10.3			1	-	1	-	1	1
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	2	1	-	-	-	1	-
				FNW	2	-	-	1	-	-	1
EUNICE*	2	3	10.8			1	-	-	-	-	2
				MW	1	1	-	-	-	-	-
				FW	1	-	-	-	-	-	1
				MNW	1	-	-	-	-	-	1
				FNW	-	-	-	-	-	-	-

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
50 ST MARTIN	7	17	18.9			12	1	-	2	-	2
				MW	3	3	-	-	-	-	-
				FW	3	1	-	-	2	-	-
				MNW	7	5	1	-	-	-	1
				FNW	4	3	-	-	-	-	1
51-ST MARY	10	16	11.0			7	3	-	-	-	6
				MW	4	1	2	-	-	-	1
				FW	3	1	-	-	-	-	2
				MNW	3	2	-	-	-	-	1
				FNW	6	3	1	-	-	-	2
MORGAN CITY*	7	5	13.4			4	-	-	-	-	1
				MW	1	1	-	-	-	-	-
				FW	1	1	-	-	-	-	-
				MNW	2	2	-	-	-	-	-
				FNW	1	-	-	-	-	-	1
52-ST TAMMANY	8	25	11.6			5	10	1	1	-	8
				MW	7	2	3	-	-	-	2
				FW	10	1	4	1	1	-	3
				MNW	3	1	1	-	-	-	1
				FNW	5	1	2	-	-	-	2
SLIDELL*	4	6	13.2			1	3	-	1	-	1
				MW	2	1	-	-	-	-	1
				FW	4	-	3	-	1	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
53-TANGIPAHOA	16	36	20.0			7	5	3	3	1	17
				MW	11	2	1	2	1	-	5
				FW	6	1	2	-	2	-	1
				MNW	11	2	-	1	-	1	7
				FNW	8	2	2	-	-	-	4
HAMMOND*	2	13	43.6			1	1	1	3	-	7
				MW	2	-	-	-	1	-	1
				FW	3	-	-	-	2	-	1
				MNW	4	-	-	1	-	-	3
				FNW	4	1	1	-	-	-	2
54-TENSAS	1	2	11.9			1	1	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	1	-	1	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	1	1	-	-	-	-	-
55-TERREBONNE	19	25	10.9			9	4	-	-	-	12
				MW	7	2	3	-	-	-	2
				FW	10	2	1	-	-	-	7
				MNW	3	2	-	-	-	-	1
				FNW	5	3	-	-	-	-	2
HOUMA*	8	9	10.3			6	2	-	-	-	1
				MW	3	2	1	-	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	1	1	-	-	-	-	-
				FNW	3	3	-	-	-	-	-
56-UNION	3	4	13.2			-	1	-	-	-	3
				MW	-	-	-	-	-	-	-
				FW	2	-	-	-	-	-	2
				MNW	2	-	1	-	-	-	1
				FNW	-	-	-	-	-	-	-
57-VERMILION	9	13	13.0			5	1	-	1	-	6
				MW	5	3	1	-	-	-	1
				FW	2	-	-	-	1	-	1
				MNW	3	1	-	-	-	-	2
				FNW	3	1	-	-	-	-	2

(CONTINUED)

Table XXV A (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, 1981

PARISH	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
ABBEVILLE*	8	2	6.8			-	-	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW		-	-	-	-	-	-
				MNW	1	-		-	-	-	1
				FNW	1	-	-	-	-	-	1
58-VERNON	10	16	11.5			7	3	-	2	-	4
				MW	2	1	-	-	-	-	1
				FW	7	2	2	-	1	-	2
				MNW	5	2	1	-	1	-	1
				FNW	2	2	-	-	-	-	-
59-WASHINGTON	8	9	11.3			2	1	1	-	1	4
				MW	2	-	1	-	-	-	1
				FW	1	-	-	-	-	1	-
				MNW	1	1	-	-	-	-	-
				FNW	5	1	-	1	-	-	3
BOGALUSA*	7	2	7.1			-	1	-	-	-	1
				MW	2	-	1	-	-	-	1
				FW		-	-	-	-	-	-
				MNW		-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
60-WEBSTER	2	5	7.2			2	-	1	2	-	-
				MW		-	-	-	-	-	-
				FW	2	1	-	-	1	-	-
				MNW	1	-	-	1	-	-	-
				FNW	2	1	-	-	1	-	-
MINDEN*	2	5	18.4			2	-	1	2	-	-
				MW		-	-	-	-	-	-
				FW	2	1	-	-	1	-	-
				MNW	1	-	-	1	-	-	-
				FNW	2	1	-	-	1	-	-
61-W BATON ROUGE	-	5	11.7			1	2	1	-	-	1
				MW	-	-	-	-	-	-	-
				FW		-	-	-	-	-	-
				MNW	1	-	-	1	-	-	-
				FNW	4	1	2	-	-	-	1
62-WEST CARROLL	1	3	11.7			-	1	-	-	-	2
				MW	-	-	-	-	-	-	-
				FW		-	-	-	-	-	-
				MNW	1	-	-	-	-	-	1
				FNW	2	-	1	-	-	-	1
63-W FELICIANA			-			-	-	-	-	-	-
				MW	-	-	-	-	-	-	-
				FW	-	-	-	-	-	-	-
				MNW	-	-	-	-	-	-	-
				FNW	-	-	-	-	-	-	-
64-WINN	1	5	18.4			1	2	1	-	-	1
				MW	2	1	1	-	-	-	-
				FW	2	-	1	-	-	-	1
				MNW	1	-	-	1	-	-	-
				FNW	-	-	-	-	-	-	-
OUT OF STATE**	26	43	-			12	12	3	2	1	13
				MW	16	5	4	2	1	1	3
				FW	12	3	4	1	1	-	3
				MNW	11	3	4	-	-	-	4
				FNW	4	1	-	-	-	-	3

*CITIES INCLUDED IN PARISH TOTALS
**NOT INCLUDED IN STATE TOTALS

Table XXV B

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY PLACE OF OCCURRENCE
REALLOCATED TO MOTHER'S USUAL RESIDENCE AND SHOWN BY SEX, RACE, AND AGE
LOUISIANA, BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA, 1981

REGION	TOTAL BY OCCURRENCE	TOTAL BY RESIDENCE	RATE/ 1000 LIVEBIRTHS	SEX-RACE	TOTAL BY SEX-RACE	AGE IN DAYS					
						UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1146	1129	13.7			407	219	67	41	26	369
				MW	279	108	56	11	10	6	88
				FW	233	79	40	21	13	4	76
				MNW	335	125	61	21	10	7	111
				FNW	282	95	62	14	8	9	94
SPD 1	464	332	14.7			118	71	13	9	9	112
				MW	74	25	17	3	2	2	25
				FW	52	19	13	3	3	1	13
				MNW	111	42	21	4	2	1	41
				FNW	95	32	20	3	2	5	33
SPD 2	177	206	14.5			72	41	17	6	7	63
				MW	44	22	6	2	2	1	11
				FW	39	11	6	5	4	2	11
				MNW	62	25	12	5	-	2	18
				FNW	61	14	17	5	-	2	23
SPD 3	37	89	13.7			30	14	5	2	3	35
				MW	31	10	5	2	-	1	13
				FW	23	8	3	3	-	-	9
				MNW	19	5	4	-	-	2	8
				FNW	16	7	2	-	2	-	5
SPD 4	129	163	13.7			67	28	6	7	3	52
				MW	51	21	12	1	2	-	15
				FW	41	14	5	3	4	1	14
				MNW	40	20	5	-	-	2	13
				FNW	31	12	6	2	1	-	10
SPD 5	38	47	9.1			22	9	3	3	1	9
				MW	12	6	4	-	2	-	-
				FW	20	7	3	2	-	-	8
				MNW	5	4	-	-	1	-	-
				FNW	10	5	2	1	-	1	1
SPD 6	72	92	15.3			31	20	6	7	1	27
				MW	25	11	6	1	-	1	6
				FW	26	7	6	2	1	-	10
				MNW	27	8	6	3	5	-	5
				FNW	14	5	2	-	1	-	6
SPD 7	170	121	12.0			48	19	10	4	-	40
				MW	27	8	6	2	1	-	10
				FW	26	11	1	-	1	-	7
				MNW	41	15	6	6	1	-	13
				FNW	33	14	6	2	1	-	10
SPD 8	59	79	13.7			19	17	7	3	2	31
				MW	15	5	-	-	1	1	8
				FW	12	2	3	3	-	-	4
				MNW	30	6	7	3	1	-	13
				FNW	22	6	7	1	1	1	6
HSA 1	501	421	14.5			148	85	18	11	12	147
				MW	105	35	22	5	2	3	38
				FW	75	27	16	6	3	1	22
				MNW	130	47	25	4	2	3	49
				FNW	111	39	22	3	4	5	38
HSA 2	344	416	13.3			161	78	26	16	11	124
				MW	107	49	22	3	6	1	26
				FW	100	32	14	10	8	3	33
				MNW	107	49	17	5	1	4	31
				FNW	102	31	25	8	1	3	34
HSA 3	301	292	13.3			98	56	23	14	3	98
				MW	67	24	12	3	2	2	24
				FW	58	20	10	5	2	-	21
				MNW	98	29	19	12	7		31
				FNW	69	25	15	3	3	1	22

Table XXVI

INFANT MORTALITY RATES BY PLACE OF RESIDENCE
SHOWN BY AGE OF DEATH AND RACE
LOUISIANA,BY STATE PLANNING DISTRICT AND HEALTH SERVICE AREA , 1981

REGION	RACE	AGE AT DEATH IN DAYS						COMBINED RATES*			
		UNDER 1	1-6	7-13	14-20	21-27	28-364	HEBDOMADAL	NEONATAL	PERINATAL	INFANT
TOTAL		5.0	2.7	0.8	0.5	0.3	4.5	7.6	9.2	17.2	13.7
	W	3.7	1.9	0.6	0.5	0.2	3.3	5.6	6.9	12.8	10.2
	NW	6.9	3.9	1.1	0.6	0.5	6.5	10.8	13.0	24.1	19.4
SPD 1		5.2	3.2	0.6	0.4	0.4	5.0	8.4	9.8	17.8	14.7
	W	3.6	2.4	0.5	0.4	0.2	3.1	6.0	7.1	11.7	10.2
	NW	7.3	4.0	0.7	0.4	0.6	7.3	11.3	13.0	25.2	20.3
SPD 2		5.1	2.9	1.2	0.4	0.5	4.4	8.0	10.1	17.4	14.5
	W	3.8	1.4	0.8	0.7	0.3	2.5	5.2	7.0	12.6	9.6
	NW	7.0	5.2	1.8	-	0.7	7.4	12.3	14.8	25.0	22.2
SPD 3		4.6	2.2	0.8	0.3	0.5	5.4	6.8	8.3	17.1	13.7
	W	4.0	1.8	1.1	-	0.2	4.8	5.7	7.0	14.2	11.9
	NW	6.1	3.1	0.0	1.0	1.0	6.6	9.2	11.2	23.7	17.9
SPD 4		5.6	2.4	0.5	0.6	0.3	4.4	8.0	9.3	19.1	13.7
	W	4.3	2.1	0.5	0.7	0.1	3.6	6.4	7.8	15.3	11.4
	NW	8.5	2.9	0.5	0.3	0.5	6.1	11.4	12.7	27.3	18.8
SPD 5		4.3	1.7	0.6	0.6	0.2	1.7	6.0	7.4	15.9	9.1
	W	3.3	1.8	0.5	0.5	-	2.0	5.1	6.1	12.9	8.2
	NW	7.2	1.6	0.8	0.8	0.8	0.8	8.8	11.2	25.2	12.0
SPD 6		5.1	3.3	1.0	1.2	0.2	4.5	8.5	10.8	17.8	15.3
	W	4.5	3.0	0.8	0.3	0.3	4.0	7.5	8.8	14.5	12.8
	NW	6.4	3.9	1.5	2.9	-	5.4	10.3	14.7	24.2	20.1
SPD 7		4.7	1.9	1.0	0.4	-	4.0	6.6	8.9	15.9	12.0
	W	3.3	1.2	0.4	0.4	-	3.0	4.6	5.3	11.7	8.3
	NW	6.5	2.7	1.8	0.5	-	5.2	9.2	11.5	21.2	16.7
SPD 8		3.3	2.9	1.2	0.5	0.3	5.4	6.2	8.3	13.1	13.7
	W	2.2	1.0	1.0	0.3	0.3	3.8	3.2	4.8	8.9	8.6
	NW	4.6	5.3	1.5	0.8	0.4	7.2	9.9	12.6	18.1	19.8
HSA 1		5.1	2.9	0.6	0.4	0.4	5.1	8.0	9.4	17.6	14.5
	W	3.7	2.2	0.7	0.3	0.2	3.5	5.9	7.1	12.4	10.6
	NW	7.1	3.9	0.6	0.5	0.7	7.2	11.0	12.7	24.9	19.9
HSA 2		5.2	2.5	0.8	0.5	0.4	4.0	7.6	9.3	17.8	13.3
	W	3.9	1.7	0.6	0.7	0.2	2.9	5.7	7.2	13.7	10.0
	NW	7.6	4.0	1.2	0.2	0.7	6.1	11.5	13.6	25.8	19.8
HSA 3		4.5	2.6	1.1	0.6	0.1	4.5	7.0	8.9	15.7	13.3
	W	3.4	1.7	0.6	0.3	0.2	3.5	5.2	6.3	11.9	9.8
	NW	5.9	3.7	1.6	1.1	0.1	5.8	9.7	12.5	21.0	18.4

*PERINATAL RATE PER 1000 DELIVERIES,ALL OTHER RATES PER 1000 LIVE BIRTHS
RATES MAY NOT BE ADDITIVE DUE TO ROUNDING

Table XXVII

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS: UNDER 1	1-6	7-13	14-20	21-27	28-365
TOTAL	1129	13.7			407	219	67	41	26	369
			MW	279	108	56	11	10	6	88
			FW	233	79	40	21	13	4	76
			MNW	335	125	61	21	10	7	111
			FNW	282	95	62	14	8	9	94
CERTAIN INTESTINAL INFECTIONS-(008-009)	7	0.1			-	-	-	-	-	7
			MW	1	-	-	-	-	-	1
			FW	1	-	-	-	-	-	1
			MNW	2	-	-	-	-	-	2
			FNW	3	-	-	-	-	-	3
WHOOPING COUGH-(033)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION-(036)	8	0.1			-	-	-	-	-	8
			MW	3	-	-	-	-	-	3
			FW	3	-	-	-	-	-	3
			MNW	2	-	-	-	-	-	2
			FNW	-	-	-	-	-	-	-
SEPTICEMIA-(038)	11	0.1			-	-	-	-	-	11
			MW	3	-	-	-	-	-	3
			FW	1	-	-	-	-	-	1
			MNW	3	-	-	-	-	-	3
			FNW	4	-	-	-	-	-	4
VIRAL DISEASES-(045-079)	-				-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
CONGENITAL SYPHILIS-(090)	1	0.0			1	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	1	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
REMAINDER OF INFECTIOUS AND PARASITIC DISEASES-(001-007,010-032,034-035,037,039-041,080-088,091-139)	1	0.0			-	-	-	-	-	1
			MW	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	1
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
MALIGNANT NEOPLASMS,INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES-(140-208)	2	0.0			-	-	-	-	-	2
			MW	1	-	-	-	-	-	1
			FW	1	-	-	-	-	-	1
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
BENIGN NEOPLASMS,CARCINOMA IN SITU,AND NEOPLASMS OF UNCERTAIN BEHAVOIR AND OF UNSPECIFIED NATURE-(210-239)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
DISEASES OF THYMUS GLAND-(254)	1	0.0			-	-	-	-	-	1
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28-365
CYSTIC FIBROSIS-(277.0)	1	0.0			-	-	-	-	-	1
			MW	1	-	-	-	-	-	1
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
DISEASES OF BLOOD AND BLOOD-FORMING ORGANS-(280-289)	6	0.1			-	1	-	-	-	5
			MW	1	-	-	-	-	-	1
			FW		-	-	-	-	-	-
			MNW	2	-	1	-	-	-	1
			FNW	3	-	-	-	-	-	3
MENINGITIS-(320-322)	12	0.1			-	-	1	1	1	9
			MW	5	-	-	-	1	-	4
			FW	1	-	-	-	-	-	1
			MNW	3	-	-	-	-	-	3
			FNW	3	-	-	1	-	1	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS-(323-389)	14	0.2			-	-	-	-	-	14
			MW	4	-	-	-	-	-	4
			FW	1	-	-	-	-	-	1
			MNW	6	-	-	-	-	-	6
			FNW	3	-	-	-	-	-	3
ACUTE UPPER RESPIRATORY INFECTIONS-(460-465)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
BRONCHITIS AND BRONCHIOLITIS-(466,490-491)	1	0.0			-	-	-	-	-	1
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA-(480-487)	35	0.4			2	1	1	1	1	29
			MW	4	-	-	-	-	-	4
			FW	8	-	1	-	-	-	7
			MNW	12	2	-	-	-	1	9
			FNW	11	-	-	1	1	-	9
PNEUMONIA-(480-486)	35	0.4			2	1	1	1	1	29
			MW	4	-	-	-	-	-	4
			FW	8	-	1	-	-	-	7
			MNW	12	2	-	-	-	1	9
			FNW	11	-	-	1	1	-	9
INFLUENZA-(487)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM-(470-478,492-519)	33	0.4			1	-	-	-	1	31
			MW	9	-	-	-	-	1	8
			FW	3	-	-	-	-	-	3
			MNW	9	1	-	-	-	-	8
			FNW	12	-	-	-	-	-	12
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA-(550-553,560)	4	0.0			2	-	-	-	-	2
			MW	1	1	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	1	-	-	-	-	-	1
			FNW	2	1	-	-	-	-	1

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	UNDER 1	1-6	7-13	14-20	21-27	28-365
					AGE AT DEATH IN DAYS					
GASTRITIS,DUODENITIS,AND NONINFECTIVE ENTERITIS AND COLITIS-(535,555-558)........	8	0.1			-	1	1	-	-	6
			MW	3	-	-	-	-	-	3
			FW		-	-	-	-	-	-
			MNW	4	-	1	-	-	-	3
			FNW	1	-	-	1	-	-	-
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM-(520-534, 536-543,562-579)........	10	0.1			-	-	1	-	-	9
			MW	3	-	-	-	-	-	3
			FW	3	-	-	1	-	-	2
			MNW	1	-	-	-	-	-	1
			FNW	3	-	-	-	-	-	3
CONGENITAL ANOMALIES-(740 759)........	224	2.7			[illegible]	49	16	12	5	66
			MW	70	31	17	2	2	2	16
			FW	67	22	12	5	6	-	22
			MNW	46	14	16	5	2	1	14
			FNW	41	9	10	4	2	2	14
ANENCEPHALUS AND SIMILAR ANOMALIES (740)........	22	0.3			19	1	-	1		1
			MW	7	6	1	-	-	-	
			FW	7	6	-	-	-	-	1
			MNW	1	1	-	-	-	-	-
			FNW	7	6	-	-	1	-	-
SPINA BIFIDA-(741)........	3	0.0			1	2	-	-	-	-
			MW	1	-	1	-	-	-	-
			FW	2	1	1	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS (742.3)........	9	0.1			4	-	-	-	-	5
			MW	5	3	-	-	-	-	2
			FW	2	-	-	-	-	-	2
			MNW	1	1	-	-	-	-	-
			FNW	1	-	-	-	-	-	1
OTHER CONGENITAL ANOMALIES OF CENTRAL NERVOUS SYSTEM AND EYE (742.0-742.2,742.4-742.9,743)........	13	0.2			5	2	2	1	-	3
			MW	6	3	1	-	-	-	2
			FW	5	2	-	1	1	-	1
			MNW	1	-	-	1	-	-	-
			FNW	1	-	1	-	-	-	-
CONGENITAL ANOMALIES OF HEART-(745-746)........	62	0.8			3	16	8	5	3	27
			MW	18	1	5	1	2	2	7
			FW	18	2	3	2	2	-	9
			MNW	14	-	5	2	1	-	6
			FNW	12	-	3	3	-	1	5
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)...	29	0.4			7	14	2	1	-	5
			MW	11	2	6	1	-	-	2
			FW	6	2	2	-	1	-	1
			MNW	7	3	1	1	-	-	2
			FNW	5	-	5	-	-	-	-
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM-(748)........	11	0.1			7	2	-	2	-	-
			MW		-	-	-	-	-	-
			FW	4	2	1	-	1	-	-
			MNW	4	4		-		-	-
			FNW	3	1	1	-	1	-	-
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM-(749 751).......	9	0.1			-	-	-	1	1	7
			MW	1	-	-	-	-	-	1
			FW	2	-	-	-	1	-	1
			MNW	3	-	-	-	-	1	2
			FNW	3	-	-	-	-	-	3

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM-(752-753)...	13	0.2			9	3	-	-	-	1
			MW	8	7	1	-	-	-	-
			FW	3	1	1	-	-	-	1
			MNW	2	1	1	-	-	-	-
			FNW	-	-	-	-	-	-	-
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM-(754-756).	18	0.2			9	7	-	1	-	1
			MW	5	4	1	-	-	-	-
			FW	6	2	3	-	-	-	1
			MNW	6	2	3	-	1	-	-
			FNW	1	1	-	-	-	-	-
DOWN'S SYNDROME-(758.0)..................................	2	0.0			-	-	-	-	-	2
			MW	-	-	-	-	-	-	-
			FW	1	-	-	-	-	-	1
			MNW	-	-	-	-	-	-	-
			FNW	1	-	-	-	-	-	1
OTHER CHROMOSOMAL ANOMALIES-(758.1-758.9)................	9	0.1			-	1	4	-	-	4
			MW	2	-	-	-	-	-	2
			FW	5	-	1	2	-	-	2
			MNW	1	-	-	1	-	-	-
			FNW	1	-	-	1	-	-	-
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES-(744,757,759)..	24	0.3			12	1	-	-	1	10
			MW	6	5	1	-	-	-	-
			FW	[illegible]	4	-	-	-	-	2
			MNW	6	2	-	-	-	-	4
			FNW	6	1	-	-	-	1	4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)..	579	7.0			321	161	43	23	13	18
			MW	136	76	38	8	5	2	7
			FW	108	54	27	14	7	3	3
			MNW	178	106	44	15	6	3	4
			FNW	157	85	52	6	5	5	4
NEWBORN AFFECTED BY MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY-(760)..............	4	0.0			3	1	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	1	1	-	-	-	-	-
			MNW	1	-	1	-	-	-	-
			FNW	2	2	-	-	-	-	-
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY-(761)..	34	0.4			29	4	-	1	-	-
			MW	6	5	1	-	-	-	-
			FW	4	4	-	-	-	-	-
			MNW	12	10	1	-	1	-	-
			FNW	12	10	2	-	-	-	-
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD,AND MEMBRANES-(762)..............................	23	0.3			21	2	-	-	-	-
			MW	3	3	-	-	-	-	-
			FW	3	2	1	-	-	-	-
			MNW	10	10	-	-	-	-	-
			FNW	7	6	1	-	-	-	-
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY-(763)....................................	4	0.0			3	1	-	-	-	-
			MW	2	2	-	-	-	-	-
			FW	1	-	1	-	-	-	-
			MNW	1	1	-	-	-	-	-
			FNW	-	-	-	-	-	-	-

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS UNDER 1	1-6	7-13	14-20	21-27	28-365
SLOW FETAL GROWTH AND FETAL MALNUTRITION-(764)...........	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT-(765).....................................	107	1.3			94	12	-	-	-	1
			MW	14	13	1	-	-	-	-
			FW	16	15	1	-	-	-	-
			MNW	34	31	3	-	-	-	-
			FNW	43	35	7	-	-	-	1
DISORDERS RELATING TO LONG GESTATION AND HIGH BIRTHWEIGHT-(766)...	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
BIRTH TRAUMA-(767)..	39	0.5			7	20	9	1	1	1
			MW	13	2	7	2	1	-	1
			FW	9	2	3	4	-	-	-
			MNW	6	3	2	1	-	-	-
			FNW	11	-	8	2	-	1	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA-(768)...........	34	0.4			18	11	2	2	1	-
			MW	13	9	4	-	-	-	-
			FW	2	-	1	-	-	1	-
			MNW	12	5	3	2	2	-	-
			FNW	7	4	3	-	-	-	-
FETAL DISTRESS IN LIVEBORN INFANT-(768.2-768.4)......	9	0.1			4	3	-	1	1	-
			MW	3	2	1	-	-	-	-
			FW	1	-	-	-	-	1	-
			MNW	2	-	1	-	1	-	-
			FNW	3	2	1	-	-	-	-
BIRTH ASPHYXIA-(768.5-768.9)........................	25	0.3			14	8	2	1	-	-
			MW	10	7	3	-	-	-	-
			FW	1	-	1	-	-	-	-
			MNW	10	5	2	2	1	-	-
			FNW	4	2	2	-	-	-	-
RESPIRATORY DISTRESS SYNDROME-(769).....................	76	0.9			32	26	7	3	2	6
			MW	21	9	8	1	-	1	2
			FW	21	6	7	4	2	-	2
			MNW	20	8	8	2	1	-	1
			FNW	14	9	3	-	-	1	1
OTHER RESPIRATORY CONDITIONS OF NEWBORN-(770)...........	104	1.3			56	26	5	4	4	9
			MW	27	14	5	1	2	1	4
			FW	20	16	1	-	2	-	1
			MNW	33	17	11	1	-	1	3
			FNW	24	9	9	3	-	2	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD-(771)........	33	0.4			6	13	8	5	1	-
			MW	9	1	5	2	1	-	-
			FW	10	1	3	5	1	-	-
			MNW	6	3	2	-	1	-	-
			FNW	8	1	3	1	2	1	-
NEONATAL HEMORRHAGE-(772)................................	32	0.4			4	21	2	3	1	1
			MW	3	2	-	1	-	-	-
			FW	8	1	5	-	1	1	-
			MNW	9	1	6	1	1	-	-
			FNW	12	-	10	-	1	-	1

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII (continued)

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS					
					UNDER 1	1-6	7-13	14-20	21-27	28 365
HEMOLYTIC DISEASE OF NEWBORN, DUE TO ISOIMMUNIZATION, AND OTHER PERINATAL JAUNDICE-(773-774)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
SYNDROME OF 'INFANT OF A DIABETIC MOTHER' AND NEONATAL DIABETES MELLITUS-(775.0-775.1)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
HEMORRHAGIC DISEASE OF NEWBORN-(776-0)	1	0.0			-	-	1	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	1	-	-	1	-	-	-
			FNW	-	-	-	-	-	-	-
ALL OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD-(775.2-775.9,776.1-779)	88	1.1			48	24	9	4	3	-
			MW	25	16	7	1	1	-	-
			FW	13	6	4	1	1	1	-
			MNW	33	17	7	7	-	2	-
			FNW	17	9	6	-	2	-	-
SYMPTOMS,SIGNS,AND ILL-DEFINED CONDITIONS (780-799)	93	1.1			1	1	-	1	3	87
			MW	17	-	-	-	-	-	17
			FW	20	1	-	-	-	-	19
			MNW	35	-	1	-	1	2	31
			FNW	21	-	-	-	-	1	20
SUDDEN INFANT DEATH SYNDROME (798.0)	89	1.1			1	1	-	1	3	83
			MW	16	-	-	-	-	-	16
			FW	18	1	-	-	-	-	17
			MNW	34	-	1	-	1	2	30
			FNW	21	-	-	-	-	1	20
SYMPTOMS,SIGNS,AND ALL OTHER ILL-DEFINED CONDITIONS-(780-797,798.1-799)	4	0.0			-	-	-	-	-	4
			MW	1	-	-	-	-	-	1
			FW	2	-	-	-	-	-	2
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
ACCIDENTS AND ADVERSE EFFECTS-(E800-E949)	29	0.4			-	-	-	1	-	28
			MW	6	-	-	-	-	-	6
			FW	6	-	-	-	-	-	6
			MNW	10	-	-	-	1	-	9
			FNW	7	-	-	-	-	-	7
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION-(E911-E912)	7	0.1			-	-	-	-	-	7
			MW	2	-	-	-	-	-	2
			FW	1	-	-	-	-	-	1
			MNW	3	-	-	-	-	-	3
			FNW	1	-	-	-	-	-	1
ACCIDENTAL MECHANICAL SUFFOCATION-(E913)	6	0.1			-	-	-	1	-	5
			MW	1	-	-	-	-	-	1
			FW	1	-	-	-	-	-	1
			MNW	2	-	-	-	1	-	1
			FNW	2	-	-	-	-	-	2

RATE PER 1000 LIVE BIRTHS
(CONTINUED)

Table XXVII

INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SELECTED CAUSES, SEX, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH AND ICD-9 LIST NUMBER	TOTAL	RATE	SEX-RACE	TOTAL BY SEX-RACE	AGE AT DEATH IN DAYS: UNDER 1	1-6	7-13	14-20	21-27	28-365
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS-(E800-E910, E914-E949)	16	0.2			-	-	-	-	-	16
			MW	3	-	-	-	-	-	3
			FW	4	-	-	-	-	-	4
			MNW	5	-	-	-	-	-	5
			FNW	4	-	-	-	-	-	4
HOMICIDE-(E960-E969)	3	0.0			-	-	-	1	-	2
			MW	1	-	-	-	1	-	-
			FW	1	-	-	-	-	-	1
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
CHILD BATTERING AND OTHER MALTREATMENT-(E967)	3	0.0			-	-	-	1	-	2
			MW	1	-	-	-	1	-	-
			FW	1	-	-	-	-	-	1
			MNW	1	-	-	-	-	-	1
			FNW	-	-	-	-	-	-	-
OTHER HOMICIDE-(E960-E966,E968-E969)	-	-			-	-	-	-	-	-
			MW	-	-	-	-	-	-	-
			FW	-	-	-	-	-	-	-
			MNW	-	-	-	-	-	-	-
			FNW	-	-	-	-	-	-	-
ALL OTHER CAUSES-(RESIDUAL)	46	0.6			3	5	4	1	2	31
			MW	10	-	1	1	1	1	6
			FW	8	2	-	1	-	1	4
			MNW	17	1	4	1	-	-	11
			FNW	11	-	-	1	-	-	10

RATE PER 1000 LIVE BIRTHS

Table XXVIII
Maternal Deaths by Place of Occurrence, Reallocated to Usual Residence of Deceased and Shown by Race and Age
Louisiana, 1981

PARISH	TOTAL (By Place of Occurrence)	TOTAL (By Place of Residence)	RATE (Per 100,000 Live Births)	RACE	TOTAL (By Race)	AGE								
						Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
TOTAL	13	13	15.8	W	5	-	1	1	1	-	1	1	-	-
				NW	8	-	2	3	1	2	-	-	-	-
CADDO	2	2	40.8	W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	-	1	-	1	-	-	-	-
EAST BATON ROUGE .	2	1	14.2	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	1	-	-	-	-	-
EVANGELINE	1	1	144.5	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	1	-	-	-	-	-	-	-
JEFFERSON	1	1	12.1	W	1	-	-	-	-	-	-	1	-	-
				NW	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	2	1	30.4	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	1	-	-	-	-	-	-
LINCOLN	1	2	321.0	W	-	-	-	-	-	-	-	-	-	-
				NW	2	-	1	1	-	-	-	-	-	-
ORLEANS	1	1	9.6	W	1	-	-	-	1	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
QUACHITA	1	-	-.-	W	-	-	-	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	1	40.9	W	-	-	-	-	-	-	-	-	-	-
				NW	1	-	-	-	-	1	-	-	-	-
ST. MARY	1	1	68.6	W	1	-	-	1	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	1	1	55.5	W	1	-	-	-	-	-	1	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-
VERMILION	-	1	99.9	W	1	-	1	-	-	-	-	-	-	-
				NW	-	-	-	-	-	-	-	-	-	-

Rate per 100,000 Live Births.

Table XXIX

MATERNAL DEATHS BY CAUSE, RACE AND AGE
LOUISIANA RESIDENTS, 1981

CAUSE OF DEATH	TOTAL	RATE*	RACE	TOTAL BY RACE	AGE LT 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	UNK
TOTAL..	13	15.8	W	5	-	1	1	1	-	1	1	-	-
			NW	8	-	2	3	1	2	-	-	-	-
PREGNANCY WITH ABORTIVE OUTCOME-(630-638)......	3	3.7	W	1	-	-	-	-	-	1	-	-	-
			NW	2	-	1	-	-	1	-	-	-	-
ECTOPIC PREGNANCY-(633)....................	2	2.4	W	-	-	-	-	-	-	-	-	-	-
			NW	2	-	1	-	-	1	-	-	-	-
SPONTANEOUS ABORTION (634).................	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW		-	-	-	-	-	-	-	-	-
LEGALLY INDUCED ABORTION (635).............	-	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-
ILLEGALLY INDUCED ABORTION-(636)...........	-		W	-	-	-	-	-	-	-	-	-	-
			NW	-								-	-
OTHER PREGNANCY WITH ABORTIVE OUTCOME (630-632,637-638)...........................	1	1.2	W	1					-	1	-	-	
			NW	-		-	-	-	-	-	-	-	-
DIRECT OBSTETRIC CAUSES (640-646,651-676)......	8	9.7	W	3		1	1	1		-	-	-	-
			NW	5	-	1	2	1	1	-	-	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH-(640-641,666)............................	2	2.4	W	1	-	-	-	1	-	-	-	-	-
			NW	1		1	-	-	-	-	-	-	-
TOXEMIA OF PREGNANCY-(642.4-642.9,643).....	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1			-	1	-	-	-	-	-
OBSTRUCTED LABOR-(660).....................			W	-	-	-	-	-	-	-	-	-	-
			NW			-	-	-	-	-	-	-	-
COMPLICATIONS OF THE PUERPERIUM (670-676)..	4	4.9	W	2	-	1	1	-	-	-	-	-	-
			NW	2		-	1		1	-	-	-	-
OTHER DIRECT OBSTETRIC CAUSES-642.0-642.3, 644-646,651-659,661-665,667-669)...........	1	1.2	W	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	1	-	-	-	-	-	-
INDIRECT OBSTETRIC CAUSES (647-648)...........	2	2.4	W	1		-	-	-	-	-	1	-	-
			NW	1		-	1	-	-	-	-	-	-
DELIVERY IN A COMPLETELY NORMAL CASE-(650)....	--	-	W	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-

* RATE PER 100,000 LIVE BIRTHS

Table XXX
Maternal Deaths by Cause, Shown by Race
Louisiana Residents, 1979-1981

CAUSE	1979		1980		1981		TOTAL		WHITE		NONWHITE	
	WHITE	NONWHITE	WHITE	NONWHITE	WHITE	NONWHITE	1979-1981	AVERAGE ANNUAL RATE	1979-1981	AVERAGE ANNUAL RATE	1979-1981	AVERAGE ANNUAL RATE
TOTAL	3	8	1	7	5	8	32	13.1	9	6.1	23	24.2
Pregnancy with abortive outcome - (630-638)	-	1	-	1	1	2	5	2.1	1	0.7	4	4.2
Ectopic pregnancy - (633)	-	-	-	1	-	2	3	1.2	-	- -	3	3.2
Spontaneous abortion - (634) . . .	-	-	-	-	-	-	-	- -	-	- -	-	- -
Legally induced abortion - (635) .	-	-	-	-	-	-	-	- -	-	- -	-	- -
Illegally induced abortion - (636)	-	-	-	-	-	-	-	- -	-	- -	-	- -
Other pregnancy with abortive outcome - (630-632, 637-638) . . .	-	1	-	-	1	-	2	0.8	1	0.7	1	1.1
Direct obstetric causes - (640-646, 651-676)	3	6	1	4	3	5	22	9.0	7	4.7	15	15.8
Hemorrhage of pregnancy and childbirth - (640-641, 666) . . .	-	2	-	-	1	1	4	1.6	1	0.7	3	3.2
Toxemia of pregnancy - (642.4-642.9, 643)	-	1	-	-	-	1	2	0.8	-	- -	2	2.1
Obstructed labor - (660)	-	-	-	-	-	-	-	- -	-	- -	-	- -
Complications of the puerperium - (670-676)	2	1	1	3	2	2	11	4.5	5	3.4	6	6.3
Other direct obstetric causes - (642.0-642.3, 644-646, 651-659, 661-665, 667-669)	1	2	-	1	-	1	5	2.1	1	0.7	4	4.2
Indirect obstetric causes - (647-648)	-	1	-	2	1	1	5	2.1	1	0.7	4	4.2
Delivery in a completely normal case-(650)	-	-	-	-	-	-	-	- -	-	- -	-	- -

Rates per 100,000 Live Births.



West Florida Lone Star
1810

MORBIDITY

Independent Louisiana -1861



Confederate Flag -1861

Table XXXI
Reportable Diseases by Parish
Louisiana, 1981
(By Place of Residence)

PARISH AND CITIES Over 10,000	ACTINOMYCOSIS	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BLASTOMYCOSIS	BOTULISM	BRUCELLOSIS (UNDULANT FEVER)	CAT SCRATCH FEVER	CHANCROID	CHOLERA	COCCIDIOIDOMYCOSIS	CRYPTOCOCCOSIS	DENGUE	DIPHTHERIA	ECHINOCOCCOSIS (HYDATID DISEASE)	ENCEPHALITIS, ARTHROPOD-BORNE	ENCEPHALITIS, POST-INFECTIOUS	ENCEPHALITIS, OTHER AND UNSPECIFIED
TOTAL	1	16	-	108	-	-	3	-	-	13	-	2	-	-	-	-	-	9
ACADIA	-	8	-	6	-	-	-	-	-	5	-	-	-	-	-	-	-	-
Crowley*.	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Bossier City* . .	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CADDO	-	-	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Shreveport* . . .	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	4
CALCASIEU	-	-	-	11	-	-	1	-	-	4	-	-	-	-	-	-	-	1
Lake Charles* . .	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Sulphur*.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST BATON ROUGE. .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Baton Rouge*. . .	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
EAST CARROLL . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Iberia* . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenner*	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gretna*	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harahan*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westwego*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS . .	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Jennings*	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette*	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thibodaux*. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ruston*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
MADISON	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bastrop*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES . . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Natchitoches* . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUACHITA	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Monroe*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Monroe*. . .	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alexandria* . . .	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
ST. BERNARD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. CHARLES	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JOHN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. LANDRY	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Opelousas*. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eunice*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARTIN	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARY	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morgan City*. . .	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. TAMMANY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Slidell*.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hammond*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	-	15	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Houma*	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERMILION	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abbeville*. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bogalusa*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Minden*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST BATON ROUGE. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
**Not included in parish total.

Table XXXI (continued)
Reportable Diseases by Parish
Louisiana, 1981
(By Place of Residence)

PARISH AND CITIES Over 10,000	FOOD POISONING	GLANDERS	GONORRHEA	GRANULOMA INGUINALE	HEPATITIS A	HEPATITIS B	HEPATITIS, TYPE UNSPECIFIED	HISTOPLASMOSIS	INFECTIOUS MONONUCLEOSIS	LEGIONNAIRE'S DISEASE	LEPROSY	LEPTOSPIROSIS (WEIL'S DISEASES)	LISTERIOSIS	LYMPHOCYTIC CHORIOMENINGITIS	LYMPHOPATHIA VENEREUM	MEASLES	MALARIA
TOTAL	-	-	23376	-	772	363	400	-	10	4	-	3	-	-	1	13	4
ACADIA	-	-	182	-	5	15	3	-	-	-	-	-	-	-	-	-	-
Crowley*.	-	-	106	-	4	5	2	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	26	-	4	4	4	-	-	-	-	-	-	-	-	-	-
ASCENSION	-	-	55	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	-	-	43	-	-	2	1	-	-	-	-	-	-	-	-	-	-
AVOYELLES	-	-	66	-	2	2	2	-	-	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	67	-	1	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	50	-	-	2	-	-	-	-	-	-	-	-	-	-	-
BOSSIER	-	-	362	-	1	12	1	-	-	-	-	-	-	-	-	-	-
Bossier City* . . .	-	-	312	-	1	10	1	-	-	-	-	-	-	-	-	-	-
CADDO	-	-	2516	-	12	25	8	-	-	-	-	-	-	-	-	-	-
Shreveport*	-	-	2367	-	12	20	7	-	-	-	-	-	-	-	-	-	-
CALCASIEU	-	-	1048	-	4	18	4	-	-	-	-	1	-	-	-	-	-
Lake Charles* . . .	-	-	861	-	2	11	1	-	-	-	-	-	-	-	-	-	-
Sulphur*.	-	-	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	18	-	-	1	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	24	-	5	4	2	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	62	-	2	1	-	-	-	-	-	-	-	-	-	-	-
CONCORDIA	-	-	40	-	2	1	-	-	-	-	-	-	-	-	-	-	-
DESOTO	-	-	41	-	1	-	-	-	-	-	-	-	-	-	-	-	-
EAST BATON ROUGE. .	-	-	1840	-	12	2	3	-	-	-	-	-	-	-	-	2	1
Baton Rouge*. . . .	-	-	1686	-	11	2	3	-	-	-	-	-	-	-	-	2	1
EAST CARROLL . . .	-	-	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA. . .	-	-	30	-	-	1	-	-	-	-	-	-	-	-	-	-	-
EVANGELINE	-	-	19	-	8	2	3	-	1	-	-	-	-	-	-	-	-
FRANKLIN	-	-	43	-	3	-	2	-	-	-	-	-	-	-	-	-	-
GRANT	-	-	39	-	1	-	1	-	-	-	-	-	-	-	-	-	-
IBERIA	-	-	158	-	15	2	8	-	-	-	-	-	-	-	-	1	-
New Iberia*	-	-	104	-	3	1	-	-	-	-	-	-	-	-	-	1	-
IBERVILLE	-	-	83	-	2	1	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	-	-	1550	-	254	47	118	-	1	2	-	1	-	-	1	3	2
Kenner*	-	-	184	-	84	10	37	-	-	-	-	-	-	-	1	-	-
Gretna*	-	-	152	-	12	3	5	-	-	-	-	-	-	-	-	-	-
Harahan*	-	-	10	-	7	3	4	-	-	-	-	-	-	-	-	-	-
Westwego*	-	-	129	-	8	3	3	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS . .	-	-	113	-	1	5	1	-	-	-	-	-	-	-	-	-	-
Jennings*	-	-	70	-	1	3	1	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	-	-	571	-	18	43	12	-	1	-	-	-	-	-	-	1	-
Lafayette*.	-	-	478	-	13	33	7	-	-	-	-	-	-	-	-	1	-
LAFOURCHE	-	-	224	-	3	1	2	-	1	-	-	-	-	-	-	-	-
Thibodaux*.	-	-	156	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-
LINCOLN	-	-	158	-	11	1	-	-	-	-	-	-	-	-	-	-	-
Ruston*	-	-	78	-	7	1	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	-	-	40	-	8	1	4	-	-	-	-	-	-	-	-	-	-
MADISON	-	-	106	-	5	-	3	-	2	-	-	-	-	-	-	-	-
MOREHOUSE	-	-	185	-	1	1	-	-	-	-	-	-	-	-	-	-	-
Bastrop*.	-	-	139	-	1	1	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES . . .	-	-	25	-	15	3	2	-	-	-	-	-	-	-	-	-	-
Natchitoches* . .	-	-	16	-	5	2	-	-	-	-	-	-	-	-	-	-	-
ORLEANS	-	-	9493	-	92	75	107	-	3	1	-	-	-	-	-	4	-
OUACHITA	-	-	1004	-	68	4	21	-	-	-	-	-	-	-	-	-	-
Monroe*	-	-	852	-	54	2	16	-	-	-	-	-	-	-	-	-	-
West Monroe*. . . .	-	-	120	-	11	2	3	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	59	-	4	5	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE . . .	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	-	-	773	-	10	6	6	-	-	-	-	-	-	-	-	-	1
Alexandria*	-	-	614	-	4	2	6	-	-	-	-	-	-	-	-	-	1
RED RIVER	-	-	12	-	-	-	1	-	-	-	-	-	-	-	-	-	-
RICHLAND	-	-	72	-	-	1	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. BERNARD	-	-	59	-	22	2	10	-	-	-	-	-	-	-	-	1	-
ST. CHARLES	-	-	85	-	9	1	3	-	-	-	-	-	-	-	-	-	-
ST. HELENA	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	-	-	97	-	2	-	1	-	-	-	-	-	-	-	-	-	-
ST. JOHN	-	-	59	-	12	4	2	-	-	-	-	-	-	-	-	-	-
ST. LANDRY	-	-	140	-	3	6	8	-	1	-	-	-	-	-	-	-	-
Opelousas*.	-	-	70	-	-	1	2	-	-	-	-	-	-	-	-	-	-
Eunice*	-	-	14	-	1	1	-	-	1	-	-	-	-	-	-	-	-
ST. MARTIN	-	-	93	-	12	5	1	-	-	-	-	-	-	-	-	-	-
ST. MARY	-	-	75	-	4	1	3	-	-	-	-	1	-	-	-	-	-
Morgan City*. . . .	-	-	35	-	-	-	2	-	-	-	-	1	-	-	-	-	-
ST. TAMMANY	-	-	171	-	19	16	2	-	-	-	-	-	-	-	-	-	-
Slidell*	-	-	65	-	9	9	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	-	-	257	-	4	5	1	-	-	-	-	-	-	-	-	-	-
Hammond*	-	-	106	-	-	1	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	35	-	-	-	1	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	-	315	-	98	18	28	-	-	1	-	-	-	-	-	-	-
Houma*.	-	-	207	-	61	14	14	-	-	-	-	-	-	-	-	-	-
UNION	-	-	36	-	2	1	3	-	-	-	-	-	-	-	-	1	-
VERMILION	-	-	64	-	-	8	4	-	-	-	-	-	-	-	-	-	-
Abbeville*.	-	-	49	-	-	3	-	-	-	-	-	-	-	-	-	-	-
VERNON	-	-	76	-	4	1	5	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	44	-	7	6	6	-	-	-	-	-	-	-	-	-	-
Bogalusa*	-	-	22	-	4	1	4	-	-	-	-	-	-	-	-	-	-
WEBSTER	-	-	187	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Minden*	-	-	122	-	1	-	-	-	-	-	-	-	-	-	-	-	-
WEST BATON ROUGE .	-	-	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL . . .	-	-	20	-	-	1	1	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA . .	-	-	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	44	-	1	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE** . .	-	-	214	-	-	-	-	-	-	-	-	-	-	-	-	1	-

* Cities are included in parish total.
**Not included in parish total.

Table XXXI (continued)
Reportable Diseases by Parish
Louisiana, 1981
(By Place of Residence)

PARISH AND CITIES Over 10,000	MENINGOCOCCAL INFECTIONS	MUMPS	MYCOBACTERIOSIS, ATYPICAL	OPHTHALMIA NEONATORUM	PERTUSSIS (WHOOPING COUGH)	PLAGUE	POLIOMYELITIS, PARALYTIC	POLIOMYELITIS, NON-PARALYTIC	PSITTACOSIS	Q. FEVER	RABIES IN ANIMALS	RABIES IN MAN	RAT BITE FEVER	RAT BITES	REYE'S SYNDROME	RELAPSING FEVER	RHEUMATIC FEVER	ROCKY MOUNTAIN SPOTTED FEVER	RUBELLA
TOTAL	138	6	98	-	8	-	-	-	1	-	34	-	6	-	-	4	-	2	9
ACADIA	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Crowley*.	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALLEN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASCENSION	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
ASSUMPTION	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVOYELLES	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
BEAUREGARD	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BIENVILLE	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
BOSSIER	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Bossier City* . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CADDO	6	-	8	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1
Shreveport* . . .	4	-	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1
CALCASIEU	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lake Charles* . .	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sulphur*.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
CONCORDIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DESOTO	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
EAST BATON ROUGE. .	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Baton Rouge*. . .	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST CARROLL . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST FELICIANA. . .	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
EVANGELINE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
FRANKLIN	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRANT	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERIA	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Iberia* . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JACKSON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON	11	-	15	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Kenner*	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gretna*	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Harahan*.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westwego*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JEFFERSON DAVIS . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Jennings*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFAYETTE	12	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lafayette*. . . .	8	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LAFOURCHE	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thibodaux*. . . .	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LASALLE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
LINCOLN	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Ruston*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MADISON	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MOREHOUSE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bastrop*.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NATCHITOCHES . . .	4	-	1	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-
Natchitoches* . .	4	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
ORLEANS	27	1	27	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3
OUACHITA	3	-	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Monroe*	3	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
West Monroe*. . .	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POINTE COUPEE . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RAPIDES	2	-	2	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-
Alexandria* . . .	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RED RIVER	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
RICHLAND	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SABINE	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ST. BERNARD	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. CHARLES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. HELENA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JAMES	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. JOHN	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. LANDRY	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Opelousas*. . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eunice*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. MARTIN	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
ST. MARY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Morgan City* . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. TAMMANY	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Slidell*.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TANGIPAHOA	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hammond*.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Houma*.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
VERMILION	2	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-
Abbeville*. . . .	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	1	-	2	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
WASHINGTON	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bogalusa*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEBSTER	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Minden*	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
WEST BATON ROUGE. .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL . . .	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
WEST FELICIANA . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WINN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OUT OF STATE**. . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
**Not included in parish total.

Table XXXI (continued)
Reportable Diseases by Parish
Louisiana, 1981
(By Place of Residence)

PARISH AND CITIES Over 10,000	RUBELLA, CONGENITAL SYNDROME	SALMONELLOSIS, INCLUDES PARATYPHOID FEVER	SHIGELLOSIS (DYSENTERY-BACILLARY)	SMALLPOX	SYPHILIS	TETANUS	TOXOPLASMOSIS	TRACHOMA	TRICHINOSIS	TUBERCULOSIS, PULMONARY	TUBERCULOSIS, OTHER FORMS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER, ENDEMIC	TYPHUS FEVER, EPIDEMIC	UNDERNUTRITION, SEVERE	VISCERAL LARVA MIGRANS	YELLOW FEVER
TOTAL	-	235	155	-	3299	3	-	-	-	423	111	3	3	1	-	2	-	-
ACADIA	-	10	2	-	5	-	-	-	-	7	2	-	-	-	-	-	-	-
Crowley*	-	-	1	-	2	-	-	-	-	2	1	-	-	-	-	-	-	-
ALLEN	-	4	-	-	4	1	-	-	-	3	-	-	-	-	-	-	-	-
ASCENSION	-	-	-	-	32	-	-	-	-	6	2	1	-	-	-	-	-	-
ASSUMPTION	-	1	1	-	9	-	-	-	-	4	5	-	-	-	-	-	-	-
AVOYELLES	-	-	-	-	15	-	-	-	-	5	-	-	-	-	-	-	-	-
BEAUREGARD	-	-	-	-	24	-	-	-	-	-	1	-	-	-	-	-	-	-
BIENVILLE	-	2	3	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
BOSSIER	-	3	5	-	46	-	-	-	-	6	4	-	-	-	-	-	-	-
Bossier City* . . .	-	2	4	-	33	-	-	-	-	3	2	-	-	-	-	-	-	-
CADDO	-	62	74	-	250	-	-	-	-	26	10	-	-	-	-	1	-	-
Shreveport*	-	58	64	-	229	-	-	-	-	23	10	-	-	-	-	1	-	-
CALCASIEU	-	10	5	-	115	-	-	-	-	12	1	-	-	-	-	-	-	-
Lake Charles* . . .	-	6	2	-	91	-	-	-	-	7	1	-	-	-	-	-	-	-
Sulphur*.	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
CALDWELL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CAMERON	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
CATAHOULA	-	7	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
CLAIBORNE	-	-	1	-	6	-	-	-	-	2	1	1	-	-	-	-	-	-
CONCORDIA	-	-	1	-	7	-	-	-	-	-	2	-	-	-	-	-	-	-
DESOTO	-	-	-	-	17	-	-	-	-	3	1	-	-	-	-	-	-	-
EAST BATON ROUGE. .	-	9	2	-	366	-	-	-	-	18	15	-	-	-	-	-	-	-
Baton Rouge*. . . .	-	8	1	-	324	-	-	-	-	18	13	-	-	-	-	-	-	-
EAST CARROLL	-	-	-	-	39	-	-	-	-	2	1	-	1	-	-	-	-	-
EAST FELICIANA. . .	-	1	-	-	23	-	-	-	-	4	2	-	-	-	-	-	-	-
EVANGELINE	-	-	-	-	6	-	-	-	-	6	1	-	-	-	-	-	-	-
FRANKLIN	-	-	-	-	3	-	-	-	-	6	1	-	-	-	-	-	-	-
GRANT	-	-	-	-	10	-	-	-	-	1	-	-	-	-	-	-	-	-
IBERIA	-	5	-	-	41	-	-	-	-	7	1	-	-	-	-	-	-	-
New Iberia*	-	2	-	-	15	-	-	-	-	5	1	-	-	-	-	-	-	-
IBERVILLE	-	-	-	-	17	-	-	-	-	2	2	-	-	-	-	-	-	-
JACKSON	-	-	-	-	13	-	-	-	-	1	-	-	-	-	-	-	-	-
JEFFERSON	-	12	4	-	199	-	-	-	-	23	6	-	-	-	-	-	-	-
Kenner*	-	3	3	-	15	-	-	-	-	4	1	-	-	-	-	-	-	-
Gretna*	-	-	-	-	36	-	-	-	-	2	-	-	-	-	-	-	-	-
Harahan*.	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Westwego*	-	-	-	-	5	-	-	-	-	1	-	-	-	-	-	-	-	-
JEFFERSON DAVIS . .	-	5	-	-	8	-	-	-	-	1	1	-	-	-	-	-	-	-
Jennings*	-	3	-	-	6	-	-	-	-	1	-	-	-	-	-	-	-	-
LAFAYETTE	-	4	6	-	42	-	-	-	-	12	4	-	-	-	-	-	-	-
Lafayette*.	-	4	4	-	34	-	-	-	-	6	3	-	-	-	-	-	-	-
LAFOURCHE	-	3	12	-	17	-	-	-	-	2	-	-	-	-	-	-	-	-
Thibodaux*.	-	1	3	-	10	-	-	-	-	1	-	-	-	-	-	-	-	-
LASALLE	-	-	-	-	2	-	-	-	-	3	-	-	-	-	-	-	-	-
LINCOLN	-	2	-	-	26	-	-	-	-	-	-	-	-	-	-	-	-	-
Ruston*	-	2	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-
LIVINGSTON.	-	1	-	-	10	-	-	-	-	9	2	-	-	-	-	-	-	-
MADISON	-	1	-	-	5	-	-	-	-	1	1	-	-	-	-	-	-	-
MOREHOUSE	-	-	-	-	10	-	-	-	-	-	1	-	-	-	-	-	-	-
Bastrop*.	-	-	-	-	6	-	-	-	-	-	1	-	-	-	-	-	-	-
NATCHITOCHES. . . .	-	2	1	-	14	-	-	-	-	2	-	-	-	-	-	-	-	-
Natchitoches* . . .	-	1	1	-	13	-	-	-	-	2	-	-	-	-	-	-	-	-
ORLEANS	-	21	8	-	1221	1	-	-	-	113	26	1	2	1	-	-	-	-
OUACHITA	-	-	-	-	126	-	-	-	-	23	5	-	-	-	-	-	-	-
Monroe*	-	-	-	-	96	-	-	-	-	22	4	-	-	-	-	-	-	-
West Monroe*. . . .	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAQUEMINES	-	-	1	-	14	-	-	-	-	1	-	-	-	-	-	-	-	-
POINTE COUPEE . . .	-	-	-	-	11	-	-	-	-	2	-	-	-	-	-	-	-	-
RAPIDES	-	7	1	-	112	-	-	-	-	11	2	-	-	-	-	-	-	-
Alexandria*	-	3	-	-	85	-	-	-	-	7	1	-	-	-	-	-	-	-
RED RIVER	-	-	1	-	9	-	-	-	-	4	-	-	-	-	-	-	-	-
RICHLAND	-	-	-	-	17	-	-	-	-	7	1	-	-	-	-	-	-	-
SABINE	-	1	-	-	22	-	-	-	-	4	-	-	-	-	-	-	-	-
ST. BERNARD	-	2	1	-	5	-	-	-	-	3	-	-	-	-	-	-	-	-
ST. CHARLES	-	-	1	-	12	-	-	-	-	2	-	-	-	-	-	-	-	-
ST. HELENA.	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ST. JAMES	-	-	-	-	6	-	-	-	-	2	1	-	-	-	-	-	-	-
ST. JOHN	-	1	-	-	8	-	-	-	-	4	1	-	-	-	-	-	-	-
ST. LANDRY	-	3	2	-	61	1	-	-	-	13	3	-	-	-	-	-	-	-
Opelousas*.	-	1	1	-	49	1	-	-	-	3	-	-	-	-	-	-	-	-
Eunice*	-	-	-	-	3	-	-	-	-	5	2	-	-	-	-	-	-	-
ST. MARTIN	-	3	-	-	8	-	-	-	-	5	1	-	-	-	-	-	-	-
ST. MARY	-	1	-	-	15	-	-	-	-	9	-	-	-	-	-	-	-	-
Morgan City*. . . .	-	-	-	-	7	-	-	-	-	4	-	-	-	-	-	-	-	-
ST. TAMMANY	-	5	5	-	39	-	-	-	-	9	3	-	-	-	-	-	-	-
Slidell*.	-	2	1	-	3	-	-	-	-	3	-	-	-	-	-	-	-	-
TANGIPAHOA	-	7	2	-	47	-	-	-	-	5	-	-	-	-	-	-	-	-
Hammond*.	-	1	1	-	22	-	-	-	-	1	-	-	-	-	-	-	-	-
TENSAS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERREBONNE	-	14	12	-	20	-	-	-	-	6	-	-	-	-	-	-	-	-
Houma*.	-	9	8	-	8	-	-	-	-	2	-	-	-	-	-	-	-	-
UNION	-	-	-	-	8	-	-	-	-	1	-	-	-	-	-	-	-	-
VERMILION	-	14	3	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-
Abbeville*.	-	6	3	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-
VERNON	-	3	1	-	32	-	-	-	-	1	-	-	-	-	-	-	-	-
WASHINGTON	-	2	-	-	21	-	-	-	-	5	-	-	-	-	-	-	-	-
Bogalusa*	-	2	-	-	10	-	-	-	-	1	-	-	-	-	-	-	-	-
WEBSTER	-	2	-	-	49	-	-	-	-	9	1	-	-	-	-	1	-	-
Minden*	-	2	-	-	29	-	-	-	-	4	-	-	-	-	-	-	-	-
WEST BATON ROUGE. .	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST CARROLL. . . .	-	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST FELICIANA. . .	-	3	-	-	31	-	-	-	-	1	-	-	-	-	-	-	-	-
WINN	-	-	-	-	3	-	-	-	-	2	-	-	-	-	-	-	-	-
OUT OF STATE**. . .	-	2	2	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-

* Cities are included in parish total.
**Not included in parish total.

Table XXXII
Reportable Diseases by Race and Age
Louisiana, 1981
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Actinomycosis	1	0.0	W	1	-	-	-	-	-	-	-	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Amebiasis	16	0.4	W	12	-	1	-	-	2	1	-	1	2	1	3	1
			NW	2	-	-	-	-	1	-	-	-	-	1	-	-
			Unk	2	-	-	-	-	-	-	1	1	-	-	-	-
Anthrax	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Aseptic meningitis . .	108	2.5	W	73	9	11	11	7	5	10	14	2	-	-	1	3
			NW	25	3	2	7	3	3	2	2	1	-	2	-	-
			Unk	10	2	1	1	-	1	-	-	-	-	-	1	4
Blastomycosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Botulism	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever)	3	0.1	W	2	-	-	-	-	-	-	-	-	2	-	-	-
			NW	1	-	-	-	-	-	-	-	-	-	1	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Cat scratch fever . . .	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Chancroid	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	13	0.3	W	11	-	-	-	-	1	5	3	2	-	-	-	-
			NW	1	-	-	-	-	-	-	-	-	1	-	-	-
			Unk	1	-	-	-	-	-	-	-	-	-	-	-	1
Coccidioidomycosis . .	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Cryptococcosis	2	0.0	W	1	-	-	-	-	-	1	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	1	-	-	-	1	-	-	-	-	-	-	-	-
Dengue	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Echinococcosis (hydatid diaease	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, arthropod-borne	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, post-infectious	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis, other and unspecified	9	0.2	W	9	-	3	2	1	1	1	1	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Food poisoning	-	-	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-

Table XXXII (continued)
Reportable Disease by Race and Age
Louisiana, 1981
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Glanders.	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Gonorrhea	23590	547.9	W	4106	-	2	2	25	865	1459	1184	201	37	14	2	315
			NW	18606	5	17	17	169	4926	6957	4718	593	119	25	16	1044
			Unk	878	1	-	2	11	110	112	89	13	1	2	1	536
Granuloma inguinale . .	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Hepatitis, type A	772	17.9	W	585	1	34	43	52	63	108	166	48	19	18	13	20
			NW	133	-	6	19	13	28	14	31	11	5	4	-	2
			Unk	54	-	2	2	2	2	5	8	2	-	-	1	30
Hepatitis, type B	363	8.4	W	195	-	1	-	3	28	57	56	14	15	6	5	10
			NW	131	-	1	1	1	11	35	37	10	15	3	13	4
			Unk	37	-	-	-	1	4	9	5	-	1	-	-	17
Hepatitis, type unspecified	400	9.3	W	221	-	2	18	14	23	58	56	20	11	5	3	11
			NW	94	-	2	4	9	9	12	17	9	5	10	8	9
			Unk	85	-	-	5	3	3	12	10	6	1	-	1	44
Histoplasmosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious mononucleosis	10	0.2	W	8	-	-	-	5	-	1	2	-	-	-	-	-
			NW	2	-	-	-	1	-	-	1	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Legionnaire's disease .	4	0.1	W	3	-	-	-	-	-	1	-	-	-	1	1	-
			NW	1	-	-	-	-	-	-	-	-	-	1	-	-
			UNK	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Leptospirosis (Weil's Disease)	3	0.1	W	2	-	-	-	-	-	-	1	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	1	-	-	-	-	-	-	-	-	1	-	-	-
Listeriosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphocytic choriomeningitis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Lymphopathia venereum .	1	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	14	0.3	W	4	-	-	-	-	-	1	-	-	2	-	-	1
			NW	5	-	-	-	-	-	-	1	3	1	-	-	-
			Unk	5	-	-	-	-	-	-	2	-	-	-	-	3
Measles	4	0.1	W	3	-	1	1	-	1	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	1	-	-	1	-	-	-	-	-	-	-	-	-
Meningococcal infections	138	3.2	W	57	14	20	2	4	6	1	2	4	1	1	1	1
			NW	32	4	7	6	4	3	4	4	-	-	-	-	-
			Unk	49	11	10	11	2	3	1	3	1	1	1	-	5
Mumps	6	0.1	W	3	-	2	-	1	-	-	-	-	-	-	-	-
			NW	1	-	-	-	1	-	-	-	-	-	-	-	-
			Unk	2	-	-	2	-	-	-	-	-	-	-	-	-
Mycobacteriosis, atypical	98	2.3	W	59	-	-	-	-	-	2	4	5	9	15	19	5
			NW	34	-	-	-	-	-	1	2	6	8	10	6	1
			Unk	5	-	-	-	-	-	-	-	-	1	1	-	3

Table XXXII (continued)
Reportable Diseases by Race and Age
Louisiana, 1981
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Ophthalmia neonatorum . .	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Pertussis (whooping cough)	8	0.2	W	2	2	-	-	-	-	-	-	-	-	-	-	-
			NW	4	3	-	-	-	-	-	-	-	-	-	-	1
			Unk	2	2	-	-	-	-	-	-	-	-	-	-	-
Plague	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, paralytic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, non-paralytic	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Psittacosis	1	0.0	W	1	-	1	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Q. Fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies in animals	34															
Rabies in man	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat bite fever.	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rat bites	6	0.1	W	6	-	1	1	2	-	-	1	1	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Relapsing fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Reyes syndrome	4	0.1	W	1	-	1	-	-	-	-	-	-	-	-	-	-
			NW	3	-	2	-	-	-	1	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky mountain spotted fever	2	0.0	W	1	-	-	-	1	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	-	-	1	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Rubella	9	0.2	W	6	2	-	-	1	2	-	1	-	-	-	-	-
			NW	2	-	1	1	-	-	-	-	-	-	-	-	-
			Unk	1	-	-	-	-	1	-	-	-	-	-	-	-
Rubella, congenital syndrome	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Salmonellosis (includes paratyphoid fever) .	237	5.5	W	122	38	23	4	6	2	5	12	5	7	2	10	8
			NW	92	43	18	2	6	7	3	2	2	1	-	3	5
			Unk	23	4	2	2	-	1	-	1	1	3	-	1	8
Shigellosis (dysentery-bacillary)	157	3.6	W	45	1	18	4	4	3	2	5	2	-	2	-	4
			NW	102	11	61	16	5	2	1	2	-	1	1	1	1
			Unk	10	-	2	-	-	-	1	3	-	1	-	-	3

Table XXXII (continued)
Reportable Diseases by Race and Age
Louisiana, 1981
(By Occurrence)

DISEASE	TOTAL	RATE (Per 100,000 Population)	RACE	TOTAL (By Race)	AGE IN YEARS											
					Under 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65 and Over	Not Stated
Smallpox	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis	3306	76.8	W	379	-	-	-	5	27	45	84	45	20	11	2	140
			NW	2871	4	1	1	21	398	667	700	197	78	32	23	749
			Unk	56	-	-	-	-	1	7	9	6	6	3	4	20
Tetanus	3	0.1	W	3	-	-	-	-	-	-	-	-	-	-	3	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Toxoplasmosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Trachoma	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichinosis	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, pulmonary .	423	9.8	W	215	-	-	-	-	-	9	20	29	40	45	67	5
			NW	202	-	4	1	-	4	19	33	32	27	34	42	6
			Unk	6	-	-	-	-	-	-	-	1	2	1	1	1
Tuberculosis, other forms	111	2.6	W	37	1	9	1	2	2	-	5	4	4	3	5	1
			NW	73	3	20	9	3	2	2	7	5	3	6	13	-
			Unk	1	-	1	-	-	-	-	-	-	-	-	-	-
Tularemia	3	0.1	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	2	-	-	-	-	1	-	-	-	1	-	-	-
			Unk	1	-	1	-	-	-	-	-	-	-	-	-	-
Typhoid fever	3	0.1	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	3	-	1	-	-	-	1	-	-	-	-	1	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus fever, endemic . .	1	0.0	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	1	-	-	-	-	-	-	1	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus fever, epidemic .	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Undernutrition, severe .	2	0.0	W	1	-	-	-	-	-	-	-	-	-	-	-	1
			NW	1	-	-	-	1	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Visceral larva migrans .	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-
Yellow fever	-	- -	W	-	-	-	-	-	-	-	-	-	-	-	-	-
			NW	-	-	-	-	-	-	-	-	-	-	-	-	-
			Unk	-	-	-	-	-	-	-	-	-	-	-	-	-

U.S. Flag of 50 Stars

MARRIAGE
AND
DIVORCE

Table XXXIII
Marriages, Final Divorces, and Annulments Granted
Louisiana, 1981

PARISH	MARRIAGES		DIVORCES BY PARISH GRANTING DECREE	ANNULMENTS BY PARISH GRANTING DECREE
	BY PARISH OF ISSUE OF LICENSE	BY PARISH OF OCCURRENCE		
TOTAL	44929	44929	17377	20
ACADIA	589	640	228	1
ALLEN	283	249	---	---
ASCENSION	634	614	228	-
ASSUMPTION	186	226	65 *	- *
AVOYELLES	393	395	130 *	- *
BEAUREGARD	177	197	125 *	- *
BIENVILLE	1	69	98 *	- *
BOSSIER	548	1065	473	-
CADDO	2879	2260	1487	4
CALCASIEU	2329	2263	864	2
CALDWELL	119	109	54	-
CAMERON	102	122	17	-
CATAHOULA	123	129	36 *	- *
CLAIBORNE	129	130	29	-
CONCORDIA	226	230	70	-
DESOTO	216	246	---	---
EAST BATON ROUGE	4353	4133	2117 *	4 *
EAST CARROLL	93	98	51 *	- *
EAST FELICIANA	155	174	49	-
EVANGELINE	347	383	130 *	- *
FRANKLIN	219	218	103 *	- *
GRANT	115	169	58	-
IBERIA	726	705	260 *	- *
IBERVILLE	254	288	89 *	- *
JACKSON	178	185	157 *	- *
JEFFERSON	4938	4748	2147	6
JEFFERSON DAVIS	407	386	65	-
LAFAYETTE	1901	1752	---	---
LAFOURCHE	1022	946	328	-
LASALLE	151	175	60	-
LINCOLN	397	310	---	---
LIVINGSTON	670	770	---	---
MADISON	63	70	---	---
MOREHOUSE	287	301	146	-
NATCHITOCHES	383	403	159	-
ORLEANS	5139	5230	2450	-
OUACHITA	1367	1329	786	-
PLAQUEMINES	194	290	82	-
POINTE COUPEE	216	240	75 *	- *
RAPIDES	1535	1539	625	1
RED RIVER	176	133	84 *	- *
RICHLAND	194	198	---	---
SABINE	171	191	77 *	- *
ST. BERNARD	961	992	352	-
ST. CHARLES	433	431	159	-
ST. HELENA	128	115	---	---
ST. JAMES	185	209	28	-
ST. JOHN	292	303	84	-
ST. LANDRY	882	944	384 *	- *
ST. MARTIN	379	389	130	-
ST. MARY	899	851	170	-
ST. TAMMANY	1021	1092	---	---
TANGIPAHOA	846	841	226	-
TENSAS	47	56	15	-
TERREBONNE	1236	1267	807	-
UNION	-	41	39 *	- *
VERMILION	601	649	253 *	- *
VERNON	837	854	301 *	2 *
WASHINGTON	507	497	147 *	- *
WEBSTER	395	394	153	-
WEST BATON ROUGE	286	205	9	-
WEST CARROLL	140	146	42	-
WEST FELICIANA	82	92	24 *	- *
WINN	187	190	30	-
OUT OF STATE	-	-	3	-
UNKNOWN	-	63	19	-

--- No divorce or annulment data from Clerk of Court's Office.
* Summary Reports

Table XXXIV
Marriages by Month of Occurrence
Louisiana, 1981

MONTH	NUMBER	PERCENT	DAILY AVERAGE
TOTAL	44929	100.0	123
JANUARY	3032	6.7	98
FEBRUARY	3326	7.4	119
MARCH	3002	6.7	97
APRIL	3447	7.7	115
MAY	4351	9.7	140
JUNE	4860	10.8	162
JULY	3937	8.8	127
AUGUST	4554	10.1	147
SEPTEMBER	3383	7.5	113
OCTOBER	3500	7.8	113
NOVEMBER	3658	8.1	122
DECEMBER	3770	8.4	122
UNKNOWN	109	0.2	-

Table XXXV
Marriages by Race of Bride, by Race of Groom
Louisiana, 1981

GROOM RACE OF	TOTAL	RACE OF BRIDE						
		WHITE	BLACK	AMERICAN INDIAN	CHINESE	JAPANESE	OTHER NONWHITE	UNKNOWN
TOTAL	44929	34756	9855	65	27	9	191	26
WHITE	34704	34485	84	52	5	6	57	15
BLACK	9959	178	9758	3	1	-	14	5
AMERICAN INDIAN	61	51	1	9	-	-	-	-
CHINESE	30	6	1	-	19	1	3	-
JAPANESE	5	3	-	-	-	2	-	-
OTHER NONWHITE	152	25	7	1	2	-	117	-
UNKNOWN	18	8	4	-	-	-	-	6

Table XXXVI
Marriages by Previous Marital Status of Bride and Groom
Louisiana, 1981

PREVIOUS MARITAL STATUS OF GROOM	TOTAL	PREVIOUS MARITAL STATUS OF BRIDE				
		NEVER MARRIED PREVIOUSLY	WIDOWED	DIVORCED	PREVIOUS MARRIAGE ANNULLED	NOT STATED
TOTAL	44929	26973	1469	11403	27	5057
NEVER MARRIED PREVIOUSLY	26360	22100	246	3780	16	218
WIDOWED	1162	148	504	502	1	7
DIVORCED	12395	4515	708	7075	8	89
PREVIOUS MARRIAGE ANNULLED	42	23	3	14	2	-
NOT STATED	4970	187	8	32	-	4743

Table XXXVII
ALL MARRIAGES BY AGE OF BRIDE-BY AGE OF GROOM
LOUISIANA, 1981

AGE OF GROOM	TOTAL	AGE OF BRIDE																													
		Under 15	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and Over	Not Stated
ALL AGES	44834	130	417	1231	2419	4095	4067	3766	3330	3175	2709	2348	2010	1687	1470	1254	1079	962	779	744	705	662	2072	1260	851	569	365	277	196	79	44	82
Under 15	10	-	-	4	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
15	17	2	1	7	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
16	128	8	28	29	33	16	4	1	2	-	1	1	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
17	564	14	62	133	158	117	34	19	2	8	3	1	1	1	-	2	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-	2
18	1746	26	96	275	403	508	224	85	41	23	12	7	17	4	4	4	2	2	3	1	-	-	2	1	1	-	-	-	-	-	-	5
19	2921	28	80	274	523	797	609	274	109	78	39	39	13	17	9	5	3	3	5	1	-	2	3	1	-	-	-	1	-	-	-	8
20	3362	9	58	175	432	758	707	519	284	141	90	51	47	26	12	12	11	4	2	6	2	1	7	-	-	1	-	-	-	-	-	7
21	3457	11	31	123	319	600	672	597	443	245	133	87	52	32	27	19	15	13	9	10	4	2	5	4	-	-	1	-	-	-	-	3
22	3429	7	15	75	161	391	526	549	535	474	229	132	88	71	45	24	24	16	14	9	7	11	11	5	5	-	1	-	-	-	-	4
23	3162	4	12	33	120	258	368	423	462	446	400	212	113	71	60	39	35	26	16	17	7	7	23	2	-	1	1	-	-	-	-	6
24	2885	3	9	32	69	198	233	352	358	392	383	299	182	93	74	53	31	32	23	12	20	4	23	7	-	2	-	-	-	-	-	1
25	2481	5	5	22	55	112	173	235	256	298	288	286	246	147	86	71	44	38	22	24	16	13	23	8	1	2	-	-	-	-	-	5
26	2171	1	4	8	36	79	126	168	185	260	236	260	216	170	115	78	52	47	22	18	22	15	36	12	2	-	-	-	-	-	-	3
27	1873	5	2	13	17	50	97	120	131	193	181	189	169	164	134	88	87	56	33	37	30	20	39	9	2	1	1	1	-	-	-	4
28	1534	-	3	6	23	45	74	82	109	134	125	137	156	128	116	103	76	45	38	31	18	21	44	12	5	1	1	-	-	-	-	1
29	1466	2	5	5	11	39	46	77	71	120	97	122	133	126	128	108	86	69	47	47	33	27	42	16	4	1	-	-	1	-	-	3
30	1283	-	-	3	11	27	29	61	63	58	92	95	114	117	105	113	74	87	47	46	20	39	46	27	5	-	-	-	-	-	-	4
31	1113	-	1	1	7	18	27	39	55	57	90	73	92	83	93	84	79	69	50	42	35	33	59	18	7	1	-	-	-	-	-	-
32	946	-	1	3	4	9	25	31	32	40	65	69	67	87	85	56	73	49	48	42	36	33	60	19	7	1	2	-	-	-	-	2
33	896	-	1	1	2	8	10	25	37	50	46	61	57	53	61	64	71	53	48	43	47	42	71	30	10	-	2	-	-	-	-	3
34	887	-	1	-	3	9	15	18	32	33	32	46	53	63	49	72	46	65	48	62	57	41	107	25	7	2	-	-	-	-	-	1
35-39	2803	2	-	2	15	28	40	40	76	82	110	110	116	149	162	147	148	159	167	136	172	167	509	176	61	19	7	-	-	-	-	3
40-44	1804	3	-	1	3	10	10	27	25	25	26	45	44	44	56	68	68	73	75	86	101	95	458	286	122	40	11	-	1	-	-	1
45-49	1177	-	-	1	2	3	5	4	7	7	16	14	21	17	27	26	25	30	36	35	44	50	250	259	191	81	14	8	2	1	1	-
50-54	904	-	-	-	-	2	-	4	2	3	5	3	4	15	10	9	12	12	19	25	17	22	133	181	213	130	45	21	9	3	-	5
55-59	643	-	1	-	-	-	1	4	1	1	2	2	4	3	4	5	10	8	5	6	7	9	66	97	115	133	100	44	9	1	1	4
60-64	422	-	-	-	-	1	-	1	1	2	-	-	1	2	2	3	-	1	1	1	5	4	34	36	56	70	92	61	36	9	3	-
65-69	316	-	-	-	-	-	-	-	1	-	1	-	1	-	3	-	1	2	-	1	1	1	11	13	18	56	53	78	57	11	4	3
70-74	185	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	1	-	-	7	14	15	23	40	42	26	10	1
75 & Over	173	-	-	2	2	6	5	3	1	1	2	3	1	-	-	-	-	1	1	-	1	2	2	4	4	11	10	21	39	27	24	-
Unknown	76	-	1	3	5	4	7	8	6	2	5	4	2	3	1	-	3	-	-	3	-	-	4	5	1	1	1	2	-	1	1	3

This public document was published at a total cost of $2,363.17. Seven hundred (700) copies of this public document were published in this first printing at a cost of $2,363.17. The total cost of all printings of this document, including reprints is $2,363.17. This document was published for the Office of Health Services and Environmental Quality by the Division of Administration, Administrative Services, P. O. Box 44095, Baton Rouge, Louisiana 70804, to supply data needed for health planning and program activities under authority of R.S. 40:36. This material was printed in accordance with the standards for printing by state agencies established pursuant to R.S. 43:31.